

MODIFIED RATIONAL METHOD HYDROLOGY
TOTAL HYDROGRAPH AT 1 11AB STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.80	100	1.44	200	1.68	300	1.65	400	1.75
500	1.84	600	1.99	700	2.16	800	2.48	900	3.00
1000	4.26	1050	6.05	1100	10.14	1110	11.49	1120	13.57
1130	17.04	1131	17.49	1132	17.95	1133	18.44	1134	18.95
1135	19.50	1136	20.08	1137	20.71	1138	21.41	1139	22.16
1140	22.98	1141	23.86	1142	24.75	1143	25.72	1144	26.80
1145	27.97	1146	29.25	1147	30.66	1148	32.22	1149	33.99
1150	36.01	1151	38.37	1152	41.10	1153	44.36	1154	48.55
1155	54.31	1156	67.53	1157	75.91	1158	83.79	1159	95.34
1160	107.20	1161	116.96	1162	122.96	1163	124.62	1164	116.61
1165	110.53	1166	103.32	1167	94.31	1168	85.83	1169	77.72
1170	69.78	1171	62.54	1172	55.86	1173	49.88	1174	44.69
1175	40.11	1176	36.07	1177	32.55	1178	29.46	1179	26.78
1180	24.45	1181	22.42	1182	20.60	1183	18.99	1184	17.59
1185	16.35	1186	15.25	1187	14.27	1188	13.42	1189	12.64
1190	11.93	1191	11.28	1192	10.67	1193	10.14	1194	9.65
1195	9.20	1196	8.78	1197	8.41	1198	8.06	1199	7.74
1200	7.45	1201	7.17	1202	6.92	1203	6.69	1204	6.48
1205	6.28	1206	6.10	1207	5.92	1208	5.75	1209	5.60
1210	5.45	1211	5.31	1212	5.17	1213	5.05	1214	4.94
1215	4.84	1216	4.74	1217	4.64	1218	4.55	1219	4.46
1220	4.38	1221	4.30	1222	4.22	1223	4.15	1224	4.08
1225	4.02	1226	3.95	1227	3.89	1228	3.84	1229	3.78
1230	3.73	1231	3.68	1232	3.63	1233	3.58	1234	3.53
1235	3.49	1236	3.45	1237	3.41	1238	3.37	1239	3.33
1240	3.29	1241	3.26	1242	3.22	1243	3.19	1244	3.15
1245	3.12	1246	3.09	1247	3.06	1248	3.03	1249	3.00
1250	2.90	1251	2.85	1252	2.82	1253	2.80	1254	2.87
1255	2.85	1256	2.83	1257	2.81	1258	2.78	1259	2.76
1260	2.74	1261	2.72	1262	2.70	1263	2.69	1264	2.67
1265	2.65	1266	2.63	1267	2.61	1268	2.59	1269	2.58
1270	2.56	1271	2.54	1272	2.53	1273	2.51	1274	2.49
1275	2.48	1276	2.46	1277	2.45	1278	2.43	1279	2.42
1280	2.41	1281	2.39	1282	2.38	1283	2.37	1284	2.35
1285	2.34	1286	2.33	1287	2.32	1288	2.30	1289	2.29
1290	2.28	1291	2.27	1292	2.26	1293	2.25	1294	2.24
1295	2.22	1296	2.21	1297	2.20	1298	2.19	1299	2.18
1300	2.17	1310	2.08	1320	2.00	1330	1.93	1340	1.87
1350	1.83	1360	1.79	1370	1.75	1380	1.72	1390	1.69
1400	1.67	1420	1.62	1440	1.58	1460	1.54	1500	0.87

Total Runoff = 9.091 Acre-ft.
Peak Q = 124.62 CFS
Time to Peak = 1163 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
TOTAL HYDROGRAPH AT 1 11RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.80	100	1.31	200	1.69	300	1.63	400	1.77
500	1.83	600	1.97	700	2.14	800	2.43	900	2.94
1000	4.10	1050	5.87	1100	9.39	1110	10.50	1120	12.10
1130	14.73	1131	15.07	1132	15.40	1133	15.75	1134	16.11
1135	16.49	1136	16.90	1137	17.35	1138	17.83	1139	18.34
1140	18.88	1141	19.47	1142	20.10	1143	20.79	1144	21.55
1145	22.35	1146	23.22	1147	24.16	1148	25.18	1149	26.30
1150	27.54	1151	28.90	1152	30.44	1153	32.18	1154	34.19
1155	36.54	1156	39.38	1157	42.98	1158	48.02	1159	57.02
1160	65.77	1161	75.64	1162	87.00	1163	98.42	1164	108.25
1165	114.72	1166	116.46	1167	114.44	1168	110.34	1169	104.69
1170	97.95	1171	90.95	1172	83.79	1173	76.86	1174	70.31
1175	64.14	1176	58.45	1177	53.13	1178	48.45	1179	44.21
1180	40.40	1181	36.98	1182	33.93	1183	31.19	1184	28.75
1185	26.57	1186	24.61	1187	22.85	1188	21.28	1189	19.86
1190	18.58	1191	17.42	1192	16.40	1193	15.47	1194	14.61
1195	13.81	1196	13.07	1197	12.40	1198	11.80	1199	11.23
1200	10.72	1201	10.25	1202	9.81	1203	9.42	1204	9.05
1205	8.71	1206	8.38	1207	8.07	1208	7.79	1209	7.51
1210	7.25	1211	7.01	1212	6.79	1213	6.58	1214	6.38
1215	6.19	1216	6.02	1217	5.85	1218	5.71	1219	5.58
1220	5.45	1221	5.33	1222	5.21	1223	5.10	1224	4.99
1225	4.89	1226	4.79	1227	4.70	1228	4.60	1229	4.52
1230	4.44	1231	4.36	1232	4.28	1233	4.21	1234	4.14
1235	4.08	1236	4.02	1237	3.97	1238	3.91	1239	3.85
1240	3.80	1241	3.75	1242	3.70	1243	3.65	1244	3.61
1245	3.56	1246	3.52	1247	3.47	1248	3.43	1249	3.39
1250	3.35	1251	3.32	1252	3.28	1253	3.25	1254	3.21
1255	3.18	1256	3.15	1257	3.11	1258	3.08	1259	3.06
1260	3.03	1261	3.00	1262	2.97	1263	2.95	1264	2.92
1265	2.90	1266	2.88	1267	2.86	1268	2.84	1269	2.81
1270	2.79	1271	2.77	1272	2.75	1273	2.73	1274	2.71
1275	2.69	1276	2.67	1277	2.66	1278	2.64	1279	2.62
1280	2.60	1281	2.59	1282	2.57	1283	2.55	1284	2.54
1285	2.52	1286	2.50	1287	2.49	1288	2.47	1289	2.46
1290	2.45	1291	2.43	1292	2.42	1293	2.40	1294	2.39
1295	2.38	1296	2.37	1297	2.35	1298	2.34	1299	2.33
1300	2.32	1310	2.20	1320	2.11	1330	2.03	1340	1.95
1350	1.90	1360	1.85	1370	1.80	1380	1.77	1390	1.73
1400	1.70	1420	1.65	1440	1.61	1460	1.45	1500	1.02

Total Runoff = 9.108 Acre-ft.
Peak Q = 116.46 CFS
Time to Peak = 1166 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
TOTAL HYDROGRAPH AT 1 32AC STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	1.60	100	2.83	200	3.99	300	4.28	400	4.59
500	4.90	600	5.38	700	6.00	800	7.01	900	8.60
1000	12.19	1050	17.84	1100	31.93	1110	36.00	1120	41.30
1130	49.20	1131	50.14	1132	51.09	1133	52.10	1134	53.18
1135	54.33	1136	55.54	1137	56.83	1138	58.22	1139	59.70
1140	61.29	1141	62.97	1142	64.78	1143	66.73	1144	68.84
1145	71.08	1146	73.47	1147	76.03	1148	78.81	1149	81.86

1150	85.23	1151	89.00	1152	93.24	1153	98.39	1154	104.18
1155	111.64	1156	124.71	1157	138.10	1158	152.82	1159	167.47
1160	181.94	1161	195.79	1162	204.76	1163	214.60	1164	222.74
1165	227.33	1166	228.68	1167	226.76	1168	219.90	1169	207.73
1170	194.54	1171	184.41	1172	177.11	1173	171.87	1174	168.06
1175	165.42	1176	163.56	1177	162.21	1178	161.12	1179	160.07
1180	158.86	1181	157.29	1182	155.24	1183	152.64	1184	149.49
1185	145.80	1186	141.65	1187	137.19	1188	132.27	1189	127.27
1190	122.22	1191	117.15	1192	112.12	1193	107.19	1194	102.38
1195	97.71	1196	93.23	1197	88.93	1198	84.80	1199	80.80
1200	77.03	1201	73.40	1202	70.00	1203	66.78	1204	63.75
1205	60.89	1206	58.20	1207	55.87	1208	53.28	1209	51.03
1210	48.90	1211	46.93	1212	45.05	1213	43.27	1214	41.59
1215	39.99	1216	38.48	1217	37.06	1218	35.71	1219	34.44
1220	33.25	1221	32.13	1222	31.05	1223	30.02	1224	29.03
1225	28.13	1226	27.26	1227	26.43	1228	25.64	1229	24.92
1230	24.22	1231	23.56	1232	22.93	1233	22.36	1234	21.80
1235	21.27	1236	20.75	1237	20.25	1238	19.76	1239	19.28
1240	18.83	1241	18.38	1242	17.95	1243	17.53	1244	17.13
1245	16.75	1246	16.37	1247	16.01	1248	15.67	1249	15.33
1250	15.02	1251	14.71	1252	14.41	1253	14.13	1254	13.88
1255	13.65	1256	13.43	1257	13.21	1258	13.00	1259	12.80
1260	12.60	1261	12.41	1262	12.22	1263	12.04	1264	11.86
1265	11.69	1266	11.52	1267	11.35	1268	11.19	1269	11.04
1270	10.89	1271	10.74	1272	10.60	1273	10.46	1274	10.33
1275	10.21	1276	10.09	1277	9.98	1278	9.87	1279	9.76
1280	9.66	1281	9.55	1282	9.45	1283	9.36	1284	9.26
1285	9.17	1286	9.07	1287	8.98	1288	8.89	1289	8.81
1290	8.72	1291	8.64	1292	8.55	1293	8.47	1294	8.39
1295	8.32	1296	8.24	1297	8.16	1298	8.09	1299	8.02
1300	7.95	1310	7.36	1320	6.88	1330	6.47	1340	6.13
1350	5.83	1360	5.57	1370	5.34	1380	5.15	1390	4.97
1400	4.82	1420	4.56	1440	4.36	1460	3.75	1500	2.87

Total Runoff = 28.323 Acre-ft.
 Peak Q = 228.69 CFS
 Time to Peak = 1166 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 32RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	1.60	100	2.44	200	3.75	300	4.23	400	4.51
500	4.84	600	5.26	700	5.87	800	6.78	900	8.28
1000	11.48	1050	15.96	1100	27.93	1110	31.32	1120	35.45
1130	41.18	1131	41.86	1132	42.57	1133	43.29	1134	44.03
1135	44.78	1136	45.56	1137	46.38	1138	47.23	1139	48.11
1140	49.04	1141	50.04	1142	51.11	1143	52.23	1144	53.43
1145	54.72	1146	56.09	1147	57.56	1148	59.14	1149	60.84
1150	62.67	1151	64.65	1152	66.78	1153	69.09	1154	71.61
1155	74.37	1156	77.43	1157	80.87	1158	84.82	1159	89.49
1160	95.71	1161	104.04	1162	114.38	1163	126.33	1164	139.61
1165	153.29	1166	166.54	1167	179.14	1168	190.58	1169	200.21
1170	207.49	1171	211.93	1172	213.02	1173	210.81	1174	206.19
1175	200.38	1176	194.34	1177	188.58	1178	183.41	1179	178.86
1180	175.00	1181	171.84	1182	169.18	1183	166.92	1184	164.91
1185	163.02	1186	161.10	1187	159.04	1188	156.81	1189	154.28
1190	151.41	1191	148.20	1192	144.67	1193	140.90	1194	136.97
1195	132.83	1196	128.54	1197	124.25	1198	119.95	1199	115.61
1200	111.28	1201	107.13	1202	103.01	1203	99.03	1204	95.14
1205	91.37	1206	87.72	1207	84.22	1208	80.85	1209	77.62
1210	74.53	1211	71.58	1212	68.77	1213	66.08	1214	63.53
1215	61.10	1216	58.78	1217	56.59	1218	54.50	1219	52.51
1220	50.61	1221	48.81	1222	47.13	1223	45.49	1224	43.94
1225	42.46	1226	41.03	1227	39.66	1228	38.35	1229	37.14
1230	35.98	1231	34.86	1232	33.78	1233	32.80	1234	31.87
1235	30.96	1236	30.09	1237	29.30	1238	28.52	1239	27.78
1240	27.05	1241	26.36	1242	25.69	1243	25.04	1244	24.42
1245	23.81	1246	23.23	1247	22.67	1248	22.12	1249	21.60
1250	21.08	1251	20.59	1252	20.11	1253	19.65	1254	19.20
1255	18.77	1256	18.35	1257	17.95	1258	17.55	1259	17.18
1260	16.84	1261	16.53	1262	16.23	1263	15.94	1264	15.66
1265	15.38	1266	15.12	1267	14.86	1268	14.61	1269	14.37
1270	14.13	1271	13.90	1272	13.68	1273	13.46	1274	13.25
1275	13.05	1276	12.85	1277	12.65	1278	12.46	1279	12.28
1280	12.10	1281	11.93	1282	11.77	1283	11.62	1284	11.48
1285	11.34	1286	11.20	1287	11.06	1288	10.93	1289	10.80
1290	10.67	1291	10.55	1292	10.43	1293	10.31	1294	10.20
1295	10.09	1296	9.98	1297	9.87	1298	9.76	1299	9.66
1300	9.56	1310	8.65	1320	7.96	1330	7.39	1340	6.92
1350	6.53	1360	6.18	1370	5.88	1380	5.63	1390	5.40
1400	5.20	1420	4.87	1440	4.61	1460	4.33	1500	3.48

Total Runoff = 28.350 Acre-ft.
 Peak Q = 213.02 CFS
 Time to Peak = 1172 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 37AE STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	2.00	100	3.02	200	4.35	300	4.87	400	5.20
500	5.60	600	6.13	700	6.96	800	7.96	900	9.78
1000	13.73	1050	19.70	1100	34.95	1110	39.35	1120	44.95
1130	53.02	1131	54.00	1132	55.00	1133	56.05	1134	57.13
1135	58.27	1136	59.47	1137	60.73	1138	62.07	1139	63.49
1140	65.00	1141	66.62	1142	68.32	1143	70.13	1144	72.07
1145	74.15	1146	76.36	1147	78.74	1148	81.34	1149	84.20
1150	87.39	1151	90.96	1152	95.01	1153	99.59	1154	105.07
1155	112.02	1156	124.53	1157	135.81	1158	147.59	1159	158.34
1160	167.24	1161	175.69	1162	184.38	1163	193.28	1164	201.98
1165	205.68	1166	212.40	1167	219.12	1168	223.07	1169	225.86
1170	228.17	1171	229.22	1172	227.92	1173	223.93	1174	217.96
1175	211.09	1176	204.19	1177	197.71	1178	191.92	1179	186.87
1180	182.56	1181	179.01	1182	176.00	1183	173.38	1184	171.08
1185	169.91	1186	166.73	1187	164.41	1188	161.92	1189	159.14
1190	156.04	1191	152.61	1192	148.87	1193	144.91	1194	140.79
1195	136.47	1196	132.03	1197	127.60	1198	123.17	1199	118.71
1200	114.26	1201	109.99	1202	105.76	1203	101.68	1204	97.71

1205	93.85	1206	90.13	1207	86.55	1208	83.11	1209	79.82
1210	76.67	1211	73.68	1212	70.83	1213	68.11	1214	65.51
1215	63.05	1216	60.70	1217	58.47	1218	56.35	1219	54.33
1220	52.41	1221	50.59	1222	48.87	1223	47.22	1224	45.64
1225	44.14	1226	42.69	1227	41.30	1228	39.96	1229	38.74
1230	37.55	1231	36.41	1232	35.32	1233	34.32	1234	33.37
1235	32.45	1236	31.56	1237	30.75	1238	29.96	1239	29.20
1240	28.47	1241	27.76	1242	27.07	1243	26.41	1244	25.77
1245	25.16	1246	24.56	1247	23.99	1248	23.43	1249	22.89
1250	22.37	1251	21.86	1252	21.37	1253	20.90	1254	20.44
1255	20.00	1256	19.57	1257	19.15	1258	18.75	1259	18.36
1260	18.01	1261	17.70	1262	17.39	1263	17.09	1264	16.80
1265	16.52	1266	16.24	1267	15.98	1268	15.72	1269	15.47
1270	15.22	1271	14.99	1272	14.76	1273	14.53	1274	14.32
1275	14.10	1276	13.90	1277	13.70	1278	13.50	1279	13.31
1280	13.13	1281	12.94	1282	12.78	1283	12.63	1284	12.47
1285	12.33	1286	12.18	1287	12.04	1288	11.90	1289	11.77
1290	11.64	1291	11.51	1292	11.38	1293	11.26	1294	11.14
1295	11.02	1296	10.90	1297	10.79	1298	10.68	1299	10.57
1300	10.47	1310	9.52	1320	8.78	1330	8.18	1340	7.67
1350	7.25	1360	6.88	1370	6.55	1380	6.28	1390	6.03
1400	5.81	1420	5.46	1440	5.19	1460	4.73	1500	3.88

Total Runoff = 32.990 Acre-ft.
 Peak Q = 229.22 CFS
 Time to Peak = 1171 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 37RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	2.00	100	2.77	200	4.13	300	4.80	400	5.14
500	5.54	600	6.04	700	6.74	800	7.79	900	9.52
1000	13.18	1050	18.23	1100	31.79	1110	35.68	1120	40.41
1130	46.91	1131	47.67	1132	48.45	1133	49.23	1134	50.03
1135	50.87	1136	51.76	1137	52.68	1138	53.66	1139	54.69
1140	55.78	1141	56.92	1142	58.12	1143	59.38	1144	60.73
1145	62.16	1146	63.68	1147	65.30	1148	67.03	1149	68.88
1150	70.86	1151	73.00	1152	75.31	1153	77.84	1154	80.63
1155	83.75	1156	87.26	1157	91.27	1158	96.09	1159	102.62
1160	111.15	1161	121.04	1162	131.61	1163	142.22	1164	152.55
1165	162.67	1166	172.67	1167	182.03	1168	190.32	1169	198.02
1170	205.21	1171	211.43	1172	216.53	1173	220.57	1174	223.38
1175	224.59	1176	223.93	1177	221.47	1178	217.61	1179	212.81
1180	207.55	1181	202.21	1182	197.05	1183	192.25	1184	187.88
1185	184.00	1186	180.54	1187	177.49	1188	174.73	1189	172.15
1190	169.70	1191	167.26	1192	164.74	1193	162.05	1194	159.21
1195	156.14	1196	152.83	1197	149.34	1198	145.69	1199	141.85
1200	137.88	1201	133.89	1202	129.81	1203	125.68	1204	121.64
1205	117.58	1206	113.54	1207	109.62	1208	105.77	1209	102.04
1210	98.39	1211	94.86	1212	91.44	1213	88.14	1214	84.96
1215	81.90	1216	78.95	1217	76.13	1218	73.43	1219	70.84
1220	68.36	1221	65.99	1222	63.72	1223	61.55	1224	59.48
1225	57.50	1226	55.61	1227	53.80	1228	52.09	1229	50.46
1230	48.89	1231	47.38	1232	45.91	1233	44.49	1234	43.13
1235	41.86	1236	40.64	1237	39.47	1238	38.35	1239	37.28
1240	36.30	1241	35.34	1242	34.42	1243	33.54	1244	32.74
1245	31.96	1246	31.19	1247	30.44	1248	29.72	1249	29.01
1250	28.32	1251	27.66	1252	27.01	1253	26.38	1254	25.77
1255	25.18	1256	24.61	1257	24.06	1258	23.52	1259	23.00
1260	22.49	1261	22.00	1262	21.53	1263	21.07	1264	20.62
1265	20.19	1266	19.78	1267	19.38	1268	19.01	1269	18.70
1270	18.39	1271	18.09	1272	17.80	1273	17.50	1274	17.22
1275	16.94	1276	16.67	1277	16.41	1278	16.15	1279	15.90
1280	15.65	1281	15.41	1282	15.18	1283	14.95	1284	14.73
1285	14.51	1286	14.30	1287	14.10	1288	13.90	1289	13.70
1290	13.52	1291	13.36	1292	13.20	1293	13.04	1294	12.89
1295	12.74	1296	12.59	1297	12.45	1298	12.31	1299	12.17
1300	12.03	1310	10.82	1320	9.84	1330	9.07	1340	8.44
1350	7.90	1360	7.46	1370	7.07	1380	6.73	1390	6.43
1400	6.17	1420	5.75	1440	5.42	1460	5.08	1500	4.26

Total Runoff = 33.006 Acre-ft.
 Peak Q = 224.59 CFS
 Time to Peak = 1175 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 43A STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	2.40	100	3.55	200	5.04	300	5.92	400	6.41
500	6.93	600	7.59	700	8.50	800	9.87	900	12.08
1000	16.83	1050	23.63	1100	41.38	1110	46.59	1120	53.05
1130	62.12	1131	63.19	1132	64.31	1133	65.45	1134	66.62
1135	67.87	1136	69.18	1137	70.55	1138	72.01	1139	73.56
1140	75.21	1141	76.95	1142	78.72	1143	80.58	1144	82.58
1145	84.74	1146	87.06	1147	89.55	1148	92.27	1149	95.23
1150	96.52	1151	102.21	1152	106.39	1153	111.07	1154	116.71
1155	124.16	1156	139.78	1157	149.32	1158	155.15	1159	162.09
1160	170.21	1161	178.00	1162	185.44	1163	193.45	1164	201.53
1165	202.33	1166	209.85	1167	219.96	1168	228.42	1169	234.51
1170	239.32	1171	243.76	1172	247.67	1173	250.70	1174	252.76
1175	253.97	1176	254.52	1177	254.44	1178	253.61	1179	251.88
1180	249.13	1181	245.38	1182	240.79	1183	235.54	1184	229.94
1185	224.20	1186	218.55	1187	213.07	1188	207.90	1189	203.11
1190	198.67	1191	194.59	1192	190.89	1193	187.44	1194	184.16
1195	181.00	1196	177.92	1197	174.85	1198	171.70	1199	168.43
1200	165.07	1201	161.59	1202	157.96	1203	154.27	1204	150.46
1205	146.57	1206	142.66	1207	138.68	1208	134.67	1209	130.64
1210	126.72	1211	122.80	1212	118.98	1213	115.22	1214	111.55
1215	107.96	1216	104.47	1217	101.07	1218	97.77	1219	94.58
1220	91.50	1221	88.52	1222	85.65	1223	82.88	1224	80.22
1225	77.66	1226	75.20	1227	72.83	1228	70.56	1229	68.38
1230	66.29	1231	64.28	1232	62.37	1233	60.56	1234	58.80
1235	57.12	1236	55.48	1237	53.89	1238	52.35	1239	50.86
1240	49.49	1241	48.15	1242	46.86	1243	45.61	1244	44.41
1245	43.32	1246	42.25	1247	41.22	1248	40.21	1249	39.31
1250	38.43	1251	37.57	1252	36.74	1253	35.92	1254	35.13
1255	34.35	1256	33.60	1257	32.86	1258	32.14	1259	31.44

1260	30.76	1261	30.10	1262	29.46	1263	28.84	1264	28.23
1265	27.64	1266	27.07	1267	26.52	1268	25.98	1269	25.45
1270	24.94	1271	24.45	1272	23.87	1273	23.51	1274	23.06
1275	22.68	1276	22.33	1277	21.90	1278	21.64	1279	21.31
1280	20.99	1281	20.66	1282	20.35	1283	20.04	1284	19.74
1285	19.45	1286	19.16	1287	18.88	1288	18.61	1289	18.34
1290	18.08	1291	17.83	1292	17.58	1293	17.33	1294	17.10
1295	16.87	1296	16.64	1297	16.42	1298	16.23	1299	16.04
1300	15.86	1310	14.23	1320	12.89	1330	11.78	1340	10.92
1350	10.18	1360	9.56	1370	9.04	1380	8.58	1390	8.18
1400	7.83	1420	7.25	1440	6.79	1460	6.02	1500	5.04

Total Runoff = 41.903 Acre-ft.
 Peak Q = 254.52 CFS
 Time to Peak = 1176 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 43RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	2.40	100	3.25	200	4.78	300	5.77	400	6.33
500	6.83	600	7.48	700	8.34	800	9.64	900	11.74
1000	16.12	1050	21.86	1100	37.41	1110	41.93	1120	47.39
1130	54.71	1131	55.55	1132	56.42	1133	57.29	1134	58.18
1135	59.10	1136	60.07	1137	61.07	1138	62.12	1139	63.23
1140	64.39	1141	65.61	1142	66.88	1143	68.23	1144	69.66
1145	71.16	1146	72.75	1147	74.42	1148	76.18	1149	78.06
1150	80.06	1151	82.21	1152	84.53	1153	87.05	1154	89.81
1155	92.87	1156	96.29	1157	100.17	1158	104.74	1159	111.10
1160	119.37	1161	128.02	1162	136.24	1163	144.54	1164	152.95
1165	161.39	1166	169.87	1167	178.19	1168	185.51	1169	192.34
1170	199.96	1171	208.11	1172	215.92	1173	223.00	1174	229.34
1175	234.97	1176	239.84	1177	243.88	1178	247.05	1179	249.41
1180	250.99	1181	251.80	1182	251.80	1183	250.95	1184	249.22
1185	246.63	1186	243.27	1187	239.27	1188	234.80	1189	230.01
1190	225.08	1191	220.11	1192	215.23	1193	210.51	1194	206.00
1195	201.74	1196	197.77	1197	194.01	1198	190.46	1199	187.06
1200	183.80	1201	180.61	1202	177.44	1203	174.28	1204	171.05
1205	167.79	1206	164.45	1207	161.03	1208	157.55	1209	153.99
1210	150.39	1211	146.75	1212	143.08	1213	139.35	1214	135.64
1215	131.97	1216	128.29	1217	124.64	1218	121.04	1219	117.55
1220	114.11	1221	110.75	1222	107.47	1223	104.26	1224	101.15
1225	98.12	1226	95.18	1227	92.33	1228	89.56	1229	86.89
1230	84.31	1231	81.82	1232	79.41	1233	77.08	1234	74.85
1235	72.69	1236	70.61	1237	68.61	1238	66.69	1239	64.84
1240	63.06	1241	61.36	1242	59.72	1243	58.12	1244	56.59
1245	55.09	1246	53.64	1247	52.23	1248	50.87	1249	49.58
1250	48.36	1251	47.17	1252	46.03	1253	44.92	1254	43.87
1255	42.90	1256	41.95	1257	41.03	1258	40.13	1259	39.29
1260	38.48	1261	37.69	1262	36.91	1263	36.15	1264	35.40
1265	34.66	1266	33.94	1267	33.24	1268	32.58	1269	31.88
1270	31.22	1271	30.58	1272	29.95	1273	29.35	1274	28.75
1275	28.17	1276	27.61	1277	27.06	1278	26.53	1279	26.01
1280	25.51	1281	25.03	1282	24.57	1283	24.13	1284	23.71
1285	23.31	1286	22.92	1287	22.59	1288	22.27	1289	21.95
1290	21.63	1291	21.32	1292	21.02	1293	20.72	1294	20.42
1295	20.13	1296	19.84	1297	19.56	1298	19.29	1299	19.02
1300	18.75	1310	16.47	1320	14.83	1330	13.42	1340	12.25
1350	11.33	1360	10.56	1370	9.89	1380	9.34	1390	8.85
1400	8.43	1420	7.74	1440	7.19	1460	6.63	1500	5.51

Total Runoff = 41.914 Acre-ft.
 Peak Q = 251.80 CFS
 Time to Peak = 1182 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 52G STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.40	100	1.02	200	1.27	300	1.27	400	1.37
500	1.43	600	1.55	700	1.68	800	1.89	900	2.26
1000	3.07	1050	3.87	1100	5.74	1110	6.36	1120	7.51
1130	9.63	1131	9.92	1132	10.22	1133	10.54	1134	10.87
1135	11.25	1136	11.65	1137	12.08	1138	12.57	1139	13.11
1140	13.70	1141	14.34	1142	14.95	1143	15.61	1144	16.33
1145	17.12	1146	17.97	1147	18.90	1148	19.94	1149	21.12
1150	22.48	1151	24.08	1152	25.98	1153	28.15	1154	30.95
1155	34.91	1156	44.20	1157	49.67	1158	53.71	1159	58.77
1160	62.91	1161	65.42	1162	66.77	1163	67.45	1164	67.28
1165	61.49	1166	58.61	1167	56.79	1168	55.77	1169	55.32
1170	54.61	1171	53.19	1172	51.10	1173	48.56	1174	45.86
1175	43.02	1176	40.06	1177	37.21	1178	34.38	1179	31.68
1180	29.19	1181	26.94	1182	24.88	1183	23.00	1184	21.29
1185	19.74	1186	18.33	1187	17.06	1188	15.91	1189	14.86
1190	13.92	1191	13.06	1192	12.28	1193	11.57	1194	10.92
1195	10.33	1196	9.79	1197	9.30	1198	8.84	1199	8.43
1200	8.05	1201	7.70	1202	7.37	1203	7.07	1204	6.79
1205	6.52	1206	6.26	1207	6.04	1208	5.83	1209	5.63
1210	5.45	1211	5.28	1212	5.12	1213	4.97	1214	4.84
1215	4.71	1216	4.59	1217	4.47	1218	4.36	1219	4.26
1220	4.15	1221	4.06	1222	3.97	1223	3.88	1224	3.79
1225	3.71	1226	3.64	1227	3.56	1228	3.49	1229	3.43
1230	3.37	1231	3.31	1232	3.26	1233	3.21	1234	3.15
1235	3.11	1236	3.06	1237	3.01	1238	2.97	1239	2.93
1240	2.89	1241	2.84	1242	2.81	1243	2.77	1244	2.74
1245	2.70	1246	2.67	1247	2.64	1248	2.61	1249	2.58
1250	2.55	1251	2.52	1252	2.50	1253	2.47	1254	2.44
1255	2.42	1256	2.39	1257	2.37	1258	2.35	1259	2.32
1260	2.30	1261	2.28	1262	2.26	1263	2.24	1264	2.22
1265	2.20	1266	2.18	1267	2.16	1268	2.14	1269	2.12
1270	2.10	1271	2.09	1272	2.07	1273	2.05	1274	2.04
1275	2.02	1276	2.01	1277	1.99	1278	1.98	1279	1.96
1280	1.95	1281	1.94	1282	1.92	1283	1.91	1284	1.90
1285	1.88	1286	1.87	1287	1.86	1288	1.85	1289	1.84
1290	1.83	1291	1.81	1292	1.80	1293	1.79	1294	1.78
1295	1.77	1296	1.76	1297	1.75	1298	1.74	1299	1.73
1300	1.73	1310	1.65	1320	1.58	1330	1.53	1340	1.49
1350	1.44	1360	1.41	1370	1.37	1380	1.35	1390	1.32
1400	1.29	1420	1.25	1440	1.21	1460	0.83	1500	0.56

Total Runoff = 6.562 Acre-ft.
 Peak Q = 67.45 CFS
 Time to Peak = 1163 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 52RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.40	100	0.86	200	1.27	300	1.25	400	1.36
500	1.42	600	1.53	700	1.66	800	1.86	900	2.20
1000	2.95	1050	3.66	1100	5.27	1110	5.75	1120	6.46
1130	7.79	1131	7.97	1132	8.16	1133	8.35	1134	8.55
1135	8.76	1136	8.99	1137	9.23	1138	9.49	1139	9.78
1140	10.09	1141	10.44	1142	10.81	1143	11.22	1144	11.60
1145	12.18	1146	12.72	1147	13.30	1148	13.93	1149	14.60
1150	15.34	1151	16.15	1152	17.03	1153	18.03	1154	19.17
1155	20.49	1156	22.04	1157	23.91	1158	26.39	1159	30.34
1160	35.60	1161	41.12	1162	46.47	1163	51.68	1164	56.18
1165	59.73	1166	62.28	1167	63.41	1168	62.88	1169	61.48
1170	59.96	1171	58.60	1172	57.48	1173	56.47	1174	55.36
1175	53.89	1176	52.30	1177	50.36	1178	48.21	1179	45.89
1180	43.55	1181	41.13	1182	38.66	1183	36.21	1184	33.93
1185	31.76	1186	29.72	1187	27.81	1188	26.05	1189	24.40
1190	22.87	1191	21.46	1192	20.15	1193	18.94	1194	17.83
1195	16.80	1196	15.86	1197	14.99	1198	14.18	1199	13.44
1200	12.75	1201	12.11	1202	11.52	1203	10.97	1204	10.47
1205	10.00	1206	9.56	1207	9.17	1208	8.79	1209	8.44
1210	8.10	1211	7.79	1212	7.49	1213	7.21	1214	6.94
1215	6.70	1216	6.48	1217	6.27	1218	6.06	1219	5.88
1220	5.71	1221	5.55	1222	5.40	1223	5.25	1224	5.12
1225	4.99	1226	4.86	1227	4.74	1228	4.62	1229	4.51
1230	4.40	1231	4.30	1232	4.20	1233	4.11	1234	4.02
1235	3.93	1236	3.85	1237	3.77	1238	3.71	1239	3.64
1240	3.58	1241	3.52	1242	3.46	1243	3.40	1244	3.34
1245	3.29	1246	3.24	1247	3.19	1248	3.14	1249	3.09
1250	3.05	1251	3.01	1252	2.97	1253	2.93	1254	2.89
1255	2.86	1256	2.82	1257	2.79	1258	2.75	1259	2.72
1260	2.69	1261	2.66	1262	2.63	1263	2.60	1264	2.57
1265	2.54	1266	2.52	1267	2.49	1268	2.46	1269	2.44
1270	2.41	1271	2.39	1272	2.36	1273	2.34	1274	2.32
1275	2.30	1276	2.28	1277	2.25	1278	2.23	1279	2.22
1280	2.20	1281	2.18	1282	2.16	1283	2.14	1284	2.13
1285	2.11	1286	2.09	1287	2.08	1288	2.06	1289	2.05
1290	2.03	1291	2.02	1292	2.00	1293	1.99	1294	1.97
1295	1.96	1296	1.95	1297	1.93	1298	1.92	1299	1.91
1300	1.90	1310	1.79	1320	1.70	1330	1.63	1340	1.57
1350	1.52	1360	1.47	1370	1.43	1380	1.40	1390	1.37
1400	1.34	1420	1.29	1440	1.25	1460	1.12	1500	0.73

Total Runoff = 6.569 Acre-ft.
 Peak Q = 63.41 CFS
 Time to Peak = 1167 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 54RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	2.80	100	4.38	200	6.33	300	7.33	400	8.02
500	8.61	600	9.42	700	10.47	800	12.05	900	14.62
1000	20.04	1050	26.80	1100	44.71	1110	50.02	1120	56.95
1130	66.96	1131	68.17	1132	69.42	1133	70.70	1134	72.02
1135	73.41	1136	74.88	1137	76.43	1138	78.06	1139	79.81
1140	81.68	1141	83.67	1142	85.74	1143	87.85	1144	90.13
1145	92.59	1146	95.23	1147	98.06	1148	101.11	1149	104.45
1150	108.13	1151	112.24	1152	116.90	1153	122.06	1154	128.16
1155	136.06	1156	151.39	1157	161.70	1158	169.27	1159	179.23
1160	191.85	1161	204.62	1162	216.35	1163	227.49	1164	237.37
1165	245.22	1166	244.93	1167	249.63	1168	254.46	1169	258.71
1170	264.00	1171	270.19	1172	276.42	1173	282.11	1174	287.07
1175	291.19	1176	294.24	1177	296.22	1178	297.16	1179	297.10
1180	296.27	1181	294.58	1182	292.06	1183	288.70	1184	284.64
1185	279.83	1186	274.39	1187	268.44	1188	262.16	1189	255.69
1190	249.19	1191	242.78	1192	236.56	1193	230.61	1194	224.96
1195	219.65	1196	214.70	1197	210.05	1198	205.68	1199	201.51
1200	197.55	1201	193.70	1202	189.93	1203	186.19	1204	182.45
1205	178.70	1206	174.91	1207	171.08	1208	167.21	1209	163.29
1210	159.34	1211	155.38	1212	151.39	1213	147.37	1214	143.38
1215	139.46	1216	135.55	1217	131.67	1218	127.86	1219	124.18
1220	120.55	1221	117.02	1222	113.58	1223	110.23	1224	106.97
1225	103.80	1226	100.73	1227	97.75	1228	94.86	1229	92.07
1230	89.38	1231	86.77	1232	84.26	1233	81.84	1234	79.50
1235	77.25	1236	75.08	1237	73.00	1238	71.01	1239	69.09
1240	67.24	1241	65.47	1242	63.77	1243	62.11	1244	60.51
1245	58.96	1246	57.45	1247	55.99	1248	54.57	1249	53.23
1250	51.96	1251	50.73	1252	49.54	1253	48.39	1254	47.30
1255	46.28	1256	45.30	1257	44.34	1258	43.41	1259	42.53
1260	41.69	1261	40.86	1262	40.05	1263	39.25	1264	38.47
1265	37.70	1266	36.95	1267	36.22	1268	35.50	1269	34.80
1270	34.11	1271	33.45	1272	32.79	1273	32.16	1274	31.54
1275	30.94	1276	30.35	1277	29.78	1278	29.22	1279	28.69
1280	28.16	1281	27.66	1282	27.18	1283	26.73	1284	26.29
1285	25.86	1286	25.46	1287	25.10	1288	24.76	1289	24.43
1290	24.10	1291	23.77	1292	23.45	1293	23.13	1294	22.82
1295	22.51	1296	22.21	1297	21.91	1298	21.62	1299	21.33
1300	21.05	1310	18.65	1320	16.91	1330	15.41	1340	14.17
1350	13.18	1360	12.36	1370	11.64	1380	11.04	1390	10.52
1400	10.05	1420	9.30	1440	8.70	1460	7.75	1500	6.24

Total Runoff = 50.431 Acre-ft.
 Peak Q = 297.16 CFS
 Time to Peak = 1178 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 54RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	2.80	100	3.94	200	5.97	300	7.16
500	8.51	600	9.26	700	10.29	800	11.77
						900	14.20

1493EC11.sum

1000	19.18	1050	24.93	1100	40.33	1150	44.82	1120	50.35
1130	58.02	1131	58.93	1132	59.86	1133	60.81	1134	61.77
1135	62.76	1136	63.80	1137	64.89	1138	66.02	1139	67.21
1140	68.47	1141	69.79	1142	71.17	1143	72.63	1144	74.18
1145	75.82	1146	77.56	1147	79.46	1148	81.34	1149	83.39
1150	85.59	1151	87.93	1152	90.45	1153	93.18	1154	96.14
1155	99.40	1156	103.02	1157	107.08	1158	111.74	1159	117.62
1160	125.34	1161	134.18	1162	143.32	1163	153.18	1164	164.03
1165	175.74	1166	187.84	1167	199.90	1168	211.28	1169	220.73
1170	228.28	1171	235.14	1172	241.42	1173	247.36	1174	253.34
1175	259.46	1176	265.58	1177	271.48	1178	276.97	1179	281.86
1180	285.99	1181	289.26	1182	291.62	1183	293.07	1184	293.65
1185	293.36	1186	292.22	1187	290.28	1188	287.56	1189	284.13
1190	280.05	1191	275.40	1192	270.30	1193	264.86	1194	259.21
1195	253.45	1196	247.67	1197	241.97	1198	236.40	1199	231.03
1200	225.87	1201	220.96	1202	216.25	1203	211.80	1204	207.53
1205	203.40	1206	199.45	1207	195.60	1208	191.79	1209	188.04
1210	184.36	1211	180.65	1212	176.93	1213	173.23	1214	169.51
1215	165.77	1216	162.05	1217	158.29	1218	154.57	1219	150.84
1220	147.11	1221	143.37	1222	139.71	1223	136.08	1224	132.48
1225	128.97	1226	125.54	1227	122.17	1228	118.86	1229	115.67
1230	112.52	1231	109.46	1232	106.48	1233	103.58	1234	100.76
1235	98.02	1236	95.37	1237	92.80	1238	90.30	1239	87.88
1240	85.54	1241	83.28	1242	81.09	1243	78.97	1244	76.93
1245	74.96	1246	73.06	1247	71.22	1248	69.45	1249	67.73
1250	66.09	1251	64.50	1252	62.95	1253	61.44	1254	59.98
1255	58.57	1256	57.19	1257	55.85	1258	54.56	1259	53.31
1260	52.15	1261	51.02	1262	49.93	1263	48.87	1264	47.84
1265	46.87	1266	45.96	1267	45.07	1268	44.19	1269	43.34
1270	42.52	1271	41.74	1272	40.97	1273	40.21	1274	39.47
1275	38.73	1276	38.00	1277	37.29	1278	36.59	1279	35.91
1280	35.23	1281	34.58	1282	33.93	1283	33.30	1284	32.68
1285	32.08	1286	31.50	1287	30.92	1288	30.37	1289	29.83
1290	29.30	1291	28.80	1292	28.31	1293	27.83	1294	27.38
1295	26.95	1296	26.54	1297	26.14	1298	25.77	1299	25.44
1300	25.11	1310	22.08	1320	19.59	1330	17.72	1340	16.14
1350	14.81	1360	13.75	1370	12.86	1380	12.09	1390	11.44
1400	10.88	1420	9.97	1440	9.25	1460	8.54	1500	6.99

Total Runoff = 50.419 Acre-ft.
 Peak Q = 293.65 CFS
 Time to Peak = 1184 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 59AH STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	3.20	100	4.75	200	6.81	300	8.05	400	8.83
500	9.52	600	10.36	700	11.51	800	13.16	900	15.65
1000	21.34	1050	27.58	1100	44.04	1110	48.95	1120	55.26
1130	84.39	1131	65.50	1132	66.65	1133	67.83	1134	69.04
1135	70.31	1136	71.64	1137	73.04	1138	74.52	1139	76.07
1140	77.74	1141	79.50	1142	81.38	1143	83.24	1144	85.22
1145	87.35	1146	89.63	1147	92.10	1148	94.75	1149	97.62
1150	100.77	1151	104.25	1152	108.17	1153	112.55	1154	117.58
1155	123.99	1156	136.48	1157	144.62	1158	150.19	1159	156.40
1160	164.20	1161	173.50	1162	183.44	1163	193.61	1164	204.14
1165	214.49	1166	223.64	1167	226.54	1168	233.54	1169	240.46
1170	245.83	1171	250.75	1172	255.42	1173	259.93	1174	264.69
1175	269.80	1176	275.07	1177	280.23	1178	285.06	1179	289.37
1180	292.98	1181	295.79	1182	297.74	1183	298.82	1184	299.07
1185	298.49	1186	297.10	1187	294.92	1188	292.00	1189	288.38
1190	284.12	1191	279.32	1192	274.07	1193	268.50	1194	262.73
1195	256.85	1196	250.97	1197	245.17	1198	239.52	1199	234.06
1200	228.82	1201	223.85	1202	219.07	1203	214.55	1204	210.22
1205	206.04	1206	202.04	1207	198.13	1208	194.28	1209	190.49
1210	186.76	1211	183.01	1212	179.25	1213	175.52	1214	171.76
1215	167.99	1216	164.23	1217	160.44	1218	156.69	1219	152.93
1220	149.17	1221	145.41	1222	141.73	1223	138.07	1224	134.45
1225	130.92	1226	127.46	1227	124.07	1228	120.76	1229	117.53
1230	114.36	1231	111.28	1232	108.29	1233	105.37	1234	102.53
1235	99.78	1236	97.11	1237	94.52	1238	92.01	1239	89.57
1240	87.22	1241	84.94	1242	82.74	1243	80.61	1244	78.56
1245	76.57	1246	74.66	1247	72.81	1248	71.02	1249	69.30
1250	67.64	1251	66.04	1252	64.48	1253	62.96	1254	61.49
1255	60.60	1256	58.68	1257	57.33	1258	56.03	1259	54.77
1260	53.60	1261	52.46	1262	51.36	1263	50.29	1264	49.25
1265	48.28	1266	47.36	1267	46.46	1268	45.58	1269	44.72
1270	43.89	1271	43.10	1272	42.33	1273	41.56	1274	40.80
1275	40.06	1276	39.33	1277	38.61	1278	37.90	1279	37.21
1280	36.53	1281	35.87	1282	35.22	1283	34.58	1284	33.96
1285	33.35	1286	32.76	1287	32.18	1288	31.62	1289	31.07
1290	30.54	1291	30.03	1292	29.53	1293	29.06	1294	28.60
1295	28.16	1296	27.74	1297	27.34	1298	26.97	1299	26.63
1300	26.29	1310	23.22	1320	20.69	1330	18.78	1340	17.17
1350	15.80	1360	14.71	1370	13.80	1380	13.01	1390	12.34
1400	11.76	1420	10.80	1440	10.06	1460	8.94	1500	7.39

Total Runoff = 54.363 Acre-ft.
 Peak Q = 299.07 CFS
 Time to Peak = 1184 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 59RES STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	1.55	200	3.61	300	4.85	400	5.63
500	6.32	600	7.16	700	8.31	800	9.96	900	12.65
1000	19.14	1050	24.38	1100	40.84	1110	45.75	1120	52.06
1130	61.19	1131	68.70	1132	63.45	1133	73.03	1134	65.84
1135	73.51	1136	68.44	1137	76.24	1138	71.32	1139	79.27
1140	74.54	1141	82.70	1142	78.18	1143	86.44	1144	82.02
1145	90.55	1146	86.43	1147	95.30	1148	91.55	1149	100.82
1150	97.57	1151	107.45	1152	104.97	1153	115.75	1154	114.38
1155	127.19	1156	133.28	1157	147.82	1158	146.99	1159	159.60
1160	161.00	1161	176.70	1162	180.24	1163	196.81	1164	200.94
1165	214.42	1166	217.49	1167	222.52	1168	227.49	1169	233.78
1170	239.98	1171	245.48	1172	250.51	1173	255.25	1174	259.92
1175	264.77	1176	269.84	1177	275.01	1178	280.06	1179	284.79

1190	289.01	1181	292.57	1182	295.34	1183	297.29	1184	298.39
1185	298.65	1186	298.08	1187	296.71	1188	294.56	1189	291.67
1190	298.08	1191	283.88	1192	279.13	1193	273.94	1194	268.43
1195	262.72	1196	256.89	1197	251.06	1198	245.30	1199	239.67
1200	234.23	1201	229.01	1202	224.01	1203	219.25	1204	214.71
1205	205.41	1206	202.66	1207	197.51	1208	194.91	1209	189.86
1210	187.38	1211	182.39	1212	179.87	1213	174.90	1214	172.39
1215	167.36	1216	164.86	1217	159.81	1218	157.31	1219	152.31
1220	149.79	1221	144.78	1222	142.35	1223	137.45	1224	135.07
1225	130.29	1226	128.08	1227	123.45	1228	121.38	1229	116.90
1230	114.99	1231	110.66	1232	108.91	1233	104.75	1234	103.15
1235	99.15	1236	97.73	1237	93.90	1238	92.63	1239	88.95
1240	87.84	1241	84.32	1242	83.36	1243	79.98	1244	79.18
1245	75.95	1246	75.28	1247	72.19	1248	71.65	1249	68.67
1250	68.27	1251	65.42	1252	65.10	1253	62.34	1254	62.12
1255	59.44	1256	59.30	1257	56.71	1258	56.65	1259	54.15
1260	54.22	1261	51.84	1262	51.98	1263	49.67	1264	49.88
1265	47.65	1266	47.98	1267	45.84	1268	46.20	1269	44.09
1270	44.51	1271	42.48	1272	42.95	1273	40.94	1274	41.43
1275	39.44	1276	39.95	1277	37.99	1278	38.53	1279	36.59
1280	37.16	1281	35.24	1282	35.84	1283	33.96	1284	34.58
1285	32.73	1286	33.38	1287	31.56	1288	32.24	1289	30.45
1290	31.16	1291	29.40	1292	30.16	1293	28.43	1294	29.22
1295	27.54	1296	28.36	1297	26.71	1298	27.59	1299	26.01
1300	26.92	1310	23.85	1320	21.31	1330	19.40	1340	17.79
1350	16.43	1360	15.34	1370	14.43	1380	13.63	1390	12.96
1400	12.38	1420	11.43	1440	10.68	1460	9.56	1500	8.01

Total Runoff = 49.554 Acre-ft.
 Peak Q = 298.65 CFS
 Time to Peak = 1185 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 59RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	1.55	200	3.61	300	4.85	400	5.63
500	6.32	600	7.16	700	8.31	800	9.96	900	12.65
1000	18.14	1050	24.38	1100	40.84	1110	45.75	1120	52.06
1130	61.19	1131	68.70	1132	63.45	1133	71.03	1134	65.84
1135	73.51	1136	68.44	1137	76.24	1138	71.32	1139	79.27
1140	74.54	1141	82.70	1142	78.18	1143	86.44	1144	82.02
1145	90.55	1146	86.43	1147	95.30	1148	91.55	1149	100.82
1150	97.57	1151	107.45	1152	104.97	1153	115.75	1154	114.38
1155	127.19	1156	133.28	1157	147.82	1158	146.99	1159	159.60
1160	161.00	1161	176.70	1162	180.24	1163	196.81	1164	200.94
1165	214.42	1166	217.49	1167	222.52	1168	227.49	1169	233.78
1170	239.98	1171	245.48	1172	250.51	1173	255.25	1174	259.92
1175	264.77	1176	269.84	1177	275.01	1178	280.06	1179	284.79
1180	289.01	1181	292.57	1182	295.34	1183	297.29	1184	298.39
1185	298.65	1186	298.08	1187	296.71	1188	294.56	1189	291.67
1190	288.08	1191	283.88	1192	279.13	1193	273.94	1194	268.43
1195	262.72	1196	256.89	1197	251.06	1198	245.30	1199	239.67
1200	234.23	1201	229.01	1202	224.01	1203	219.25	1204	214.71
1205	205.41	1206	202.66	1207	197.51	1208	194.91	1209	189.86
1210	187.38	1211	182.39	1212	179.87	1213	174.90	1214	172.39
1215	167.36	1216	164.86	1217	159.81	1218	157.31	1219	152.31
1220	149.79	1221	144.78	1222	142.35	1223	137.45	1224	135.07
1225	130.29	1226	128.08	1227	123.45	1228	121.38	1229	116.90
1230	114.99	1231	110.66	1232	108.91	1233	104.75	1234	103.15
1235	99.15	1236	97.73	1237	93.90	1238	92.63	1239	88.95
1240	87.84	1241	84.32	1242	83.36	1243	79.98	1244	79.18
1245	75.95	1246	75.28	1247	72.19	1248	71.65	1249	68.67
1250	68.27	1251	65.42	1252	65.10	1253	62.34	1254	62.12
1255	59.44	1256	59.30	1257	56.71	1258	56.65	1259	54.15
1260	54.22	1261	51.84	1262	51.98	1263	49.67	1264	49.88
1265	47.65	1266	47.98	1267	45.84	1268	46.20	1269	44.09
1270	44.51	1271	42.48	1272	42.95	1273	40.94	1274	41.43
1275	39.44	1276	39.95	1277	37.99	1278	38.53	1279	36.59
1280	37.16	1281	35.24	1282	35.84	1283	33.96	1284	34.58
1285	32.73	1286	33.38	1287	31.56	1288	32.24	1289	30.45
1290	31.16	1291	29.40	1292	30.16	1293	28.43	1294	29.22
1295	27.54	1296	28.36	1297	26.71	1298	27.59	1299	26.01
1300	26.92	1310	23.85	1320	21.31	1330	19.40	1340	17.79
1350	16.43	1360	15.34	1370	14.43	1380	13.63	1390	12.96
1400	12.38	1420	11.43	1440	10.68	1460	9.56	1500	8.01

Total Runoff = 49.554 Acre-ft.
 Peak Q = 298.65 CFS
 Time to Peak = 1185 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 60I STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	0.00	200	0.00	300	0.00	400	0.00
500	0.00	600	0.00	700	0.00	800	0.00	900	0.00
1000	0.00	1050	0.00	1100	0.00	1110	0.00	1120	0.00
1130	0.00	1131	0.00	1132	0.00	1133	0.00	1134	0.00
1135	0.00	1136	0.00	1137	0.00	1138	0.00	1139	0.00
1140	0.00	1141	0.00	1142	0.00	1143	0.00	1144	0.00
1145	0.00	1146	0.00	1147	0.00	1148	0.00	1149	0.00
1150	0.00	1151	0.00	1152	0.00	1153	0.00	1154	0.00
1155	0.00	1156	0.00	1157	0.00	1158	0.00	1159	0.00
1160	0.00	1161	0.00	1162	0.00	1163	0.00	1164	0.00
1165	0.00	1166	0.00	1167	0.00	1168	0.00	1169	0.00
1170	0.00	1171	0.00	1172	0.00	1173	0.00	1174	0.00
1175	0.00	1176	0.00	1177	0.00	1178	0.00	1179	0.00
1180	0.00	1181	0.00	1182	0.00	1183	0.00	1184	0.00
1185	0.00	1186	0.00	1187	0.00	1188	0.00	1189	0.00
1190	0.00	1191	0.00	1192	0.00	1193	0.00	1194	0.00
1195	0.00	1196	0.00	1197	0.00	1198	0.00	1199	0.00
1200	0.00	1201	0.00	1202	0.00	1203	0.00	1204	0.00
1205	0.00	1206	0.00	1207	0.00	1208	0.00	1209	0.00
1210	0.00	1211	0.00	1212	0.00	1213	0.00	1214	0.00
1215	0.00	1216	0.00	1217	0.00	1218	0.00	1219	0.00
1220	0.00	1221	0.00	1222	0.00	1223	0.00	1224	0.00
1225	0.00	1226	0.00	1227	0.00	1228	0.00	1229	0.00
1230	0.00	1231	0.00	1232	0.00	1233	0.00	1234	0.00

1235	0.00	1236	0.00	1237	0.00	1238	0.00	1239	0.00
1240	0.00	1241	0.00	1242	0.00	1243	0.00	1244	0.00
1245	0.00	1246	0.00	1247	0.00	1248	0.00	1249	0.00
1250	0.00	1251	0.00	1252	0.00	1253	0.00	1254	0.00
1255	0.00	1256	0.00	1257	0.00	1258	0.00	1259	0.00
1260	0.00	1261	0.00	1262	0.00	1263	0.00	1264	0.00
1265	0.00	1266	0.00	1267	0.00	1268	0.00	1269	0.00
1270	0.00	1271	0.00	1272	0.00	1273	0.00	1274	0.00
1275	0.00	1276	0.00	1277	0.00	1278	0.00	1279	0.00
1280	0.00	1281	0.00	1282	0.00	1283	0.00	1284	0.00
1285	0.00	1286	0.00	1287	0.00	1288	0.00	1289	0.00
1290	0.00	1291	0.00	1292	0.00	1293	0.00	1294	0.00
1295	0.00	1296	0.00	1297	0.00	1298	0.00	1299	0.00
1300	0.00	1310	0.00	1320	0.00	1330	0.00	1340	0.00
1350	0.00	1360	0.00	1370	0.00	1380	0.00	1390	0.00
1400	0.00	1420	0.00	1440	0.00	1460	0.00	1500	0.00

Total Runoff = 0.000 Acre-ft.
 Peak Q = 0.00 CFS
 Time to Peak = 123952 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 61J STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	0.00	200	0.00	300	0.00	400	0.00
500	0.00	600	0.00	700	0.00	800	0.00	900	0.00
1000	0.00	1050	0.00	1100	0.00	1110	0.00	1120	0.00
1130	0.00	1131	0.00	1132	0.00	1133	0.00	1134	0.00
1135	0.00	1136	0.00	1137	0.00	1138	0.00	1139	0.00
1140	0.00	1141	0.00	1142	0.00	1143	0.00	1144	0.00
1145	0.00	1146	0.00	1147	0.00	1148	0.00	1149	0.00
1150	0.00	1151	0.00	1152	0.00	1153	0.00	1154	0.00
1155	0.00	1156	0.00	1157	0.00	1158	0.00	1159	0.00
1160	0.00	1161	0.00	1162	0.00	1163	0.00	1164	0.00
1165	0.00	1166	0.00	1167	0.00	1168	0.00	1169	0.00
1170	0.00	1171	0.00	1172	0.00	1173	0.00	1174	0.00
1175	0.00	1176	0.00	1177	0.00	1178	0.00	1179	0.00
1180	0.00	1181	0.00	1182	0.00	1183	0.00	1184	0.00
1185	0.00	1186	0.00	1187	0.00	1188	0.00	1189	0.00
1190	0.00	1191	0.00	1192	0.00	1193	0.00	1194	0.00
1195	0.00	1196	0.00	1197	0.00	1198	0.00	1199	0.00
1200	0.00	1201	0.00	1202	0.00	1203	0.00	1204	0.00
1205	0.00	1206	0.00	1207	0.00	1208	0.00	1209	0.00
1210	0.00	1211	0.00	1212	0.00	1213	0.00	1214	0.00
1215	0.00	1216	0.00	1217	0.00	1218	0.00	1219	0.00
1220	0.00	1221	0.00	1222	0.00	1223	0.00	1224	0.00
1225	0.00	1226	0.00	1227	0.00	1228	0.00	1229	0.00
1230	0.00	1231	0.00	1232	0.00	1233	0.00	1234	0.00
1235	0.00	1236	0.00	1237	0.00	1238	0.00	1239	0.00
1240	0.00	1241	0.00	1242	0.00	1243	0.00	1244	0.00
1245	0.00	1246	0.00	1247	0.00	1248	0.00	1249	0.00
1250	0.00	1251	0.00	1252	0.00	1253	0.00	1254	0.00
1255	0.00	1256	0.00	1257	0.00	1258	0.00	1259	0.00
1260	0.00	1261	0.00	1262	0.00	1263	0.00	1264	0.00
1265	0.00	1266	0.00	1267	0.00	1268	0.00	1269	0.00
1270	0.00	1271	0.00	1272	0.00	1273	0.00	1274	0.00
1275	0.00	1276	0.00	1277	0.00	1278	0.00	1279	0.00
1280	0.00	1281	0.00	1282	0.00	1283	0.00	1284	0.00
1285	0.00	1286	0.00	1287	0.00	1288	0.00	1289	0.00
1290	0.00	1291	0.00	1292	0.00	1293	0.00	1294	0.00
1295	0.00	1296	0.00	1297	0.00	1298	0.00	1299	0.00
1300	0.00	1310	0.00	1320	0.00	1330	0.00	1340	0.00
1350	0.00	1360	0.00	1370	0.00	1380	0.00	1390	0.00
1400	0.00	1420	0.00	1440	0.00	1460	0.00	1500	0.00

Total Runoff = 0.000 Acre-ft.
 Peak Q = 0.00 CFS
 Time to Peak = 123952 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 63K STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	0.31	200	0.32	300	0.35	400	0.37
500	0.41	600	0.45	700	0.51	800	0.59	900	0.73
1000	1.01	1050	1.31	1100	2.03	1110	2.32	1120	3.03
1130	4.28	1131	4.44	1132	4.63	1133	4.82	1134	5.03
1135	5.28	1136	5.52	1137	5.79	1138	6.09	1139	6.41
1140	6.78	1141	7.18	1142	7.50	1143	7.83	1144	8.20
1145	8.62	1146	9.09	1147	9.63	1148	10.25	1149	11.00
1150	11.89	1151	12.98	1152	14.32	1153	15.84	1154	17.96
1155	21.39	1156	31.50	1157	35.95	1158	36.31	1159	35.76
1160	34.59	1161	32.88	1162	30.61	1163	27.64	1164	23.51
1165	12.56	1166	7.76	1167	6.04	1168	4.88	1169	4.09
1170	3.51	1171	3.07	1172	2.71	1173	2.42	1174	2.25
1175	2.13	1176	2.02	1177	1.93	1178	1.84	1179	1.77
1180	1.70	1181	1.64	1182	1.58	1183	1.53	1184	1.48
1185	1.44	1186	1.40	1187	1.36	1188	1.32	1189	1.29
1190	1.26	1191	1.23	1192	1.20	1193	1.18	1194	1.15
1195	1.13	1196	1.11	1197	1.08	1198	1.06	1199	1.04
1200	1.03	1201	1.01	1202	0.99	1203	0.98	1204	0.96
1205	0.95	1206	0.93	1207	0.92	1208	0.91	1209	0.89
1210	0.88	1211	0.87	1212	0.86	1213	0.85	1214	0.83
1215	0.82	1216	0.82	1217	0.81	1218	0.80	1219	0.79
1220	0.78	1221	0.77	1222	0.76	1223	0.75	1224	0.74
1225	0.74	1226	0.73	1227	0.72	1228	0.72	1229	0.71
1230	0.70	1231	0.70	1232	0.69	1233	0.68	1234	0.68
1235	0.67	1236	0.67	1237	0.66	1238	0.65	1239	0.65
1240	0.64	1241	0.64	1242	0.63	1243	0.63	1244	0.62
1245	0.62	1246	0.61	1247	0.61	1248	0.60	1249	0.60
1250	0.60	1251	0.59	1252	0.59	1253	0.58	1254	0.58
1255	0.57	1256	0.57	1257	0.57	1258	0.56	1259	0.56
1260	0.56	1261	0.55	1262	0.55	1263	0.55	1264	0.54
1265	0.54	1266	0.54	1267	0.53	1268	0.53	1269	0.53
1270	0.52	1271	0.52	1272	0.52	1273	0.52	1274	0.51
1275	0.51	1276	0.51	1277	0.50	1278	0.50	1279	0.50
1280	0.50	1281	0.49	1282	0.49	1283	0.49	1284	0.49
1285	0.48	1286	0.48	1287	0.48	1288	0.48	1289	0.47

1290	0.47	1291	0.47	1292	0.47	1293	0.46	1294	0.46
1295	0.46	1296	0.46	1297	0.46	1298	0.45	1299	0.45
1300	0.45	1310	0.43	1320	0.41	1330	0.40	1340	0.39
1350	0.37	1360	0.36	1370	0.35	1380	0.34	1390	0.33
1400	0.32	1420	0.31	1440	0.30	1460	0.00	1500	0.00

Total Runoff = 1.932 Acre-ft.
 Peak Q = 36.31 CFS
 Time to Peak = 1158 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 65L STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	0.25	200	0.26	300	0.28	400	0.30
500	0.33	600	0.37	700	0.43	800	0.50	900	0.63
1000	0.89	1050	1.18	1100	1.87	1110	2.16	1120	2.88
1130	4.16	1131	4.33	1132	4.52	1133	4.73	1134	4.95
1135	5.20	1136	5.45	1137	5.73	1138	6.04	1139	6.38
1140	6.76	1141	7.18	1142	7.51	1143	7.85	1144	8.22
1145	8.66	1146	9.15	1147	9.70	1148	10.35	1149	11.12
1150	12.04	1151	13.17	1152	14.56	1153	16.13	1154	18.34
1155	21.89	1156	32.38	1157	37.01	1158	37.39	1159	36.81
1160	35.60	1161	33.82	1162	31.46	1163	28.37	1164	24.09
1165	12.73	1166	7.77	1167	5.99	1168	4.78	1169	3.97
1170	3.37	1171	2.91	1172	2.55	1173	2.25	1174	2.09
1175	1.97	1176	1.86	1177	1.77	1178	1.69	1179	1.61
1180	1.55	1181	1.49	1182	1.43	1183	1.38	1184	1.34
1185	1.30	1186	1.26	1187	1.22	1188	1.19	1189	1.15
1190	1.12	1191	1.10	1192	1.07	1193	1.05	1194	1.02
1195	1.00	1196	0.98	1197	0.96	1198	0.94	1199	0.92
1200	0.90	1201	0.89	1202	0.87	1203	0.86	1204	0.84
1205	0.83	1206	0.82	1207	0.80	1208	0.79	1209	0.78
1210	0.77	1211	0.76	1212	0.74	1213	0.73	1214	0.72
1215	0.72	1216	0.71	1217	0.70	1218	0.69	1219	0.68
1220	0.67	1221	0.66	1222	0.65	1223	0.65	1224	0.64
1225	0.63	1226	0.63	1227	0.62	1228	0.62	1229	0.61
1230	0.60	1231	0.60	1232	0.59	1233	0.58	1234	0.58
1235	0.57	1236	0.57	1237	0.56	1238	0.56	1239	0.55
1240	0.55	1241	0.54	1242	0.54	1243	0.53	1244	0.53
1245	0.52	1246	0.52	1247	0.52	1248	0.51	1249	0.51
1250	0.50	1251	0.50	1252	0.50	1253	0.49	1254	0.49
1255	0.49	1256	0.48	1257	0.48	1258	0.48	1259	0.47
1260	0.47	1261	0.47	1262	0.46	1263	0.46	1264	0.46
1265	0.45	1266	0.45	1267	0.45	1268	0.45	1269	0.44
1270	0.44	1271	0.44	1272	0.43	1273	0.43	1274	0.43
1275	0.43	1276	0.42	1277	0.42	1278	0.42	1279	0.42
1280	0.41	1281	0.41	1282	0.41	1283	0.41	1284	0.41
1285	0.40	1286	0.40	1287	0.40	1288	0.40	1289	0.39
1290	0.39	1291	0.39	1292	0.39	1293	0.39	1294	0.38
1295	0.38	1296	0.38	1297	0.38	1298	0.38	1299	0.38
1300	0.37	1310	0.36	1320	0.34	1330	0.33	1340	0.32
1350	0.31	1360	0.30	1370	0.30	1380	0.28	1390	0.27
1400	0.26	1420	0.25	1440	0.24	1460	0.00	1500	0.00

Total Runoff = 1.786 Acre-ft.
 Peak Q = 37.39 CFS
 Time to Peak = 1158 Minutes

** LOS ANGELES COUNTY DEPARTMENT OF PUBLIC WORKS **
 ** MODIFIED RATIONAL METHOD HYDROLOGY **
 ** RESERVOIR ROUTING OUTPUT **

***** RESERVOIR ROUTING STORM DAY 4 *****

RESERVOIR ROUTING at 59AH STORM DAY 4 STORM FREQ. 50
 INITIAL WATER SURFACE ELEVATION: 1296.00
 RESERVOIR COMPOSITE ELEVATION-STORAGE-DISCHARGE DATA at 59AH

ELEVATION (ft.)	STORAGE (a.f.)	OUTFLOW (cfs)
1296.00	0.00	0.00
1297.00	0.00	40.90
1298.00	0.00	115.80
1299.00	0.00	212.80
1300.00	0.16	327.60
1301.00	0.33	457.80
1302.00	0.49	601.80
1303.00	0.65	758.30
1304.00	0.82	926.50
1305.00	0.98	1105.50
1306.00	1.15	1294.80
1307.00	1.31	1414.60
1308.00	1.47	1538.20
1309.00	1.64	1670.80
1310.00	1.80	1793.70

RESERVOIR DISCHARGE DATA: 59AH Known discharge 1

ELEVATION (ft.)	OUTFLOW (cfs)
1296.00	0.00
1297.00	40.90
1298.00	115.80
1299.00	212.80
1300.00	327.60
1301.00	457.80
1302.00	601.80
1303.00	758.30
1304.00	926.50
1305.00	1105.50
1306.00	1294.80
1307.00	1414.60
1308.00	1538.20
1309.00	1670.80
1310.00	1793.70

RESERVOIR ROUTING TABLE at 59AH

TIME	INFLOW (cfs)	OUTFLOW (cfs)	W.S.ELEV (ft.)	STORAGE (a.f.)
0	3.20	0.00	1296.00	0.00
100	4.75	1.55	1296.04	0.00
200	6.81	3.61	1296.09	0.00
300	8.05	4.85	1296.12	0.00
400	8.83	5.63	1296.14	0.00
500	9.52	6.32	1296.15	0.00
600	10.36	7.16	1296.18	0.00
700	11.51	8.31	1296.20	0.00
800	13.16	9.96	1296.24	0.00
900	15.85	12.65	1296.31	0.00
1000	21.34	18.14	1296.44	0.00
1050	27.58	24.38	1296.60	0.00
1100	44.04	40.84	1297.00	0.00
1110	48.95	45.75	1297.06	0.00
1120	55.26	52.06	1297.15	0.00
1130	64.39	61.19	1297.27	0.00

1131	65.50	68.70	1297.37	0.00
1132	66.65	63.45	1297.30	0.00
1133	67.83	71.03	1297.40	0.00
1134	69.04	65.84	1297.33	0.00
1135	70.31	73.51	1297.44	0.00
1136	71.64	68.44	1297.37	0.00
1137	73.04	76.24	1297.47	0.00
1138	74.52	71.32	1297.41	0.00
1139	76.07	79.27	1297.51	0.00
1140	77.74	74.54	1297.45	0.00
1141	79.50	82.70	1297.56	0.00
1142	81.38	78.18	1297.50	0.00
1143	83.24	86.44	1297.61	0.00
1144	85.22	82.02	1297.55	0.00
1145	87.35	90.55	1297.66	0.00
1146	89.63	86.43	1297.61	0.00
1147	92.10	95.30	1297.73	0.00
1148	94.75	91.55	1297.68	0.00
1149	97.62	100.82	1297.80	0.00
1150	100.77	97.57	1297.76	0.00
1151	104.25	107.45	1297.89	0.00
1152	108.17	104.97	1297.86	0.00
1153	112.55	115.75	1298.00	0.00
1154	117.58	114.38	1297.98	0.00
1155	123.99	127.19	1298.12	0.00
1156	136.48	133.28	1298.18	0.00
1157	144.62	147.82	1298.33	0.00
1158	150.19	146.99	1298.32	0.00
1159	156.40	159.60	1298.45	0.00
1160	164.20	161.00	1298.47	0.00
1161	173.50	176.70	1298.63	0.00
1162	183.44	180.24	1298.66	0.00
1163	193.61	196.81	1298.84	0.00
1164	204.14	200.94	1298.88	0.00
1165	214.49	214.42	1299.01	0.00
1166	223.64	217.49	1299.04	0.01
1167	226.54	222.52	1299.08	0.01
1168	233.54	227.49	1299.13	0.02
1169	240.46	233.78	1299.18	0.03
1170	245.83	239.98	1299.24	0.04
1171	250.75	245.48	1299.28	0.05
1172	255.42	250.51	1299.33	0.05
1173	259.93	255.25	1299.37	0.06
1174	264.69	259.92	1299.41	0.07
1175	269.80	264.77	1299.45	0.07
1176	275.07	269.84	1299.50	0.08
1177	280.23	275.01	1299.54	0.09
1178	285.06	280.06	1299.59	0.09
1179	289.37	284.79	1299.63	0.10
1180	292.98	289.01	1299.66	0.11
1181	295.79	292.57	1299.69	0.11
1182	297.74	295.34	1299.72	0.12
1183	298.82	297.29	1299.74	0.12
1184	299.07	298.39	1299.75	0.12
1185	298.49	298.65	1299.75	0.12
1186	297.10	298.08	1299.74	0.12
1187	294.92	296.71	1299.73	0.12
1188	292.00	294.56	1299.71	0.11
1189	288.38	291.67	1299.69	0.11
1190	284.12	288.08	1299.66	0.10
1191	279.32	283.88	1299.62	0.10
1192	274.07	279.13	1299.58	0.09
1193	268.50	273.94	1299.53	0.09
1194	262.73	268.43	1299.48	0.08

1195	256.85	262.72	1299.43	0.07
1196	250.97	256.89	1299.38	0.06
1197	245.17	251.06	1299.33	0.05
1198	239.52	245.30	1299.28	0.05
1199	234.06	239.67	1299.23	0.04
1200	228.82	234.23	1299.19	0.03
1201	223.85	229.01	1299.14	0.02
1202	219.07	224.01	1299.10	0.02
1203	214.55	219.25	1299.06	0.01
1204	210.22	214.71	1299.02	0.00
1205	206.04	205.41	1298.92	0.00
1206	202.04	202.66	1298.90	0.00
1207	198.13	197.51	1298.84	0.00
1208	194.28	194.91	1298.82	0.00
1209	190.49	189.86	1298.76	0.00
1210	186.76	187.38	1298.74	0.00
1211	183.01	182.39	1298.69	0.00
1212	179.25	179.87	1298.66	0.00
1213	175.52	174.90	1298.61	0.00
1214	171.76	172.39	1298.58	0.00
1215	167.99	167.36	1298.53	0.00
1216	164.23	164.86	1298.51	0.00
1217	160.44	159.81	1298.45	0.00
1218	156.69	157.31	1298.43	0.00
1219	152.93	152.31	1298.38	0.00
1220	149.17	149.79	1298.35	0.00
1221	145.41	144.78	1298.30	0.00
1222	141.73	142.35	1298.27	0.00
1223	138.07	137.45	1298.22	0.00
1224	134.45	135.07	1298.20	0.00
1225	130.92	130.29	1298.15	0.00
1226	127.46	128.08	1298.13	0.00
1227	124.07	123.45	1298.08	0.00
1228	120.76	121.38	1298.06	0.00
1229	117.53	116.90	1298.01	0.00
1230	114.36	114.99	1297.99	0.00
1231	111.28	110.66	1297.93	0.00
1232	108.29	108.91	1297.91	0.00
1233	105.37	104.75	1297.85	0.00
1234	102.53	103.15	1297.83	0.00
1235	99.78	99.15	1297.78	0.00
1236	97.11	97.73	1297.76	0.00
1237	94.52	93.90	1297.71	0.00
1238	92.01	92.63	1297.69	0.00
1239	89.57	88.95	1297.64	0.00
1240	87.22	87.84	1297.63	0.00
1241	84.94	84.32	1297.58	0.00
1242	82.74	83.36	1297.57	0.00
1243	80.61	79.99	1297.52	0.00
1244	78.56	79.18	1297.51	0.00
1245	76.57	75.95	1297.47	0.00
1246	74.66	75.28	1297.46	0.00
1247	72.81	72.19	1297.42	0.00
1248	71.02	71.65	1297.41	0.00
1249	69.30	68.67	1297.37	0.00
1250	67.64	68.27	1297.37	0.00
1251	66.04	65.42	1297.33	0.00
1252	64.48	65.10	1297.32	0.00
1253	62.96	62.34	1297.29	0.00
1254	61.49	62.12	1297.28	0.00
1255	60.06	59.44	1297.25	0.00
1256	58.68	59.30	1297.25	0.00
1257	57.33	56.71	1297.21	0.00
1258	56.03	56.65	1297.21	0.00

1259	54.77	54.15	1297.18	0.00
1260	53.60	54.22	1297.18	0.00
1261	52.46	51.84	1297.15	0.00
1262	51.36	51.98	1297.15	0.00
1263	50.29	49.67	1297.12	0.00
1264	49.25	49.88	1297.12	0.00
1265	48.28	47.65	1297.09	0.00
1266	47.36	47.98	1297.09	0.00
1267	46.46	45.84	1297.07	0.00
1268	45.58	46.20	1297.07	0.00
1269	44.72	44.09	1297.04	0.00
1270	43.89	44.51	1297.05	0.00
1271	43.10	42.48	1297.02	0.00
1272	42.33	42.95	1297.03	0.00
1273	41.56	40.94	1297.00	0.00
1274	40.80	41.43	1297.01	0.00
1275	40.06	39.44	1296.96	0.00
1276	39.33	39.95	1296.98	0.00
1277	38.61	37.99	1296.93	0.00
1278	37.90	38.53	1296.94	0.00
1279	37.21	36.59	1296.89	0.00
1280	36.53	37.16	1296.91	0.00
1281	35.87	35.24	1296.86	0.00
1282	35.22	35.84	1296.88	0.00
1283	34.58	33.96	1296.83	0.00
1284	33.96	34.58	1296.85	0.00
1285	33.35	32.73	1296.80	0.00
1286	32.76	33.38	1296.82	0.00
1287	32.18	31.56	1296.77	0.00
1288	31.62	32.24	1296.79	0.00
1289	31.07	30.45	1296.74	0.00
1290	30.54	31.16	1296.76	0.00
1291	30.03	29.40	1296.72	0.00
1292	29.53	30.16	1296.74	0.00
1293	29.06	28.43	1296.70	0.00
1294	28.60	29.22	1296.71	0.00
1295	28.16	27.54	1296.67	0.00
1296	27.74	28.36	1296.69	0.00
1297	27.34	26.71	1296.65	0.00
1298	26.97	27.59	1296.67	0.00
1299	26.63	26.01	1296.64	0.00
1300	26.29	26.92	1296.66	0.00
1310	23.22	23.85	1296.58	0.00
1320	20.69	21.31	1296.52	0.00
1330	18.78	19.40	1296.47	0.00
1340	17.17	17.79	1296.43	0.00
1350	15.80	16.43	1296.40	0.00
1360	14.71	15.34	1296.37	0.00
1370	13.80	14.43	1296.35	0.00
1380	13.01	13.63	1296.33	0.00
1390	12.34	12.96	1296.32	0.00
1400	11.76	12.38	1296.30	0.00
1420	10.80	11.43	1296.28	0.00
1440	10.06	10.68	1296.26	0.00

Appendix 5
Proposed Burned Watershed
2-Year, 24-hour event

Los Angeles County Flood Control District
Modified Rational Method Hydrology

LOCATION	SUBAREA	Storm Day 4		Storm Frequency 50		CONV	CONV	CONV	CONV	CONV	CONTROL	SOIL	RAIN	PCT	
		AREA	Q	AREA	Q										TOTAL
1 1A	37.8	37.20	37.8	37.20	1.741	0	0	0.00000	0.00	0.00	0	293	8	3.29	0.01
1 1B	0.0	0.00	37.8	37.20	1.898	1	1517	0.14568	0.00	0.00	0	293	0	3.29	0.00
1 1C	41.0	37.52	78.8	61.45	3.782	0	0	0.00000	0.00	0.00	0	293	9	3.29	0.01
1 1D	0.0	0.00	78.8	61.45	3.791	1	727	0.10127	0.00	0.00	0	293	0	3.29	0.00
1 1E	40.6	39.95	119.4	87.54	5.661	0	0	0.00000	0.00	0.00	0	293	9	3.29	0.01
1 1F	0.0	0.00	119.4	87.54	5.673	1	1016	0.07674	0.00	0.00	0	293	0	3.29	0.00
1 1G	30.4	35.54	149.8	104.85	7.607	0	0	0.00000	0.00	0.00	0	291	8	3.29	0.01
1 1H	17.8	24.40	17.8	24.40	1.134	0	0	0.00000	0.00	0.00	0	291	6	3.29	0.01
1 1I	0.0	0.00	17.8	24.40	1.483	1	1044	0.07760	0.00	0.00	0	291	0	3.29	0.00
1 11AB	17.8	19.77	167.6	124.62	9.108	1	1044	0.06935	0.00	0.00	0	291	0	3.29	0.00
1 11A	34.8	40.32	202.4	126.10	11.294	0	0	0.00000	0.00	0.00	0	291	8	3.27	0.01
1 11B	0.0	0.00	202.4	126.10	11.309	1	832	0.04569	0.00	0.00	0	291	0	3.27	0.00
1 11A	28.3	32.27	230.7	127.96	13.045	0	0	0.00000	0.00	0.00	0	291	8	3.22	0.01
1 11B	0.0	0.00	230.7	127.96	13.062	1	978	0.04602	0.00	0.00	0	291	0	3.22	0.00
1 11E	23.8	25.75	254.5	129.54	14.547	0	0	0.00000	0.00	0.00	0	291	9	3.26	0.01
1 11F	0.0	0.00	254.5	129.54	14.559	1	1815	0.04297	0.00	0.00	0	291	0	3.26	0.00
1 11A	30.8	31.68	285.3	127.93	16.509	0	0	0.00000	0.00	0.00	0	291	10	3.29	0.01
1 11B	0.0	0.00	285.3	127.93	16.513	1	534	0.02809	0.00	0.00	0	291	0	3.29	0.00
1 11D	32.0	31.18	317.3	130.21	18.543	0	0	0.00000	0.00	0.00	0	291	11	3.29	0.01
1 11A	0.0	0.00	317.3	130.21	18.549	1	666	0.04052	0.00	0.00	0	291	0	3.29	0.00
1 11A	13.3	18.23	330.6	130.39	19.396	0	0	0.00000	0.00	0.00	0	291	6	3.29	0.01
1 11C	46.5	51.05	46.5	51.05	2.958	0	0	0.00000	0.00	0.00	0	291	9	3.29	0.01
1 11D	0.0	0.00	46.5	51.05	3.033	1	419	0.05016	0.00	0.00	0	291	0	3.29	0.00
1 11E	21.3	21.38	67.8	71.92	4.388	0	0	0.00000	0.00	0.00	0	291	9	3.29	0.01
1 11F	0.0	0.00	67.8	71.92	4.400	1	611	0.04440	0.00	0.00	0	291	0	3.29	0.00
1 11G	35.9	39.40	35.9	39.40	2.283	0	0	0.00000	0.00	0.00	0	291	9	3.29	0.01
1 11H	0.0	0.00	35.9	39.40	2.417	1	1490	0.04037	0.00	0.00	0	291	0	3.29	0.00
1 11I	33.1	30.62	69.0	52.93	4.516	0	0	0.00000	0.00	0.00	0	291	12	3.29	0.01
1 11D	69.0	52.93	136.8	120.70	9.327	1	372	0.04261	0.00	0.00	0	291	0	3.29	0.00
1 11A	136.8	119.52	467.4	228.69	28.350	1	1490	0.02349	0.00	0.00	0	291	9	3.29	0.02
1 11B	23.6	25.97	491.0	216.15	29.694	0	0	0.00000	0.00	0.00	0	291	9	3.29	0.02
1 11C	46.5	48.09	46.5	48.09	3.039	0	0	0.00000	0.00	0.00	0	291	10	3.30	0.02
1 11E	0.0	0.00	46.5	48.09	3.104	1	386	0.02852	0.00	0.00	0	291	0	3.30	0.00
1 11A	46.5	46.29	537.5	228.96	33.017	1	332	0.00306	0.00	0.00	0	291	0	3.30	0.00
1 11B	0.0	0.00	537.5	225.45	33.020	1	329	0.00990	0.00	0.00	0	291	0	3.30	0.00
1 11A	11.5	15.83	549.0	226.16	33.795	0	0	0.00000	0.00	0.00	0	291	6	3.30	0.03
1 11B	0.0	0.00	549.0	226.16	33.795	5	31	0.11340	8.00	0.00	0	291	0	3.30	0.03
1 11C	6.7	9.22	6.7	9.22	0.451	0	0	0.00000	0.00	0.00	0	291	6	3.30	0.03
1 11D	0.0	0.00	6.7	9.22	1.012	4	51	0.06492	3.00	0.00	0	291	0	3.30	0.00
1 11E	1.8	2.86	1.8	2.86	0.240	0	0	0.00000	0.00	0.00	0	91	5	3.30	0.42
1 11F	0.0	0.00	1.8	2.86	0.857	4	769	0.01284	3.00	0.00	0	91	0	3.30	0.00
1 11G	4.6	7.30	4.6	7.30	0.613	0	0	0.00000	0.00	0.00	0	91	5	3.30	0.42
1 11H	0.0	0.00	4.6	7.30	0.983	4	72	0.04449	3.00	0.00	0	91	0	3.30	0.00
1 11I	9.2	14.03	9.2	14.03	0.620	0	0	0.00000	0.00	0.00	0	291	5	3.30	0.03
1 11J	0.0	0.00	9.2	14.03	1.115	4	95	0.04754	3.00	0.00	0	291	0	3.30	0.00
1 11K	9.2	13.89	13.8	21.12	2.100	4	744	0.00841	3.00	0.00	0	291	0	3.30	0.00
1 11L	5.4	8.57	19.2	26.20	2.820	0	0	0.00000	0.00	0.00	0	91	5	3.30	0.42
1 11M	19.2	26.20	21.0	28.52	3.678	4	653	0.11082	3.00	0.00	0	91	0	3.30	0.00
1 11N	21.0	27.97	27.7	36.01	4.690	4	80	0.07155	3.00	0.00	0	91	0	3.30	0.00
1 11O	7.2	11.42	7.2	11.42	0.960	0	0	0.00000	0.00	0.00	0	91	5	3.30	0.42
1 11P	0.0	0.00	7.2	11.42	1.158	4	238	0.02252	3.00	0.00	0	91	0	3.30	0.00
1 11Q	1.9	3.01	1.9	3.01	0.253	0	0	0.00000	0.00	0.00	0	91	5	3.30	0.42
1 11R	0.0	0.00	1.9	3.01	0.860	4	35	0.06272	3.00	0.00	0	91	0	3.30	0.00
1 11S	11.3	16.28	11.3	16.28	1.506	0	0	0.00000	0.00	0.00	0	91	6	3.30	0.42
1 11T	0.0	0.00	11.3	16.28	1.568	4	157	0.09276	3.00	0.00	0	91	0	3.30	0.00
1 11U	5.1	7.78	5.1	7.78	0.344	0	0	0.00000	0.00	0.00	0	291	3	3.30	0.03
1 11V	0.0	0.00	5.1	7.78	0.954	4	296	0.11042	3.00	0.00	0	291	0	3.30	0.00
1 11W	3.4	5.18	3.4	5.18	0.229	0	0	0.00000	0.00	0.00	0	291	5	3.30	0.03
1 11X	0.0	0.00	3.4	5.18	0.894	4	252	0.24596	3.00	0.00	0	291	0	3.30	0.00
1 11Y	8.9	13.57	8.9	13.57	0.600	0	0	0.00000	0.00	0.00	0	291	5	3.30	0.03
1 11Z	0.0	0.00	8.9	13.57	1.103	4	292	0.03686	3.00	0.00	0	291	0	3.30	0.00
1 11A	9.1	13.87	9.1	13.87	0.613	0	0	0.00000	0.00	0.00	0	291	5	3.30	0.03
1 11B	0.0	0.00	9.1	13.87	1.112	3	573	0.01071	36-6	0.00	0	291	0	3.30	0.00
1 11C	9.1	10.72	18.0	17.86	2.217	3	416	0.00822	36-6	0.00	0	291	0	3.30	0.00
1 11D	18.0	15.86	21.4	16.77	3.112	3	394	0.13587	36-6	0.00	0	291	0	3.30	0.00
1 11E	3.4	5.39	24.8	17.49	3.566	0	0	0.00000	0.00	0.00	0	91	5	3.30	0.42
1 11F	24.8	17.49	29.9	24.36	4.520	4	136	0.01825	3.00	0.00	0	91	0	3.30	0.00
1 11G	29.9	24.20	41.2	39.77	6.089	4	119	0.20094	3.50	0.00	0	91	0	3.30	0.00
1 11H	41.2	39.76	43.1	42.50	6.949	4	210	0.01907	3.50	0.00	0	91	0	3.30	0.00
1 11I	43.1	42.36	50.3	53.17	8.109	4	411	0.02096	3.50	0.00	0	91	0	3.30	0.00
1 11J	6.3	9.99	56.6	61.29	8.949	0	0	0.00000	0.00	0.00	0	91	5	3.30	0.42
1 11K	0.0	0.00	56.6	61.29	9.950	4	113	0.07622	3.50	0.00	0	91	0	3.30	0.00
1 11L	56.6	61.03	84.3	96.38	13.640	4	43	0.18522	3.50	0.00	0	91	0	3.30	0.00
1 11M	84.3	96.36	833.3	247.49	47.437	4	793	0.00222	7.00	0.00	0	91	0	3.30	0.00
1 11N	0.0	0.00	833.3	247.41	47.437	0	0	0.00000	0.00	0.00	0	91	9	3.30	0.45
1 11O	0.0	0.00	833.3	247.41	47.441	4	1096	0.12377	7.00	0.00	0	91	0	3.30	0.00
1 11P	1.7	2.49	641.0	247.40	47.734	0	0	0.00000	0.00	0.00	0	97	6	3.30	0.65
1 11Q	0.0	0.00	641.0	247.40	47.734	4	33	0.04180	7.00	0.00	0	97	0	3.30	0.00
1 11R	54.2	47.23	34.2	47.23	2.754	0	0	0.00000	0.00	0.00	0	297	11	3.30	0.03
1 11S	0.0	0.00	34.2	47.23	2.822	1	704	0.00723	0.00	0.00	0	297	0	3.30	0.00
1 11T	29.7	31.25	29.7	31.26	1.397	0	0	0.00000	0.00	0.00	0	297	3	3.29	0.01
1 11U	0.0	0.00	29.7	31.26	1.646	1	711	0.05457	0.00	0.00	0	297	0	3.29	0.00
1 11V	33.8	35.82	63.5	58.23	3.369	0	0	0.00000	0.00	0.00	0	297	8	3.29	

1 130U	6.0	6.08	6.0	6.08	0.280	0	0	0.00000	0.00	0.00	0	220	6	3.30	0.03
1 131U	0.0	0.00	6.0	6.08	0.903	4	104	0.02343	3.00	0.00	0	220	0	3.30	0.00
1 132AU	6.0	6.00	661.0	334.88	61.399	4	408	0.03138	7.00	0.00	0	220	0	3.30	0.00
1 134V	29.4	34.14	29.4	34.14	2.580	0	0	0.00000	0.00	0.00	0	97	7	3.29	0.23
1 135V	0.0	0.00	29.4	34.14	2.637	5	138	0.01237	10.00	0.00	0	97	0	3.29	0.00
1 136AV	29.4	34.07	890.4	337.23	64.036	0	0	0.00000	0.00	0.00	0	97	0	3.29	0.00
1 37W	38.0	37.39	38.0	37.39	1.786	0	0	0.00000	0.00	0.00	0	297	9	3.30	0.01
1 38W	0.0	0.00	38.0	37.39	1.786	0	0	0.00000	0.00	0.00	0	297	0	3.30	0.00
1 39X	3.5	4.91	3.5	4.91	0.179	0	0	0.00000	0.00	0.00	0	297	5	3.30	0.03
1 140X	0.0	0.00	3.5	4.91	0.878	4	410	0.01225	3.00	0.00	0	297	0	3.30	0.00
1 142Y	5.2	7.81	5.2	7.81	0.655	0	0	0.00000	0.00	0.00	0	97	5	3.30	0.42
1 143Y	0.0	0.00	5.2	7.81	0.990	4	146	0.02238	3.00	0.00	0	97	0	3.30	0.00
1 144XY	5.2	7.63	8.7	11.90	1.859	0	84	0.01104	0.00	0.00	0	97	0	3.30	0.00
1 146Z	27.4	27.16	27.4	27.16	1.396	0	0	0.00000	0.00	0.00	0	297	9	3.30	0.03
1 147Z	0.0	0.00	27.4	27.16	1.612	4	120	0.02073	3.00	0.00	0	297	0	3.30	0.00
1 148XZ	27.4	27.04	36.1	38.85	3.470	0	0	0.00000	0.00	0.00	0	297	0	3.30	0.00

Normal End of MCDRBT

MODIFIED RATIONAL METHOD HYDROLOGY
TOTAL HYDROGRAPH AT 1 40A STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

Table with 10 columns: TIME, Q, TIME, Q, TIME, Q, TIME, Q, TIME, Q. Rows show hydrograph data from 0 to 1400 minutes.

Total Runoff = 33.795 Acree-ft.
Peak Q = 226.16 CFS
Time to Peak = 1175 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
TOTAL HYDROGRAPH AT 1 40RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

Table with 10 columns: TIME, Q, TIME, Q, TIME, Q, TIME, Q, TIME, Q. Rows show hydrograph data from 0 to 1400 minutes.

Total Runoff = 31.195 Acree-ft.
Peak Q = 226.11 CFS
Time to Peak = 1175 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
TOTAL HYDROGRAPH AT 1 53I STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

Table with 10 columns: TIME, Q, TIME, Q, TIME, Q, TIME, Q, TIME, Q. Rows show hydrograph data from 0 to 1145 minutes.

1150	4.18	1151	4.54	1152	4.98	1153	5.57	1154	6.41
1155	7.71	1156	12.39	1157	14.03	1158	13.62	1159	12.58
1160	10.81	1161	5.58	1162	3.29	1163	2.66	1164	2.26
1165	1.95	1166	1.72	1167	1.55	1168	1.41	1169	1.30
1170	1.21	1171	1.13	1172	1.06	1173	1.01	1174	0.95
1175	0.91	1176	0.87	1177	0.83	1178	0.80	1179	0.77
1180	0.73	1181	0.69	1182	0.65	1183	0.62	1184	0.59
1185	0.56	1186	0.54	1187	0.51	1188	0.49	1189	0.47
1190	0.45	1191	0.43	1192	0.41	1193	0.40	1194	0.39
1195	0.37	1196	0.35	1197	0.34	1198	0.33	1199	0.31
1200	0.31	1201	0.30	1202	0.29	1203	0.29	1204	0.28
1205	0.28	1206	0.27	1207	0.27	1208	0.27	1209	0.26
1210	0.26	1211	0.25	1212	0.25	1213	0.25	1214	0.24
1215	0.24	1216	0.24	1217	0.24	1218	0.23	1219	0.23
1220	0.23	1221	0.22	1222	0.22	1223	0.22	1224	0.22
1225	0.21	1226	0.21	1227	0.21	1228	0.21	1229	0.20
1230	0.20	1231	0.20	1232	0.20	1233	0.20	1234	0.19
1235	0.19	1236	0.19	1237	0.19	1238	0.19	1239	0.19
1240	0.18	1241	0.18	1242	0.18	1243	0.18	1244	0.18
1245	0.18	1246	0.18	1247	0.17	1248	0.17	1249	0.17
1250	0.17	1251	0.17	1252	0.17	1253	0.17	1254	0.16
1255	0.16	1256	0.16	1257	0.16	1258	0.16	1259	0.16
1260	0.16	1261	0.16	1262	0.16	1263	0.16	1264	0.15
1265	0.15	1266	0.15	1267	0.15	1268	0.15	1269	0.15
1270	0.15	1271	0.15	1272	0.15	1273	0.15	1274	0.14
1275	0.14	1276	0.14	1277	0.14	1278	0.14	1279	0.14
1280	0.14	1281	0.14	1282	0.14	1283	0.14	1284	0.14
1285	0.14	1286	0.13	1287	0.13	1288	0.13	1289	0.13
1290	0.13	1291	0.13	1292	0.13	1293	0.13	1294	0.13
1295	0.13	1296	0.13	1297	0.13	1298	0.13	1299	0.13
1300	0.13	1310	0.12	1320	0.11	1330	0.11	1340	0.11
1350	0.10	1360	0.10	1370	0.10	1380	0.09	1390	0.09
1400	0.09	1420	0.08	1440	0.08	1460	0.00	1500	0.00

Total Runoff = 0.620 Acres-ft.
 Peak Q = 14.03 CFS
 Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 53RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.40	100	0.40	200	0.40	300	0.40	400	0.40
500	0.40	600	0.40	700	0.40	800	0.40	900	0.40
1000	0.40	1050	0.54	1100	0.99	1110	1.14	1120	1.37
1130	1.74	1131	1.79	1132	1.85	1133	1.90	1134	1.96
1135	2.03	1136	2.11	1137	2.18	1138	2.27	1139	2.37
1140	2.46	1141	2.55	1142	2.65	1143	2.75	1144	2.87
1145	3.01	1146	3.17	1147	3.35	1148	3.56	1149	3.81
1150	4.11	1151	4.45	1152	4.87	1153	5.42	1154	6.21
1155	7.43	1156	11.38	1157	13.88	1158	13.69	1159	12.80
1160	11.15	1161	6.80	1162	3.67	1163	2.07	1164	2.37
1165	2.05	1166	1.78	1167	1.60	1168	1.45	1169	1.33
1170	1.23	1171	1.15	1172	1.08	1173	1.02	1174	0.97
1175	0.93	1176	0.88	1177	0.85	1178	0.81	1179	0.78
1180	0.75	1181	0.71	1182	0.67	1183	0.64	1184	0.60
1185	0.57	1186	0.55	1187	0.52	1188	0.50	1189	0.48
1190	0.46	1191	0.44	1192	0.42	1193	0.41	1194	0.40
1195	0.40	1196	0.40	1197	0.40	1198	0.40	1199	0.40
1200	0.40	1201	0.40	1202	0.40	1203	0.40	1204	0.40
1205	0.40	1206	0.40	1207	0.40	1208	0.40	1209	0.40
1210	0.40	1211	0.40	1212	0.40	1213	0.40	1214	0.40
1215	0.40	1216	0.40	1217	0.40	1218	0.40	1219	0.40
1220	0.40	1221	0.40	1222	0.40	1223	0.40	1224	0.40
1225	0.40	1226	0.40	1227	0.40	1228	0.40	1229	0.40
1230	0.40	1231	0.40	1232	0.40	1233	0.40	1234	0.40
1235	0.40	1236	0.40	1237	0.40	1238	0.40	1239	0.40
1240	0.40	1241	0.40	1242	0.40	1243	0.40	1244	0.40
1245	0.40	1246	0.40	1247	0.40	1248	0.40	1249	0.40
1250	0.40	1251	0.40	1252	0.40	1253	0.40	1254	0.40
1255	0.40	1256	0.40	1257	0.40	1258	0.40	1259	0.40
1260	0.40	1261	0.40	1262	0.40	1263	0.40	1264	0.40
1265	0.40	1266	0.40	1267	0.40	1268	0.40	1269	0.40
1270	0.40	1271	0.40	1272	0.40	1273	0.40	1274	0.40
1275	0.40	1276	0.40	1277	0.40	1278	0.40	1279	0.40
1280	0.40	1281	0.40	1282	0.40	1283	0.40	1284	0.40
1285	0.40	1286	0.40	1287	0.40	1288	0.40	1289	0.40
1290	0.40	1291	0.40	1292	0.40	1293	0.40	1294	0.40
1295	0.40	1296	0.40	1297	0.40	1298	0.40	1299	0.40
1300	0.40	1310	0.40	1320	0.40	1330	0.40	1340	0.40
1350	0.40	1360	0.40	1370	0.40	1380	0.40	1390	0.40
1400	0.40	1420	0.40	1440	0.40	1460	0.40	1500	0.40

Total Runoff = 1.115 Acres-ft.
 Peak Q = 13.69 CFS
 Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 54K STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	0.00	200	0.07	300	0.07	400	0.07
500	0.00	600	0.00	700	0.09	800	0.10	900	0.12
1000	0.16	1050	0.20	1100	0.31	1110	0.34	1120	0.40
1130	0.48	1131	0.48	1132	0.50	1133	0.51	1134	0.53
1135	0.54	1136	0.56	1137	0.57	1138	0.58	1139	0.61
1140	0.63	1141	0.65	1142	0.67	1143	0.69	1144	0.72
1145	0.75	1146	0.79	1147	0.83	1148	0.87	1149	0.92
1150	0.93	1151	1.00	1152	1.15	1153	1.28	1154	1.45
1155	1.72	1156	2.65	1157	3.01	1158	2.93	1159	2.72
1160	2.36	1161	1.28	1162	0.80	1163	0.67	1164	0.53
1165	0.30	1166	0.27	1167	0.23	1168	0.20	1169	0.18
1170	0.16	1171	0.14	1172	0.12	1173	0.11	1174	0.10
1175	0.09	1176	0.08	1177	0.07	1178	0.06	1179	0.05
1180	0.04	1181	0.04	1182	0.03	1183	0.03	1184	0.03
1185	0.02	1186	0.02	1187	0.02	1188	0.02	1189	0.02
1190	0.01	1191	0.01	1192	0.01	1193	0.01	1194	0.01
1195	0.01	1196	0.01	1197	0.01	1198	0.01	1199	0.01
1200	0.01	1201	0.01	1202	0.01	1203	0.01	1204	0.01

1205	0.14	1206	0.14	1207	0.14	1208	0.14	1209	0.14
1210	0.14	1211	0.13	1212	0.13	1213	0.13	1214	0.13
1215	0.13	1216	0.13	1217	0.13	1218	0.13	1219	0.13
1220	0.12	1221	0.12	1222	0.12	1223	0.12	1224	0.12
1225	0.12	1226	0.12	1227	0.12	1228	0.12	1229	0.12
1230	0.12	1231	0.12	1232	0.11	1233	0.11	1234	0.11
1235	0.11	1236	0.11	1237	0.11	1238	0.11	1239	0.11
1240	0.11	1241	0.11	1242	0.11	1243	0.11	1244	0.11
1245	0.11	1246	0.11	1247	0.10	1248	0.10	1249	0.10
1250	0.10	1251	0.10	1252	0.10	1253	0.10	1254	0.10
1255	0.10	1256	0.10	1257	0.10	1258	0.10	1259	0.10
1260	0.10	1261	0.10	1262	0.10	1263	0.10	1264	0.10
1265	0.10	1266	0.10	1267	0.10	1268	0.10	1269	0.09
1270	0.09	1271	0.09	1272	0.09	1273	0.09	1274	0.09
1275	0.09	1276	0.09	1277	0.09	1278	0.09	1279	0.09
1280	0.09	1281	0.09	1282	0.09	1283	0.09	1284	0.09
1285	0.09	1286	0.09	1287	0.09	1288	0.09	1289	0.09
1290	0.09	1291	0.09	1292	0.09	1293	0.09	1294	0.09
1295	0.09	1296	0.09	1297	0.08	1298	0.08	1299	0.08
1300	0.08	1310	0.08	1320	0.08	1330	0.08	1340	0.08
1350	0.07	1360	0.07	1370	0.07	1380	0.07	1390	0.07
1400	0.07	1420	0.06	1440	0.06	1460	0.06	1500	0.00

Total Runoff = 0.253 Acre-Ft.
 Peak Q = 3.01 CFS
 Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 64RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.40	100	0.40	200	0.40	300	0.40
500	0.40	600	0.40	700	0.40	800	0.40
1000	0.40	1050	0.40	1100	0.40	1150	0.40
1130	0.48	1131	0.49	1132	0.50	1133	0.51
1135	0.54	1136	0.55	1137	0.57	1138	0.59
1140	0.63	1141	0.65	1142	0.67	1143	0.69
1145	0.75	1146	0.78	1147	0.82	1148	0.87
1150	0.98	1151	1.05	1152	1.14	1153	1.26
1155	1.69	1156	2.56	1157	3.00	1158	2.94
1160	2.39	1161	1.42	1162	0.81	1163	0.72
1165	0.54	1166	0.47	1167	0.44	1168	0.41
1170	0.40	1171	0.40	1172	0.40	1173	0.40
1175	0.40	1176	0.40	1177	0.40	1178	0.40
1180	0.40	1181	0.40	1182	0.40	1183	0.40
1185	0.40	1186	0.40	1187	0.40	1188	0.40
1190	0.40	1191	0.40	1192	0.40	1193	0.40
1195	0.40	1196	0.40	1197	0.40	1198	0.40
1200	0.40	1201	0.40	1202	0.40	1203	0.40
1205	0.40	1206	0.40	1207	0.40	1208	0.40
1210	0.40	1211	0.40	1212	0.40	1213	0.40
1215	0.40	1216	0.40	1217	0.40	1218	0.40
1220	0.40	1221	0.40	1222	0.40	1223	0.40
1225	0.40	1226	0.40	1227	0.40	1228	0.40
1230	0.40	1231	0.40	1232	0.40	1233	0.40
1235	0.40	1236	0.40	1237	0.40	1238	0.40
1240	0.40	1241	0.40	1242	0.40	1243	0.40
1245	0.40	1246	0.40	1247	0.40	1248	0.40
1250	0.40	1251	0.40	1252	0.40	1253	0.40
1255	0.40	1256	0.40	1257	0.40	1258	0.40
1260	0.40	1261	0.40	1262	0.40	1263	0.40
1265	0.40	1266	0.40	1267	0.40	1268	0.40
1270	0.40	1271	0.40	1272	0.40	1273	0.40
1275	0.40	1276	0.40	1277	0.40	1278	0.40
1280	0.40	1281	0.40	1282	0.40	1283	0.40
1285	0.40	1286	0.40	1287	0.40	1288	0.40
1290	0.40	1291	0.40	1292	0.40	1293	0.40
1295	0.40	1296	0.40	1297	0.40	1298	0.40
1300	0.40	1310	0.40	1320	0.40	1330	0.40
1350	0.40	1360	0.40	1370	0.40	1380	0.40
1400	0.40	1420	0.40	1440	0.40	1460	0.40

Total Runoff = 0.860 Acre-fr.
 Peak Q = 3.00 CFS
 Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 78M STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.05	100	0.05	200	0.05	300	0.05
500	0.05	600	0.05	700	0.05	800	0.05
1000	0.18	1050	0.30	1100	0.55	1150	0.64
1130	0.97	1131	1.00	1132	1.03	1133	1.06
1135	1.14	1136	1.15	1137	1.22	1138	1.28
1140	1.33	1141	1.43	1142	1.48	1143	1.54
1145	1.69	1146	1.78	1147	1.88	1148	2.00
1150	2.32	1151	2.52	1152	2.76	1153	3.09
1155	4.27	1156	6.97	1157	7.73	1158	7.53
1160	5.99	1161	3.10	1162	1.82	1163	1.48
1165	1.09	1166	0.92	1167	0.86	1168	0.78
1170	0.67	1171	0.63	1172	0.59	1173	0.56
1175	0.50	1176	0.48	1177	0.46	1178	0.44
1180	0.41	1181	0.39	1182	0.36	1183	0.34
1185	0.31	1186	0.30	1187	0.28	1188	0.27
1190	0.25	1191	0.24	1192	0.23	1193	0.22
1195	0.20	1196	0.20	1197	0.19	1198	0.18
1200	0.17	1201	0.16	1202	0.16	1203	0.16
1205	0.15	1206	0.15	1207	0.15	1208	0.15
1210	0.14	1211	0.14	1212	0.14	1213	0.14
1215	0.13	1216	0.13	1217	0.13	1218	0.13
1220	0.13	1221	0.12	1222	0.12	1223	0.12
1225	0.12	1226	0.12	1227	0.12	1228	0.11
1230	0.11	1231	0.11	1232	0.11	1233	0.11
1235	0.11	1236	0.11	1237	0.10	1238	0.10
1240	0.10	1241	0.10	1242	0.10	1243	0.10
1245	0.10	1246	0.10	1247	0.10	1248	0.09
1250	0.09	1251	0.09	1252	0.09	1253	0.09
1255	0.09	1256	0.09	1257	0.09	1258	0.09

1260	0.09	1261	0.09	1262	0.09	1263	0.09	1264	0.09
1265	0.08	1266	0.08	1267	0.08	1268	0.08	1269	0.08
1270	0.08	1271	0.08	1272	0.08	1273	0.08	1274	0.08
1275	0.08	1276	0.08	1277	0.08	1278	0.08	1279	0.08
1280	0.08	1281	0.08	1282	0.08	1283	0.08	1284	0.08
1285	0.08	1286	0.07	1287	0.07	1288	0.07	1289	0.07
	0.07	1291	0.07	1292	0.07	1293	0.07	1294	0.07
	0.07	1296	0.07	1297	0.07	1298	0.07	1299	0.07
	0.07	1310	0.07	1320	0.06	1330	0.06	1340	0.06
1350	0.06	1360	0.05	1370	0.05	1380	0.05	1390	0.05
1400	0.05	1420	0.05	1440	0.04	1460	0.00	1500	0.00

Total Runoff = 0.344 Acre-ft.
 Peak Q = 7.78 CFS
 Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 70RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.40	100	0.40	200	0.40	300	0.40	400	0.40
500	0.40	600	0.40	700	0.40	800	0.40	900	0.40
1000	0.40	1050	0.40	1100	0.55	1110	0.63	1120	0.75
1130	0.94	1131	0.97	1132	1.00	1133	1.03	1134	1.06
1135	1.11	1136	1.15	1137	1.20	1138	1.24	1139	1.29
1140	1.35	1141	1.40	1142	1.45	1143	1.51	1144	1.57
1145	1.64	1146	1.73	1147	1.82	1148	1.93	1149	2.06
1150	2.22	1151	2.40	1152	2.61	1153	2.89	1154	3.28
1155	3.84	1156	5.57	1157	7.37	1158	7.60	1159	7.27
1160	6.46	1161	4.59	1162	2.68	1163	1.71	1164	1.40
1165	1.20	1166	1.05	1167	0.98	1168	0.88	1169	0.80
1170	0.73	1171	0.68	1172	0.63	1173	0.59	1174	0.56
1175	0.53	1176	0.50	1177	0.48	1178	0.46	1179	0.44
1180	0.42	1181	0.41	1182	0.40	1183	0.40	1184	0.40
1185	0.40	1186	0.40	1187	0.40	1188	0.40	1189	0.40
1190	0.40	1191	0.40	1192	0.40	1193	0.40	1194	0.40
1195	0.40	1196	0.40	1197	0.40	1198	0.40	1199	0.40
1200	0.40	1201	0.40	1202	0.40	1203	0.40	1204	0.40
1205	0.40	1206	0.40	1207	0.40	1208	0.40	1209	0.40
1210	0.40	1211	0.40	1212	0.40	1213	0.40	1214	0.40
1215	0.40	1216	0.40	1217	0.40	1218	0.40	1219	0.40
1220	0.40	1221	0.40	1222	0.40	1223	0.40	1224	0.40
1225	0.40	1226	0.40	1227	0.40	1228	0.40	1229	0.40
1230	0.40	1231	0.40	1232	0.40	1233	0.40	1234	0.40
1235	0.40	1236	0.40	1237	0.40	1238	0.40	1239	0.40
1240	0.40	1241	0.40	1242	0.40	1243	0.40	1244	0.40
1245	0.40	1246	0.40	1247	0.40	1248	0.40	1249	0.40
1250	0.40	1251	0.40	1252	0.40	1253	0.40	1254	0.40
1255	0.40	1256	0.40	1257	0.40	1258	0.40	1259	0.40
1260	0.40	1261	0.40	1262	0.40	1263	0.40	1264	0.40
1265	0.40	1266	0.40	1267	0.40	1268	0.40	1269	0.40
1270	0.40	1271	0.40	1272	0.40	1273	0.40	1274	0.40
1275	0.40	1276	0.40	1277	0.40	1278	0.40	1279	0.40
1280	0.40	1281	0.40	1282	0.40	1283	0.40	1284	0.40
	0.40	1286	0.40	1287	0.40	1288	0.40	1289	0.40
	0.40	1291	0.40	1292	0.40	1293	0.40	1294	0.40
	0.40	1296	0.40	1297	0.40	1298	0.40	1299	0.40
1300	0.40	1310	0.40	1320	0.40	1330	0.40	1340	0.40
1350	0.40	1360	0.40	1370	0.40	1380	0.40	1390	0.40
1400	0.40	1420	0.40	1440	0.40	1460	0.40	1500	0.40

Total Runoff = 0.954 Acre-ft.
 Peak Q = 7.60 CFS
 Time to Peak = 1156 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 72N STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	0.03	200	0.03	300	0.03	400	0.04
500	0.04	600	0.05	700	0.05	800	0.06	900	0.08
1000	0.12	1050	0.20	1100	0.37	1110	0.42	1120	0.51
1130	0.65	1131	0.67	1132	0.69	1133	0.71	1134	0.73
1135	0.76	1136	0.79	1137	0.82	1138	0.85	1139	0.89
1140	0.92	1141	0.95	1142	0.99	1143	1.03	1144	1.08
1145	1.13	1146	1.19	1147	1.26	1148	1.34	1149	1.43
1150	1.55	1151	1.68	1152	1.84	1153	2.06	1154	2.37
1155	2.95	1156	4.52	1157	6.18	1158	5.03	1159	4.65
1160	4.00	1161	2.66	1162	1.22	1163	0.98	1164	0.84
1165	0.72	1166	0.64	1167	0.57	1168	0.52	1169	0.48
1170	0.45	1171	0.42	1172	0.39	1173	0.37	1174	0.35
1175	0.34	1176	0.32	1177	0.31	1178	0.29	1179	0.28
1180	0.27	1181	0.26	1182	0.24	1183	0.23	1184	0.22
1185	0.21	1186	0.20	1187	0.19	1188	0.18	1189	0.17
1190	0.17	1191	0.16	1192	0.15	1193	0.15	1194	0.14
1195	0.14	1196	0.13	1197	0.13	1198	0.12	1199	0.12
1200	0.11	1201	0.11	1202	0.11	1203	0.11	1204	0.10
1205	0.10	1206	0.10	1207	0.10	1208	0.10	1209	0.10
1210	0.10	1211	0.09	1212	0.09	1213	0.09	1214	0.09
1215	0.09	1216	0.09	1217	0.09	1218	0.08	1219	0.08
1220	0.08	1221	0.08	1222	0.08	1223	0.08	1224	0.08
1225	0.08	1226	0.08	1227	0.08	1228	0.08	1229	0.08
1230	0.07	1231	0.07	1232	0.07	1233	0.07	1234	0.07
1235	0.07	1236	0.07	1237	0.07	1238	0.07	1239	0.07
1240	0.07	1241	0.07	1242	0.07	1243	0.07	1244	0.07
1245	0.07	1246	0.06	1247	0.06	1248	0.06	1249	0.06
1250	0.06	1251	0.06	1252	0.06	1253	0.06	1254	0.06
1255	0.06	1256	0.06	1257	0.06	1258	0.06	1259	0.06
1260	0.06	1261	0.06	1262	0.06	1263	0.06	1264	0.06
1265	0.06	1266	0.06	1267	0.06	1268	0.06	1269	0.06
1270	0.06	1271	0.06	1272	0.06	1273	0.06	1274	0.06
	0.06	1276	0.06	1277	0.06	1278	0.06	1279	0.06
	0.06	1281	0.06	1282	0.06	1283	0.06	1284	0.06
	0.06	1286	0.06	1287	0.06	1288	0.06	1289	0.06
	0.06	1291	0.06	1292	0.06	1293	0.06	1294	0.06
	0.06	1296	0.06	1297	0.06	1298	0.06	1299	0.06
1300	0.06	1310	0.06	1320	0.06	1330	0.06	1340	0.06
1350	0.06	1360	0.06	1370	0.06	1380	0.06	1390	0.06
1400	0.06	1420	0.06	1440	0.06	1460	0.06	1500	0.06

Total Runoff = 0.229 Acre-ft.
 Peak Q = 5.18 CFS
 Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 HYDROGRAPH AT 1 72RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.40	100	0.40	200	0.40	300	0.40
500	0.40	600	0.40	700	0.40	800	0.40
1000	0.40	1050	0.40	1100	0.40	1110	0.42
1130	0.64	1131	0.66	1132	0.68	1133	0.70
1135	0.75	1136	0.77	1137	0.80	1138	0.83
1140	0.90	1141	0.93	1142	0.97	1143	1.01
1145	1.10	1146	1.15	1147	1.21	1148	1.28
1150	1.46	1151	1.60	1152	1.77	1153	1.97
1155	2.67	1156	3.93	1157	5.04	1158	5.09
1160	4.23	1161	2.83	1162	1.51	1163	1.21
1165	0.79	1166	0.58	1167	0.50	1168	0.54
1170	0.46	1171	0.43	1172	0.41	1173	0.40
1175	0.40	1175	0.40	1177	0.40	1178	0.40
1180	0.40	1181	0.40	1182	0.40	1183	0.40
1185	0.40	1185	0.40	1187	0.40	1188	0.40
1190	0.40	1191	0.40	1192	0.40	1193	0.40
1195	0.40	1196	0.40	1197	0.40	1198	0.40
1200	0.40	1201	0.40	1202	0.40	1203	0.40
1205	0.40	1206	0.40	1207	0.40	1208	0.40
1210	0.40	1211	0.40	1212	0.40	1213	0.40
1215	0.40	1216	0.40	1217	0.40	1218	0.40
1220	0.40	1221	0.40	1222	0.40	1223	0.40
1225	0.40	1226	0.40	1227	0.40	1228	0.40
1230	0.40	1231	0.40	1232	0.40	1233	0.40
1235	0.40	1236	0.40	1237	0.40	1238	0.40
1240	0.40	1241	0.40	1242	0.40	1243	0.40
1245	0.40	1246	0.40	1247	0.40	1248	0.40
1250	0.40	1251	0.40	1252	0.40	1253	0.40
1255	0.40	1256	0.40	1257	0.40	1258	0.40
1260	0.40	1261	0.40	1262	0.40	1263	0.40
1265	0.40	1266	0.40	1267	0.40	1268	0.40
1270	0.40	1271	0.40	1272	0.40	1273	0.40
1275	0.40	1276	0.40	1277	0.40	1278	0.40
1280	0.40	1281	0.40	1282	0.40	1283	0.40
1285	0.40	1286	0.40	1287	0.40	1288	0.40
1290	0.40	1291	0.40	1292	0.40	1293	0.40
1295	0.40	1296	0.40	1297	0.40	1298	0.40
1300	0.40	1310	0.40	1320	0.40	1330	0.40
1350	0.40	1360	0.40	1370	0.40	1380	0.40
1400	0.40	1420	0.40	1440	0.40	1460	0.40

Total Runoff = 0.894 Acre-ft.
 Peak Q = 5.09 CFS
 Time to Peak = 1158 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 HYDROGRAPH AT 1 750 STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	0.08	200	0.08	300	0.09
500	0.11	600	0.12	700	0.14	800	0.17
1000	0.22	1050	0.52	1100	0.96	1110	1.11
1130	1.70	1131	1.75	1132	1.80	1133	1.86
1135	1.99	1136	2.06	1137	2.14	1138	2.23
1140	2.40	1141	2.49	1142	2.59	1143	2.70
1145	2.95	1146	3.11	1147	3.29	1148	3.50
1150	4.65	1151	4.39	1152	4.81	1153	5.39
1155	7.46	1156	11.99	1157	13.57	1158	13.18
1160	10.46	1161	5.40	1162	3.16	1163	2.58
1165	1.38	1166	1.66	1167	1.50	1168	1.36
1170	1.17	1171	1.09	1172	1.03	1173	0.97
1175	0.88	1176	0.84	1177	0.80	1178	0.77
1180	0.71	1181	0.67	1182	0.63	1183	0.60
1185	0.54	1186	0.52	1187	0.49	1188	0.47
1190	0.43	1191	0.41	1192	0.40	1193	0.38
1195	0.35	1196	0.34	1197	0.33	1198	0.32
1200	0.30	1201	0.29	1202	0.28	1203	0.28
1205	0.27	1206	0.27	1207	0.26	1208	0.26
1210	0.25	1211	0.25	1212	0.24	1213	0.24
1215	0.23	1216	0.23	1217	0.23	1218	0.22
1220	0.22	1221	0.22	1222	0.21	1223	0.21
1225	0.21	1226	0.20	1227	0.20	1228	0.20
1230	0.20	1231	0.19	1232	0.19	1233	0.19
1235	0.19	1236	0.19	1237	0.18	1238	0.18
1240	0.18	1241	0.18	1242	0.17	1243	0.17
1245	0.17	1246	0.17	1247	0.17	1248	0.17
1250	0.16	1251	0.16	1252	0.16	1253	0.16
1255	0.16	1256	0.16	1257	0.16	1258	0.15
1260	0.15	1261	0.15	1262	0.15	1263	0.15
1265	0.15	1266	0.15	1267	0.15	1268	0.14
1270	0.14	1271	0.14	1272	0.14	1273	0.14
1275	0.14	1276	0.14	1277	0.14	1278	0.14
1280	0.13	1281	0.13	1282	0.13	1283	0.13
1285	0.13	1286	0.13	1287	0.13	1288	0.13
1290	0.13	1291	0.13	1292	0.13	1293	0.12
1295	0.12	1296	0.12	1297	0.12	1298	0.12
1300	0.12	1310	0.12	1320	0.11	1330	0.11
1350	0.10	1360	0.09	1370	0.09	1380	0.09
1400	0.08	1420	0.08	1440	0.08	1460	0.08

Total Runoff = 0.830 Acre-ft.
 Peak Q = 13.57 CFS
 Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 HYDROGRAPH AT 1 10RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.40	100	0.40	200	0.40	300	0.40
500	0.40	600	0.40	700	0.40	800	0.40

1000	0.40	1050	0.52	1100	0.95	1110	1.09	1120	1.31
1130	1.65	1131	1.70	1132	1.75	1133	1.80	1134	1.85
1135	1.92	1136	1.98	1137	2.06	1138	2.13	1139	2.22
1140	2.31	1141	2.40	1142	2.49	1143	2.58	1144	2.70
1145	2.84	1146	2.98	1147	3.14	1148	3.33	1149	3.54
1150	3.81	1151	4.11	1152	4.48	1153	4.94	1154	5.60
1155	6.59	1156	9.25	1157	12.40	1158	13.29	1159	12.79
1160	11.50	1161	8.57	1162	5.12	1163	3.34	1164	2.56
1165	2.24	1166	1.93	1167	1.69	1168	1.52	1169	1.38
1170	1.27	1171	1.18	1172	1.10	1173	1.04	1174	0.98
1175	0.93	1176	0.89	1177	0.85	1178	0.82	1179	0.78
1180	0.75	1181	0.72	1182	0.68	1183	0.65	1184	0.61
1185	0.58	1186	0.55	1187	0.53	1188	0.51	1189	0.45
1190	0.47	1191	0.45	1192	0.43	1193	0.42	1194	0.41
1195	0.40	1196	0.40	1197	0.40	1198	0.40	1199	0.40
1200	0.40	1201	0.40	1202	0.40	1203	0.40	1204	0.40
1205	0.40	1206	0.40	1207	0.40	1208	0.40	1209	0.40
1210	0.40	1211	0.40	1212	0.40	1213	0.40	1214	0.40
1215	0.40	1216	0.40	1217	0.40	1218	0.40	1219	0.40
1220	0.40	1221	0.40	1222	0.40	1223	0.40	1224	0.40
1225	0.40	1226	0.40	1227	0.40	1228	0.40	1229	0.40
1230	0.40	1231	0.40	1232	0.40	1233	0.40	1234	0.40
1235	0.40	1236	0.40	1237	0.40	1238	0.40	1239	0.40
1240	0.40	1241	0.40	1242	0.40	1243	0.40	1244	0.40
1245	0.40	1246	0.40	1247	0.40	1248	0.40	1249	0.40
1250	0.40	1251	0.40	1252	0.40	1253	0.40	1254	0.40
1255	0.40	1256	0.40	1257	0.40	1258	0.40	1259	0.40
1260	0.40	1261	0.40	1262	0.40	1263	0.40	1264	0.40
1265	0.40	1266	0.40	1267	0.40	1268	0.40	1269	0.40
1270	0.40	1271	0.40	1272	0.40	1273	0.40	1274	0.40
1275	0.40	1276	0.40	1277	0.40	1278	0.40	1279	0.40
1280	0.40	1281	0.40	1282	0.40	1283	0.40	1284	0.40
1285	0.40	1286	0.40	1287	0.40	1288	0.40	1289	0.40
1290	0.40	1291	0.40	1292	0.40	1293	0.40	1294	0.40
1295	0.40	1296	0.40	1297	0.40	1298	0.40	1299	0.40
1300	0.40	1310	0.40	1320	0.40	1330	0.40	1340	0.40
1350	0.40	1360	0.40	1370	0.40	1380	0.40	1390	0.40
1400	0.40	1420	0.40	1440	0.40	1460	0.40	1500	0.40

Total Runoff = 1.103 Acra-Ft.
 Peak Q = 13.29 CFS
 Time to Peak = 1158 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY

TOTAL HYDROGRAPH AT 1 79P STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	0.08	200	0.09	300	0.09	400	0.10
500	0.11	600	0.13	700	0.14	800	0.17	900	0.22
1000	0.32	1050	0.54	1100	0.99	1110	1.14	1120	1.36
1130	1.74	1131	1.79	1132	1.84	1133	1.90	1134	1.96
1135	2.03	1136	2.11	1137	2.19	1138	2.26	1139	2.37
1140	2.46	1141	2.55	1142	2.65	1143	2.76	1144	2.88
1145	3.02	1146	3.18	1147	3.36	1148	3.58	1149	3.83
1150	4.14	1151	4.49	1152	4.92	1153	5.51	1154	6.34
1155	7.62	1156	12.26	1157	13.87	1158	13.47	1159	12.45
1160	10.69	1161	5.52	1162	3.25	1163	2.64	1164	2.24
1165	1.93	1166	1.70	1167	1.53	1168	1.39	1169	1.28
1170	1.19	1171	1.12	1172	1.06	1173	0.99	1174	0.94
1175	0.90	1176	0.86	1177	0.82	1178	0.79	1179	0.76
1180	0.72	1181	0.68	1182	0.65	1183	0.61	1184	0.58
1185	0.55	1186	0.53	1187	0.50	1188	0.48	1189	0.46
1190	0.44	1191	0.42	1192	0.41	1193	0.39	1194	0.38
1195	0.36	1196	0.35	1197	0.34	1198	0.32	1199	0.31
1200	0.30	1201	0.29	1202	0.29	1203	0.28	1204	0.28
1205	0.23	1206	0.27	1207	0.27	1208	0.26	1209	0.26
1210	0.25	1211	0.25	1212	0.25	1213	0.24	1214	0.24
1215	0.24	1216	0.23	1217	0.23	1218	0.23	1219	0.23
1220	0.22	1221	0.22	1222	0.22	1223	0.22	1224	0.21
1225	0.21	1226	0.21	1227	0.21	1228	0.20	1229	0.20
1230	0.20	1231	0.20	1232	0.20	1233	0.19	1234	0.19
1235	0.19	1236	0.19	1237	0.19	1238	0.19	1239	0.18
1240	0.18	1241	0.18	1242	0.18	1243	0.18	1244	0.18
1245	0.17	1246	0.17	1247	0.17	1248	0.17	1249	0.17
1250	0.17	1251	0.17	1252	0.17	1253	0.16	1254	0.16
1255	0.16	1256	0.16	1257	0.16	1258	0.16	1259	0.16
1260	0.16	1261	0.16	1262	0.16	1263	0.15	1264	0.15
1265	0.15	1266	0.15	1267	0.15	1268	0.15	1269	0.15
1270	0.15	1271	0.14	1272	0.14	1273	0.14	1274	0.14
1275	0.14	1276	0.14	1277	0.14	1278	0.14	1279	0.14
1280	0.14	1281	0.14	1282	0.14	1283	0.14	1284	0.14
1285	0.13	1286	0.13	1287	0.13	1288	0.13	1289	0.13
1290	0.13	1291	0.13	1292	0.13	1293	0.13	1294	0.13
1295	0.13	1296	0.13	1297	0.13	1298	0.13	1299	0.12
1300	0.12	1310	0.12	1320	0.11	1330	0.11	1340	0.10
1350	0.10	1360	0.10	1370	0.09	1380	0.09	1390	0.09
1400	0.09	1420	0.08	1440	0.08	1460	0.08	1500	0.08

Total Runoff = 0.613 Acra-Ft.
 Peak Q = 13.87 CFS
 Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY

TOTAL HYDROGRAPH AT 1 79P STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.40	300	0.40	600	0.40	900	0.40	1200	0.40
300	0.40	600	0.40	700	0.40	800	0.40	900	0.40
1000	0.40	1050	0.50	1100	0.88	1110	0.98	1120	1.13
1130	1.39	1131	1.41	1132	1.45	1133	1.46	1134	1.47
1135	1.55	1136	1.59	1137	1.63	1138	1.67	1139	1.71
1140	1.77	1141	1.82	1142	1.88	1143	1.92	1144	1.96
1145	2.10	1146	2.19	1147	2.27	1148	2.34	1149	2.40
1150	2.57	1151	2.69	1152	2.82	1153	2.96	1154	3.10
1155	3.19	1156	3.64	1157	3.98	1158	4.26	1159	4.49
1160	4.50	1161	3.13	1162	2.04	1163	1.50	1164	1.10
1165	0.97	1166	0.85	1167	0.77	1168	0.71	1169	0.67
1170	0.71	1171	0.67	1172	0.64	1173	0.61	1174	0.59
1175	0.51	1176	0.49	1177	0.48	1178	0.46	1179	0.45

1180	1.47	1181	1.36	1182	1.27	1183	1.19	1184	1.12
1185	1.06	1186	1.00	1187	0.95	1188	0.90	1189	0.86
1190	0.81	1191	0.77	1192	0.74	1193	0.70	1194	0.67
1195	0.64	1196	0.61	1197	0.58	1198	0.55	1199	0.53
1200	0.51	1201	0.48	1202	0.47	1203	0.45	1204	0.44
1205	0.43	1206	0.43	1207	0.42	1208	0.42	1209	0.41
1210	0.41	1211	0.41	1212	0.41	1213	0.40	1214	0.40
1215	0.40	1216	0.40	1217	0.40	1218	0.40	1219	0.40
1220	0.40	1221	0.40	1222	0.40	1223	0.40	1224	0.40
1225	0.40	1226	0.40	1227	0.40	1228	0.40	1229	0.40
1230	0.40	1231	0.40	1232	0.40	1233	0.40	1234	0.40
1235	0.40	1236	0.40	1237	0.40	1238	0.40	1239	0.40
1240	0.40	1241	0.40	1242	0.40	1243	0.40	1244	0.40
1245	0.40	1246	0.40	1247	0.40	1248	0.40	1249	0.40
1250	0.40	1251	0.40	1252	0.40	1253	0.40	1254	0.40
1255	0.40	1256	0.40	1257	0.40	1258	0.40	1259	0.40
1260	0.40	1261	0.40	1262	0.40	1263	0.40	1264	0.40
1265	0.40	1266	0.40	1267	0.40	1268	0.40	1269	0.40
1270	0.40	1271	0.40	1272	0.40	1273	0.40	1274	0.40
1275	0.40	1276	0.40	1277	0.40	1278	0.40	1279	0.40
1280	0.40	1281	0.40	1282	0.40	1283	0.40	1284	0.40
1285	0.40	1286	0.40	1287	0.40	1288	0.40	1289	0.40
1290	0.40	1291	0.40	1292	0.40	1293	0.40	1294	0.40
1295	0.40	1296	0.40	1297	0.40	1298	0.40	1299	0.40
1300	0.40	1310	0.40	1320	0.40	1330	0.40	1340	0.40
1350	0.40	1360	0.40	1370	0.40	1380	0.40	1390	0.40
1400	0.40	1420	0.40	1440	0.40	1460	0.40	1500	0.40

Total Runoff = 1.112 Acre-ft.
 Peak Q = 10.72 CFS
 Time to Peak = 1164 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 104Q STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	0.42	200	0.45	300	0.48	400	0.51
500	0.56	600	0.62	700	0.70	800	0.82	900	1.02
1000	1.42	1050	1.85	1100	2.86	1110	3.27	1120	4.24
1130	5.99	1131	6.23	1132	6.48	1133	6.75	1134	7.05
1135	7.38	1136	7.72	1137	8.10	1138	8.51	1139	8.95
1140	9.45	1141	9.99	1142	10.60	1143	11.05	1144	11.56
1145	12.12	1146	12.75	1147	13.49	1148	14.31	1149	15.29
1150	15.45	1151	17.87	1152	19.64	1153	21.76	1154	24.44
1155	28.64	1156	41.03	1157	46.46	1158	47.23	1159	47.01
1160	45.17	1161	44.83	1162	43.04	1163	40.77	1164	37.94
1165	34.35	1166	29.17	1167	15.79	1168	10.04	1169	7.89
1170	6.29	1171	5.30	1172	4.58	1173	4.01	1174	3.55
1175	3.26	1176	3.07	1177	2.91	1178	2.77	1179	2.64
1180	2.93	1181	2.43	1182	2.34	1183	2.26	1184	2.19
1185	2.11	1186	2.05	1187	1.99	1188	1.93	1189	1.88
1190	1.83	1191	1.78	1192	1.74	1193	1.70	1194	1.66
1195	1.63	1196	1.59	1197	1.56	1198	1.53	1199	1.50
1200	1.47	1201	1.45	1202	1.42	1203	1.40	1204	1.37
1205	1.35	1206	1.33	1207	1.31	1208	1.29	1209	1.27
1210	1.25	1211	1.24	1212	1.22	1213	1.20	1214	1.19
1215	1.17	1216	1.16	1217	1.14	1218	1.13	1219	1.11
1220	1.10	1221	1.09	1222	1.08	1223	1.07	1224	1.05
1225	1.04	1226	1.03	1227	1.02	1228	1.01	1229	1.00
1230	0.99	1231	0.98	1232	0.97	1233	0.96	1234	0.95
1235	0.95	1236	0.94	1237	0.93	1238	0.92	1239	0.91
1240	0.90	1241	0.90	1242	0.89	1243	0.88	1244	0.88
1245	0.87	1246	0.86	1247	0.85	1248	0.85	1249	0.84
1250	0.84	1251	0.83	1252	0.82	1253	0.82	1254	0.81
1255	0.81	1256	0.80	1257	0.79	1258	0.79	1259	0.78
1260	0.78	1261	0.77	1262	0.77	1263	0.76	1264	0.75
1265	0.76	1266	0.75	1267	0.74	1268	0.74	1269	0.74
1270	0.73	1271	0.73	1272	0.72	1273	0.72	1274	0.72
1275	0.71	1276	0.71	1277	0.70	1278	0.70	1279	0.70
1280	0.69	1281	0.69	1282	0.68	1283	0.68	1284	0.68
1285	0.67	1286	0.67	1287	0.67	1288	0.66	1289	0.66
1290	0.66	1291	0.65	1292	0.65	1293	0.65	1294	0.64
1295	0.64	1296	0.64	1297	0.63	1298	0.63	1299	0.62
1300	0.63	1310	0.60	1320	0.57	1330	0.55	1340	0.53
1350	0.52	1360	0.50	1370	0.48	1380	0.47	1390	0.46
1400	0.45	1420	0.43	1440	0.41	1460	0.40	1500	0.39

Total Runoff = 2.754 Acre-ft.
 Peak Q = 47.23 CFS
 Time to Peak = 1158 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 104RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.40	100	0.41	200	0.43	300	0.46	400	0.50
500	0.54	600	0.60	700	0.67	800	0.79	900	0.95
1000	1.29	1050	1.61	1100	2.38	1110	2.57	1120	2.81
1130	3.39	1131	3.47	1132	3.57	1133	3.67	1134	3.78
1135	3.90	1136	3.93	1137	4.16	1138	4.30	1139	4.44
1140	4.63	1141	4.80	1142	4.99	1143	5.20	1144	5.42
1145	5.66	1146	5.95	1147	6.21	1148	6.64	1149	6.91
1150	7.32	1151	7.75	1152	8.21	1153	8.70	1154	9.23
1155	9.92	1156	10.49	1157	11.27	1158	12.28	1159	13.35
1160	14.86	1161	17.70	1162	21.82	1163	25.20	1164	28.81
1165	32.99	1166	34.90	1167	36.93	1168	37.02	1169	37.81
1170	27.24	1171	36.39	1172	34.84	1173	32.53	1174	30.69
1175	26.70	1176	24.66	1177	21.20	1178	19.43	1179	17.52
1180	18.84	1181	14.36	1182	13.05	1183	11.90	1184	10.95
1185	9.99	1186	9.15	1187	5.45	1188	7.94	1189	7.22
1190	6.98	1191	6.34	1192	5.94	1193	5.60	1194	5.28
1195	1.89	1196	4.71	1197	4.46	1198	4.23	1199	4.01
1200	3.85	1201	3.68	1202	3.52	1203	3.37	1204	3.23
1205	3.11	1206	3.05	1207	2.89	1208	2.79	1209	2.70
1210	2.83	1211	2.74	1212	2.66	1213	2.59	1214	2.52
1215	2.65	1216	2.59	1217	2.51	1218	2.45	1219	2.38
1220	1.87	1221	1.82	1222	1.76	1223	1.70	1224	1.65
1225	1.77	1226	1.72	1227	1.63	1228	1.57	1229	1.52
1230	1.59	1231	1.56	1232	1.53	1233	1.51	1234	1.48

1235	1.46	1236	1.43	1237	1.41	1238	1.39	1239	1.37
1240	1.35	1241	1.33	1242	1.31	1243	1.29	1244	1.28
1245	1.26	1246	1.24	1247	1.23	1248	1.21	1249	1.20
1250	1.18	1251	1.17	1252	1.15	1253	1.14	1254	1.13
1255	1.11	1256	1.10	1257	1.09	1258	1.08	1259	1.07
1260	1.06	1261	1.04	1262	1.03	1263	1.02	1264	1.01
1265	1.00	1266	0.99	1267	0.98	1268	0.98	1269	0.97
1270	0.96	1271	0.95	1272	0.94	1273	0.93	1274	0.93
1275	0.92	1276	0.91	1277	0.91	1278	0.90	1279	0.89
1280	0.88	1281	0.88	1282	0.87	1283	0.86	1284	0.86
1285	0.85	1286	0.85	1287	0.84	1288	0.83	1289	0.83
1290	0.82	1291	0.82	1292	0.81	1293	0.80	1294	0.80
1295	0.79	1296	0.79	1297	0.78	1298	0.78	1299	0.78
1300	0.77	1310	0.73	1320	0.69	1330	0.66	1340	0.63
1350	0.60	1360	0.58	1370	0.56	1380	0.54	1390	0.52
1400	0.50	1420	0.48	1440	0.45	1460	0.43	1500	0.41

Total Runoff = 2.622 Acra-ft.
 Peak Q = 37.51 CFS
 Time to Peak = 1169 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 1150R STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.80	100	1.22	200	1.68	300	1.72
500	1.96	600	2.11	700	2.32	800	2.62
1000	4.18	1050	5.18	1100	7.43	1110	8.07
1130	10.54	1131	10.77	1132	11.02	1133	11.28
1135	11.87	1136	12.18	1137	12.51	1138	12.87
1140	13.66	1141	14.10	1142	14.57	1143	15.09
1145	16.27	1146	16.95	1147	17.71	1148	18.54
1150	20.44	1151	21.51	1152	23.67	1153	23.92
1155	26.85	1156	28.62	1157	30.68	1158	33.14
1160	40.77	1161	47.84	1162	56.66	1163	65.72
1165	81.96	1166	88.22	1167	93.04	1168	96.13
1170	96.80	1171	95.36	1172	93.08	1173	90.07
1175	82.70	1176	78.98	1177	75.20	1178	71.43
1180	64.05	1181	60.45	1182	56.95	1183	53.64
1185	47.30	1186	44.32	1187	41.54	1188	39.00
1190	34.40	1191	32.35	1192	30.45	1193	28.70
1195	25.56	1196	24.15	1197	22.85	1198	21.64
1200	19.50	1201	18.54	1202	17.65	1203	16.82
1205	15.32	1206	14.66	1207	14.03	1208	13.45
1210	12.41	1211	11.94	1212	11.51	1213	11.09
1215	10.31	1216	9.97	1217	9.63	1218	9.32
1220	8.73	1221	8.46	1222	8.22	1223	7.98
1225	7.55	1226	7.36	1227	7.18	1228	7.01
1230	6.68	1231	6.52	1232	6.38	1233	6.24
1235	5.97	1236	5.85	1237	5.72	1238	5.61
1240	5.39	1241	5.29	1242	5.19	1243	5.10
1245	4.92	1246	4.85	1247	4.77	1248	4.70
1250	4.56	1251	4.49	1252	4.43	1253	4.36
1255	4.24	1256	4.18	1257	4.13	1258	4.08
1260	3.98	1261	3.93	1262	3.89	1263	3.84
1265	3.75	1266	3.71	1267	3.67	1268	3.63
1270	3.56	1271	3.52	1272	3.49	1273	3.45
1275	3.39	1276	3.35	1277	3.32	1278	3.28
1280	3.23	1281	3.20	1282	3.17	1283	3.14
1285	3.09	1286	3.06	1287	3.04	1288	3.02
1290	2.97	1291	2.95	1292	2.93	1293	2.90
1295	2.85	1296	2.84	1297	2.82	1298	2.80
1300	2.76	1310	2.59	1320	2.45	1330	2.34
1350	2.18	1360	2.09	1370	2.02	1380	1.96
1400	1.87	1420	1.78	1440	1.71	1460	1.61

Total Runoff = 3.583 Acra-ft.
 Peak Q = 97.23 CFS
 Time to Peak = 1169 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 1157R STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.80	100	1.22	200	1.68	300	1.72
500	1.95	600	2.11	700	2.32	800	2.62
1000	4.18	1050	5.18	1100	7.43	1110	8.07
1130	10.52	1131	10.74	1132	10.99	1133	11.26
1135	11.84	1136	12.15	1137	12.48	1138	12.83
1140	13.62	1141	14.05	1142	14.52	1143	15.03
1145	16.20	1146	16.88	1147	17.62	1148	18.48
1150	20.37	1151	21.44	1152	23.59	1153	23.92
1155	26.74	1156	28.60	1157	30.54	1158	32.97
1160	40.46	1161	47.37	1162	56.15	1163	65.31
1165	81.83	1166	87.91	1167	92.85	1168	95.99
1170	96.83	1171	95.44	1172	93.20	1173	90.23
1175	82.89	1176	78.16	1177	75.39	1178	71.60
1180	64.23	1181	60.64	1182	57.12	1183	53.84
1185	47.49	1186	44.50	1187	41.71	1188	39.15
1190	34.54	1191	32.49	1192	30.56	1193	28.82
1195	25.66	1196	24.25	1197	22.94	1198	21.72
1200	19.57	1201	18.61	1202	17.73	1203	16.91
1205	15.40	1206	14.72	1207	14.10	1208	13.51
1210	12.46	1211	11.95	1212	11.55	1213	11.13
1215	10.35	1216	10.00	1217	9.67	1218	9.35
1220	8.76	1221	8.49	1222	8.24	1223	8.01
1225	7.57	1226	7.38	1227	7.20	1228	7.02
1230	6.70	1231	6.55	1232	6.40	1233	6.26
1235	5.98	1236	5.86	1237	5.74	1238	5.62
1240	5.40	1241	5.30	1242	5.20	1243	5.11
1245	4.93	1246	4.86	1247	4.78	1248	4.71
1250	4.57	1251	4.50	1252	4.43	1253	4.37
1255	4.25	1256	4.19	1257	4.13	1258	4.08
1260	3.95	1261	3.90	1262	3.89	1263	3.84
1265	3.76	1266	3.72	1267	3.68	1268	3.63
1270	3.57	1271	3.53	1272	3.49	1273	3.45
1275	3.39	1276	3.35	1277	3.32	1278	3.28
1280	3.23	1281	3.20	1282	3.17	1283	3.14
1285	3.09	1286	3.07	1287	3.04	1288	3.02

1290	2.97	1291	2.95	1292	2.93	1293	2.91	1294	2.89
1295	2.87	1296	2.84	1297	2.82	1298	2.81	1299	2.79
1300	2.77	1310	2.59	1320	2.45	1330	2.34	1340	2.24
1350	2.16	1360	2.09	1370	2.02	1380	1.96	1390	1.91
1400	1.87	1420	1.78	1440	1.71	1460	1.61	1500	1.24

Total Runoff = 9.386 Acre-ft.
 Peak Q = 97.21 CFS
 Time to Peak = 1169 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY

TOTAL HYDROGRAPH AT 1 135V STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	0.63	200	0.66	300	0.73	400	0.74
500	0.79	600	0.85	700	0.94	800	1.05	900	1.22
1000	1.54	1050	1.84	1100	2.45	1110	2.67	1120	3.30
1130	4.37	1131	4.51	1132	4.66	1133	4.84	1134	5.02
1135	5.21	1136	5.42	1137	5.65	1138	5.91	1139	6.18
1140	6.49	1141	6.76	1142	7.02	1143	7.31	1144	7.65
1145	8.02	1146	8.45	1147	8.93	1148	9.50	1149	10.17
1150	10.98	1151	11.98	1152	13.06	1153	14.52	1154	16.57
1155	19.70	1156	30.21	1157	34.14	1158	34.06	1159	32.98
1160	31.34	1161	28.30	1162	23.98	1163	12.88	1164	7.86
1165	6.42	1166	5.29	1167	4.53	1168	3.97	1169	3.54
1170	3.20	1171	2.92	1172	2.69	1173	2.58	1174	2.49
1175	2.41	1176	2.34	1177	2.28	1178	2.22	1179	2.16
1180	2.11	1181	2.06	1182	2.02	1183	1.98	1184	1.94
1185	1.90	1186	1.87	1187	1.83	1188	1.80	1189	1.78
1190	1.75	1191	1.72	1192	1.70	1193	1.67	1194	1.65
1195	1.63	1196	1.61	1197	1.58	1198	1.57	1199	1.55
1200	1.53	1201	1.51	1202	1.50	1203	1.49	1204	1.46
1205	1.45	1206	1.43	1207	1.42	1208	1.41	1209	1.39
1210	1.38	1211	1.37	1212	1.35	1213	1.34	1214	1.33
1215	1.32	1216	1.31	1217	1.30	1218	1.29	1219	1.28
1220	1.26	1221	1.25	1222	1.25	1223	1.24	1224	1.23
1225	1.22	1226	1.21	1227	1.20	1228	1.20	1229	1.19
1230	1.18	1231	1.17	1232	1.16	1233	1.16	1234	1.15
1235	1.14	1236	1.13	1237	1.13	1238	1.12	1239	1.11
1240	1.11	1241	1.10	1242	1.09	1243	1.09	1244	1.09
1245	1.08	1246	1.07	1247	1.06	1248	1.06	1249	1.05
1250	1.05	1251	1.04	1252	1.04	1253	1.03	1254	1.03
1255	1.02	1256	1.02	1257	1.01	1258	1.00	1259	1.00
1260	1.00	1261	0.99	1262	0.99	1263	0.98	1264	0.98
1265	0.98	1266	0.97	1267	0.96	1268	0.96	1269	0.96
1270	0.95	1271	0.95	1272	0.94	1273	0.94	1274	0.94
1275	0.93	1276	0.93	1277	0.93	1278	0.92	1279	0.92
1280	0.91	1281	0.91	1282	0.91	1283	0.91	1284	0.90
1285	0.90	1286	0.89	1287	0.88	1288	0.89	1289	0.88
1290	0.88	1291	0.88	1292	0.87	1293	0.87	1294	0.87
1295	0.87	1296	0.86	1297	0.86	1298	0.86	1299	0.85
1300	0.85	1310	0.83	1320	0.80	1330	0.78	1340	0.76
1350	0.74	1360	0.72	1370	0.70	1380	0.69	1390	0.67
1400	0.66	1420	0.64	1440	0.62	1460	0.60	1500	0.60

Total Runoff = 2.560 Acre-ft.
 Peak Q = 34.14 CFS
 Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY

TOTAL HYDROGRAPH AT 1 138RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.40	100	0.63	200	0.66	300	0.73	400	0.74
500	0.79	600	0.86	700	0.93	800	1.05	900	1.22
1000	1.54	1050	1.83	1100	2.43	1110	2.65	1120	3.24
1130	4.27	1131	4.40	1132	4.54	1133	4.70	1134	4.87
1135	5.06	1136	5.25	1137	5.47	1138	5.70	1139	5.96
1140	6.24	1141	6.53	1142	6.80	1143	7.08	1144	7.38
1145	7.72	1146	8.11	1147	8.35	1148	8.65	1149	9.04
1150	10.34	1151	11.26	1152	12.44	1153	13.77	1154	15.53
1155	19.15	1156	25.23	1157	32.47	1158	34.07	1159	33.49
1160	31.96	1161	29.61	1162	26.01	1163	18.52	1164	10.82
1165	6.13	1166	5.26	1167	5.21	1168	4.48	1169	3.91
1170	3.49	1171	3.15	1172	2.86	1173	2.69	1174	2.57
1175	2.48	1176	2.40	1177	2.33	1178	2.27	1179	2.21
1180	2.15	1181	2.10	1182	2.06	1183	2.01	1184	1.97
1185	1.93	1186	1.90	1187	1.86	1188	1.83	1189	1.80
1190	1.77	1191	1.74	1192	1.72	1193	1.69	1194	1.67
1195	1.65	1196	1.62	1197	1.60	1198	1.59	1199	1.56
1200	1.54	1201	1.52	1202	1.51	1203	1.48	1204	1.46
1205	1.46	1206	1.45	1207	1.43	1208	1.42	1209	1.40
1210	1.39	1211	1.38	1212	1.36	1213	1.35	1214	1.34
1215	1.33	1216	1.32	1217	1.30	1218	1.29	1219	1.28
1220	1.27	1221	1.26	1222	1.25	1223	1.24	1224	1.24
1225	1.23	1226	1.22	1227	1.21	1228	1.20	1229	1.19
1230	1.18	1231	1.18	1232	1.17	1233	1.16	1234	1.15
1235	1.15	1236	1.14	1237	1.13	1238	1.13	1239	1.12
1240	1.11	1241	1.11	1242	1.10	1243	1.09	1244	1.09
1245	1.08	1246	1.07	1247	1.07	1248	1.06	1249	1.06
1250	1.05	1251	1.05	1252	1.04	1253	1.04	1254	1.03
1255	1.02	1256	1.02	1257	1.01	1258	1.01	1259	1.00
1260	1.00	1261	1.00	1262	0.99	1263	0.99	1264	0.98
1265	0.98	1266	0.98	1267	0.97	1268	0.96	1269	0.96
1270	0.96	1271	0.95	1272	0.95	1273	0.94	1274	0.94
1275	0.94	1276	0.93	1277	0.93	1278	0.92	1279	0.92
1280	0.92	1281	0.91	1282	0.91	1283	0.91	1284	0.90
1285	0.90	1286	0.90	1287	0.89	1288	0.89	1289	0.88
1290	0.88	1291	0.88	1292	0.88	1293	0.87	1294	0.87
1295	0.87	1296	0.86	1297	0.86	1298	0.86	1299	0.85
1300	0.85	1310	0.83	1320	0.80	1330	0.78	1340	0.76
1350	0.74	1360	0.72	1370	0.70	1380	0.69	1390	0.67
1400	0.66	1420	0.64	1440	0.62	1460	0.61	1500	0.60

Total Runoff = 2.737 Acre-ft.
 Peak Q = 34.07 CFS
 Time to Peak = 1156 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY

TOTAL HYDROGRAPH AT 1 136AV STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	11.03	200	13.10	300	13.95	400	14.60
500	15.25	600	16.15	700	17.29	800	19.02	900	21.79
1000	27.68	1050	35.17	1100	54.82	1110	60.87	1120	68.75
	80.43	1131	81.75	1132	83.16	1133	84.67	1134	86.28
	87.99	1136	89.81	1137	91.71	1138	93.72	1139	95.85
1140	98.12	1141	100.51	1142	103.02	1143	105.68	1144	108.52
1145	111.59	1146	114.94	1147	118.59	1148	122.58	1149	126.94
1150	131.90	1151	137.54	1152	143.90	1153	151.08	1154	159.60
1155	170.32	1156	168.92	1157	211.44	1158	230.14	1159	248.78
1160	267.17	1161	281.64	1162	290.34	1163	292.11	1164	291.04
1165	292.70	1166	294.53	1167	298.12	1168	303.74	1169	310.78
1170	318.17	1171	324.77	1172	329.98	1173	333.80	1174	336.26
1175	337.23	1176	336.68	1177	334.59	1178	331.03	1179	325.95
1180	319.30	1181	311.36	1182	302.45	1183	292.97	1184	283.34
1185	273.95	1186	265.02	1187	256.61	1188	248.74	1189	241.58
1190	235.04	1191	229.12	1192	223.71	1193	218.70	1194	213.95
1195	209.36	1196	204.88	1197	200.42	1198	195.92	1199	191.26
1200	186.56	1201	181.78	1202	178.91	1203	171.99	1204	167.12
1205	162.28	1206	157.42	1207	152.67	1208	147.91	1209	143.24
1210	138.71	1211	134.33	1212	130.03	1213	125.79	1214	121.69
1215	117.74	1216	113.89	1217	110.18	1218	106.75	1219	103.48
1220	109.25	1221	97.08	1222	94.04	1223	91.12	1224	88.32
1225	85.81	1226	83.01	1227	80.59	1228	78.33	1229	76.18
1230	74.03	1231	71.97	1232	70.00	1233	68.13	1234	66.36
1235	64.71	1236	63.05	1237	61.45	1238	59.93	1239	58.50
1240	57.16	1241	55.86	1242	54.60	1243	53.40	1244	52.30
1245	51.20	1246	50.15	1247	49.13	1248	48.14	1249	47.19
1250	46.28	1251	45.41	1252	44.57	1253	43.75	1254	42.95
1255	42.15	1256	41.40	1257	40.66	1258	39.94	1259	39.25
1260	38.57	1261	37.92	1262	37.28	1263	36.67	1264	36.07
1265	35.49	1266	34.93	1267	34.40	1268	33.89	1269	33.39
1270	32.90	1271	32.42	1272	31.95	1273	31.51	1274	31.10
1275	29.71	1276	30.34	1277	29.98	1278	29.65	1279	29.32
1280	28.99	1281	28.87	1282	28.36	1283	28.05	1284	27.75
1285	27.48	1286	27.17	1287	26.92	1288	26.68	1289	26.43
1290	26.18	1291	25.92	1292	25.67	1293	25.43	1294	25.19
1295	24.96	1296	24.74	1297	24.53	1298	24.34	1299	24.14
1300	23.96	1310	22.32	1320	20.97	1330	19.85	1340	18.94
1350	18.18	1360	17.52	1370	16.97	1380	16.48	1390	16.05
1400	15.67	1420	15.05	1440	14.57	1460	14.25	1500	11.68

Total Runoff = 64.036 Acres-ft.
 Peak Q = 337.23 CFS
 Time to Peak = 1175 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 136AV STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	0.25	200	0.25	300	0.28	400	0.30
500	0.33	600	0.37	700	0.43	800	0.50	900	0.63
1000	0.89	1050	1.18	1100	1.87	1110	2.16	1120	2.88
	4.16	1131	4.33	1132	4.52	1133	4.73	1134	4.35
1135	5.29	1136	5.45	1137	5.73	1138	6.04	1139	6.36
1140	6.76	1141	7.19	1142	7.51	1143	7.85	1144	8.22
1145	8.66	1146	9.15	1147	9.70	1148	10.35	1149	11.12
1150	12.04	1151	13.17	1152	14.56	1153	16.13	1154	18.34
1155	21.89	1156	32.38	1157	37.01	1158	37.39	1159	36.81
1160	35.60	1161	33.82	1162	31.46	1163	28.37	1164	24.69
1165	12.73	1166	7.77	1167	5.99	1168	4.78	1169	3.97
1170	3.37	1171	2.91	1172	2.55	1173	2.25	1174	2.09
1175	1.97	1176	1.86	1177	1.77	1178	1.69	1179	1.61
1180	1.55	1181	1.49	1182	1.43	1183	1.36	1184	1.34
1185	1.30	1186	1.26	1187	1.22	1188	1.19	1189	1.15
1190	1.12	1191	1.10	1192	1.07	1193	1.05	1194	1.02
1195	1.00	1196	0.98	1197	0.96	1198	0.94	1199	0.92
1200	0.90	1201	0.89	1202	0.87	1203	0.85	1204	0.84
1205	0.83	1206	0.82	1207	0.80	1208	0.79	1209	0.78
1210	0.77	1211	0.76	1212	0.74	1213	0.73	1214	0.72
1215	0.72	1216	0.71	1217	0.70	1218	0.69	1219	0.68
1220	0.67	1221	0.66	1222	0.65	1223	0.65	1224	0.64
1225	0.63	1226	0.63	1227	0.62	1228	0.62	1229	0.61
1230	0.60	1231	0.60	1232	0.59	1233	0.58	1234	0.58
1235	0.57	1236	0.57	1237	0.56	1238	0.56	1239	0.55
1240	0.55	1241	0.54	1242	0.54	1243	0.53	1244	0.53
1245	0.52	1246	0.52	1247	0.52	1248	0.51	1249	0.51
1250	0.50	1251	0.50	1252	0.50	1253	0.49	1254	0.49
1255	0.49	1256	0.49	1257	0.49	1258	0.48	1259	0.47
1260	0.47	1261	0.47	1262	0.46	1263	0.46	1264	0.46
1265	0.45	1266	0.45	1267	0.45	1268	0.45	1269	0.44
1270	0.44	1271	0.44	1272	0.43	1273	0.43	1274	0.43
1275	0.43	1276	0.42	1277	0.42	1278	0.42	1279	0.42
1280	0.41	1281	0.41	1282	0.41	1283	0.41	1284	0.41
1285	0.40	1286	0.40	1287	0.40	1288	0.40	1289	0.39
1290	0.39	1291	0.39	1292	0.39	1293	0.39	1294	0.38
1295	0.39	1296	0.38	1297	0.38	1298	0.38	1299	0.38
1300	0.37	1310	0.36	1320	0.34	1330	0.33	1340	0.32
1350	0.31	1360	0.30	1370	0.29	1380	0.28	1390	0.27
1400	0.26	1420	0.25	1440	0.24	1460	0.23	1500	0.20

Total Runoff = 11.986 Acres-ft.
 Peak Q = 37.39 CFS
 Time to Peak = 1158 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 140XV STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	0.03	200	0.13	300	0.05	400	0.03
500	0.04	600	0.04	700	0.05	800	0.06	900	0.07
1000	0.09	1050	0.13	1100	0.19	1110	0.21	1120	0.25
	0.43	1131	0.45	1132	0.47	1133	0.49	1134	0.52
1135	0.55	1136	0.57	1137	0.59	1138	0.61	1139	0.63
1140	0.75	1141	0.78	1142	0.81	1143	0.84	1144	0.87
1145	1.00	1146	1.03	1147	1.07	1148	1.10	1149	1.13
1150	1.30	1151	1.34	1152	1.39	1153	1.43	1154	1.47
1155	1.65	1156	1.70	1157	1.75	1158	1.79	1159	1.83
1160	2.05	1161	2.11	1162	2.17	1163	2.22	1164	2.27
1165	2.50	1166	2.57	1167	2.64	1168	2.70	1169	2.76
1170	3.00	1171	3.08	1172	3.17	1173	3.25	1174	3.33
1175	3.55	1176	3.64	1177	3.74	1178	3.83	1179	3.92
1180	4.15	1181	4.25	1182	4.35	1183	4.45	1184	4.55
1185	4.80	1186	4.91	1187	5.02	1188	5.13	1189	5.24
1190	5.50	1191	5.62	1192	5.74	1193	5.86	1194	5.98
1195	6.25	1196	6.38	1197	6.51	1198	6.64	1199	6.77
1200	7.05	1201	7.19	1202	7.33	1203	7.47	1204	7.61
1205	7.90	1206	8.05	1207	8.20	1208	8.35	1209	8.50
1210	8.80	1211	8.96	1212	9.12	1213	9.28	1214	9.44
1215	9.75	1216	9.92	1217	10.09	1218	10.26	1219	10.43
1220	10.75	1221	10.93	1222	11.11	1223	11.29	1224	11.47
1225	11.80	1226	12.00	1227	12.19	1228	12.38	1229	12.57
1230	12.90	1231	13.11	1232	13.31	1233	13.51	1234	13.71
1235	14.05	1236	14.26	1237	14.47	1238	14.68	1239	14.89
1240	15.25	1241	15.47	1242	15.69	1243	15.91	1244	16.13
1245	16.50	1246	16.73	1247	16.95	1248	17.18	1249	17.41
1250	17.80	1251	18.04	1252	18.27	1253	18.50	1254	18.73
1255	19.15	1256	19.40	1257	19.63	1258	19.86	1259	20.09
1260	20.55	1261	20.81	1262	21.05	1263	21.29	1264	21.53
1265	21.60	1266	21.87	1267	22.11	1268	22.35	1269	22.59
1270	22.70	1271	23.00	1272	23.28	1273	23.56	1274	23.84
1275	23.85	1276	24.15	1277	24.43	1278	24.71	1279	25.00
1280	25.05	1281	25.36	1282	25.65	1283	25.94	1284	26.23
1285	26.30	1286	26.62	1287	26.91	1288	27.20	1289	27.49
1290	27.60	1291	27.93	1292	28.22	1293	28.51	1294	28.80
1295	28.95	1296	29.29	1297	29.58	1298	29.87	1299	30.16
1300	30.35	1310	30.70	1320	31.05				

1155	2.57	1156	4.30	1157	4.91	1158	4.76	1159	4.37
1160	3.71	1161	1.81	1162	0.98	1163	0.76	1164	0.62
1165	0.50	1166	0.42	1167	0.36	1168	0.31	1169	0.27
1170	0.24	1171	0.22	1172	0.21	1173	0.19	1174	0.18
1175	0.18	1176	0.17	1177	0.16	1178	0.15	1179	0.15
1180	0.14	1181	0.14	1182	0.14	1183	0.13	1184	0.13
	0.12	1186	0.12	1187	0.12	1188	0.11	1189	0.11
	0.11	1191	0.11	1192	0.10	1193	0.10	1194	0.10
1195	0.10	1196	0.10	1197	0.09	1198	0.09	1199	0.09
1200	0.09	1201	0.09	1202	0.09	1203	0.09	1204	0.08
1205	0.08	1206	0.08	1207	0.08	1208	0.08	1209	0.08
1210	0.06	1211	0.06	1212	0.06	1213	0.07	1214	0.07
1215	0.07	1216	0.07	1217	0.07	1218	0.07	1219	0.07
1220	0.07	1221	0.07	1222	0.07	1223	0.07	1224	0.07
1225	0.07	1226	0.06	1227	0.06	1228	0.06	1229	0.06
1230	0.06	1231	0.06	1232	0.06	1233	0.06	1234	0.06
1235	0.06	1236	0.06	1237	0.06	1238	0.06	1239	0.06
1240	0.06	1241	0.06	1242	0.06	1243	0.06	1244	0.06
1245	0.05	1246	0.05	1247	0.05	1248	0.05	1249	0.05
1250	0.05	1251	0.05	1252	0.05	1253	0.05	1254	0.05
1255	0.05	1256	0.05	1257	0.05	1258	0.05	1259	0.05
1260	0.05	1261	0.05	1262	0.05	1263	0.05	1264	0.05
1265	0.05	1266	0.05	1267	0.05	1268	0.05	1269	0.05
1270	0.05	1271	0.05	1272	0.05	1273	0.05	1274	0.05
1275	0.05	1276	0.04	1277	0.04	1278	0.04	1279	0.04
1280	0.04	1281	0.04	1282	0.04	1283	0.04	1284	0.04
1285	0.04	1286	0.04	1287	0.04	1288	0.04	1289	0.04
1290	0.04	1291	0.04	1292	0.04	1293	0.04	1294	0.04
1295	0.04	1296	0.04	1297	0.04	1298	0.04	1299	0.04
1300	0.04	1310	0.04	1320	0.04	1330	0.04	1340	0.03
1350	0.03	1360	0.03	1370	0.03	1380	0.03	1390	0.03
1400	0.03	1420	0.03	1440	0.03	1460	0.00	1500	0.00

Total Runoff = 0.179 Acres-ft.
 Peak Q = 4.91 CFS
 Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 140RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.40	100	0.40	200	0.40	300	0.40	400	0.40
500	0.40	600	0.40	700	0.40	800	0.40	900	0.40
1000	0.40	1050	0.40	1100	0.40	1110	0.40	1120	0.40
1130	0.42	1131	0.43	1132	0.43	1133	0.44	1134	0.46
1135	0.48	1136	0.50	1137	0.53	1138	0.55	1139	0.58
1140	0.62	1141	0.65	1142	0.68	1143	0.72	1144	0.75
1145	0.79	1146	0.83	1147	0.88	1148	0.93	1149	0.99
1150	1.07	1151	1.15	1152	1.25	1153	1.37	1154	1.53
1155	1.80	1156	2.18	1157	3.10	1158	4.18	1159	4.62
1160	4.51	1161	4.07	1162	3.12	1163	2.04	1164	1.38
1165	1.05	1166	0.62	1167	0.65	1168	0.53	1169	0.46
1170	0.42	1171	0.43	1172	0.40	1173	0.40	1174	0.40
1175	0.40	1176	0.40	1177	0.40	1178	0.40	1179	0.40
	0.40	1181	0.40	1182	0.40	1183	0.40	1184	0.40
	0.40	1186	0.40	1187	0.40	1188	0.40	1189	0.40
1190	0.40	1191	0.40	1192	0.40	1193	0.40	1194	0.40
1195	0.40	1196	0.40	1197	0.40	1198	0.40	1199	0.40
1200	0.40	1201	0.40	1202	0.40	1203	0.40	1204	0.40
1205	0.40	1206	0.40	1207	0.40	1208	0.40	1209	0.40
1210	0.40	1211	0.40	1212	0.40	1213	0.40	1214	0.40
1215	0.40	1216	0.40	1217	0.40	1218	0.40	1219	0.40
1220	0.40	1221	0.40	1222	0.40	1223	0.40	1224	0.40
1225	0.40	1226	0.40	1227	0.40	1228	0.40	1229	0.40
1230	0.40	1231	0.40	1232	0.40	1233	0.40	1234	0.40
1235	0.40	1236	0.40	1237	0.40	1238	0.40	1239	0.40
1240	0.40	1241	0.40	1242	0.40	1243	0.40	1244	0.40
1245	0.40	1246	0.40	1247	0.40	1248	0.40	1249	0.40
1250	0.40	1251	0.40	1252	0.40	1253	0.40	1254	0.40
1255	0.40	1256	0.40	1257	0.40	1258	0.40	1259	0.40
1260	0.40	1261	0.40	1262	0.40	1263	0.40	1264	0.40
1265	0.40	1266	0.40	1267	0.40	1268	0.40	1269	0.40
1270	0.40	1271	0.40	1272	0.40	1273	0.40	1274	0.40
1275	0.40	1276	0.40	1277	0.40	1278	0.40	1279	0.40
1280	0.40	1281	0.40	1282	0.40	1283	0.40	1284	0.40
1285	0.40	1286	0.40	1287	0.40	1288	0.40	1289	0.40
1290	0.40	1291	0.40	1292	0.40	1293	0.40	1294	0.40
1295	0.40	1296	0.40	1297	0.40	1298	0.40	1299	0.40
1300	0.40	1310	0.40	1320	0.40	1330	0.40	1340	0.40
1350	0.40	1360	0.40	1370	0.40	1380	0.40	1390	0.40
1400	0.40	1420	0.40	1440	0.40	1460	0.40	1500	0.40

Total Runoff = 0.678 Acres-ft.
 Peak Q = 4.52 CFS
 Time to Peak = 1159 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 143Y STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	0.17	200	0.18	300	0.19	400	0.20
500	0.21	600	0.23	700	0.25	800	0.29	900	0.33
1000	0.42	1050	0.50	1100	0.67	1110	0.73	1120	0.87
1130	1.03	1131	1.11	1132	1.14	1133	1.17	1134	1.21
1135	1.25	1136	1.29	1137	1.31	1138	1.35	1139	1.41
1140	1.48	1141	1.54	1142	1.59	1143	1.65	1144	1.72
1145	1.70	1146	1.79	1147	1.89	1148	2.01	1149	2.15
1150	2.42	1151	2.82	1152	3.38	1153	3.95	1154	3.89
1155	4.25	1156	4.92	1157	7.81	1158	7.59	1159	7.02
1160	6.05	1161	3.15	1162	1.93	1163	1.25	1164	0.76
1165	1.19	1166	1.28	1167	0.96	1168	0.83	1169	0.67
	0.77	1171	0.72	1172	0.70	1173	0.68	1174	0.65
	0.63	1176	0.62	1177	0.60	1178	0.59	1179	0.57
1190	0.50	1191	0.55	1192	0.54	1193	0.53	1194	0.52
1195	0.51	1196	0.50	1197	0.49	1198	0.49	1199	0.47
1200	0.47	1201	0.46	1202	0.45	1203	0.44	1204	0.44
1205	0.44	1206	0.44	1207	0.43	1208	0.42	1209	0.42
1210	0.41	1211	0.41	1212	0.40	1213	0.40	1214	0.39
1215	0.39	1216	0.39	1217	0.38	1218	0.37	1219	0.37

1493EC610.stm

1210	0.37	1211	0.37	1212	0.36	1213	0.36	1214	0.36
1215	0.36	1216	0.35	1217	0.35	1218	0.35	1219	0.34
1220	0.34	1221	0.34	1222	0.34	1223	0.33	1224	0.33
1225	0.33	1226	0.33	1227	0.32	1228	0.32	1229	0.32
1230	0.32	1231	0.32	1232	0.31	1233	0.31	1234	0.31
1235	0.31	1236	0.31	1237	0.30	1238	0.30	1239	0.30
1240	0.30	1241	0.30	1242	0.29	1243	0.29	1244	0.29
1245	0.29	1246	0.29	1247	0.29	1248	0.29	1249	0.28
1250	0.28	1251	0.28	1252	0.28	1253	0.28	1254	0.28
1255	0.28	1256	0.27	1257	0.27	1258	0.27	1259	0.27
1260	0.27	1261	0.27	1262	0.27	1263	0.27	1264	0.26
1265	0.26	1266	0.26	1267	0.26	1268	0.26	1269	0.26
1270	0.26	1271	0.26	1272	0.26	1273	0.25	1274	0.25
1275	0.25	1276	0.25	1277	0.25	1278	0.25	1279	0.25
1280	0.25	1281	0.25	1282	0.25	1283	0.24	1284	0.24
1285	0.24	1286	0.24	1287	0.24	1288	0.24	1289	0.24
1290	0.24	1291	0.24	1292	0.24	1293	0.24	1294	0.23
1295	0.23	1296	0.23	1297	0.23	1298	0.23	1299	0.23
1300	0.23	1310	0.22	1320	0.22	1330	0.21	1340	0.21
1350	0.20	1360	0.19	1370	0.19	1380	0.19	1390	0.18
1400	0.18	1420	0.17	1440	0.17	1460	0.00	1500	0.00

Total Runoff = 0.655 Acra-ft.
Peak Q = 7.81 CFS
Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
TOTAL HYDROGRAPH AT 1 143RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.40	100	0.40	200	0.40	300	0.40	400	0.40
500	0.40	600	0.40	700	0.40	800	0.40	900	0.40
1000	0.42	1050	0.50	1100	0.67	1110	0.73	1120	0.86
1130	1.06	1131	1.09	1132	1.12	1133	1.15	1134	1.18
1135	1.22	1136	1.26	1137	1.30	1138	1.35	1139	1.40
1140	1.45	1141	1.50	1142	1.55	1143	1.61	1144	1.68
1145	1.75	1146	1.83	1147	1.92	1148	2.03	1149	2.17
1150	2.33	1151	2.51	1152	2.73	1153	3.01	1154	3.40
1155	3.99	1156	5.74	1157	7.50	1158	7.63	1159	7.28
1160	6.46	1161	4.56	1162	2.64	1163	1.83	1164	1.53
1165	1.31	1166	1.15	1167	1.03	1168	0.94	1169	0.87
1170	0.81	1171	0.76	1172	0.72	1173	0.69	1174	0.67
1175	0.65	1176	0.63	1177	0.61	1178	0.60	1179	0.58
1180	0.57	1181	0.56	1182	0.54	1183	0.53	1184	0.52
1185	0.51	1186	0.50	1187	0.50	1188	0.49	1189	0.48
1190	0.48	1191	0.47	1192	0.46	1193	0.46	1194	0.45
1195	0.44	1196	0.44	1197	0.43	1198	0.43	1199	0.42
1200	0.42	1201	0.41	1202	0.41	1203	0.40	1204	0.40
1205	0.40	1206	0.40	1207	0.40	1208	0.40	1209	0.40
1210	0.40	1211	0.40	1212	0.40	1213	0.40	1214	0.40
1215	0.40	1216	0.40	1217	0.40	1218	0.40	1219	0.40
1220	0.40	1221	0.40	1222	0.40	1223	0.40	1224	0.40
1225	0.40	1226	0.40	1227	0.40	1228	0.40	1229	0.40
1230	0.40	1231	0.40	1232	0.40	1233	0.40	1234	0.40
1235	0.40	1236	0.40	1237	0.40	1238	0.40	1239	0.40
1240	0.40	1241	0.40	1242	0.40	1243	0.40	1244	0.40
1245	0.40	1246	0.40	1247	0.40	1248	0.40	1249	0.40
1250	0.40	1251	0.40	1252	0.40	1253	0.40	1254	0.40
1255	0.40	1256	0.40	1257	0.40	1258	0.40	1259	0.40
1260	0.40	1261	0.40	1262	0.40	1263	0.40	1264	0.40
1265	0.40	1266	0.40	1267	0.40	1268	0.40	1269	0.40
1270	0.40	1271	0.40	1272	0.40	1273	0.40	1274	0.40
1275	0.40	1276	0.40	1277	0.40	1278	0.40	1279	0.40
1280	0.40	1281	0.40	1282	0.40	1283	0.40	1284	0.40
1285	0.40	1286	0.40	1287	0.40	1288	0.40	1289	0.40
1290	0.40	1291	0.40	1292	0.40	1293	0.40	1294	0.40
1295	0.40	1296	0.40	1297	0.40	1298	0.40	1299	0.40
1300	0.40	1310	0.40	1320	0.40	1330	0.40	1340	0.40
1350	0.40	1360	0.40	1370	0.40	1380	0.40	1390	0.40
1400	0.40	1420	0.40	1440	0.40	1460	0.40	1500	0.40

Total Runoff = 0.980 Acra-ft.
Peak Q = 7.83 CFS
Time to Peak = 1158 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
TOTAL HYDROGRAPH AT 1 1472 STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.29	100	0.21	200	0.23	300	0.24	400	0.26
500	0.29	600	0.31	700	0.36	800	0.42	900	0.52
1000	0.72	1050	0.94	1100	1.46	1110	1.62	1120	2.21
1130	3.14	1131	3.26	1132	3.40	1133	3.55	1134	3.71
1135	3.59	1136	4.06	1137	4.26	1138	4.50	1139	4.74
1140	3.82	1141	5.32	1142	5.54	1143	5.89	1144	6.05
1145	6.39	1146	6.75	1147	7.15	1148	7.62	1149	8.15
1150	8.84	1151	9.66	1152	10.67	1153	11.90	1154	13.49
1155	15.98	1156	23.84	1157	33.89	1158	27.16	1159	26.74
1160	23.87	1161	24.99	1162	22.88	1163	20.65	1164	17.55
1165	9.34	1166	5.75	1167	4.46	1168	3.59	1169	3.00
1170	2.57	1171	2.23	1172	1.97	1173	1.75	1174	1.64
1175	1.54	1176	1.46	1177	1.39	1178	1.33	1179	1.27
1180	1.22	1181	1.18	1182	1.14	1183	1.10	1184	1.06
1185	1.03	1186	1.00	1187	0.97	1188	0.94	1189	0.92
1190	0.90	1191	0.88	1192	0.86	1193	0.84	1194	0.82
1195	0.80	1196	0.79	1197	0.77	1198	0.76	1199	0.74
1200	0.73	1201	0.72	1202	0.71	1203	0.69	1204	0.68
1205	0.67	1206	0.66	1207	0.65	1208	0.64	1209	0.63
1210	0.62	1211	0.62	1212	0.61	1213	0.60	1214	0.59
1215	0.58	1216	0.58	1217	0.57	1218	0.56	1219	0.56
1220	0.55	1221	0.54	1222	0.54	1223	0.53	1224	0.53
1225	0.52	1226	0.52	1227	0.51	1228	0.51	1229	0.50
1230	0.49	1231	0.49	1232	0.49	1233	0.49	1234	0.49
1235	0.47	1236	0.47	1237	0.47	1238	0.46	1239	0.46
1240	0.45	1241	0.45	1242	0.45	1243	0.44	1244	0.44
1245	0.43	1246	0.43	1247	0.43	1248	0.43	1249	0.43
1250	0.41	1251	0.41	1252	0.41	1253	0.41	1254	0.41
1255	0.40	1256	0.40	1257	0.40	1258	0.40	1259	0.40
1260	0.39	1261	0.39	1262	0.39	1263	0.39	1264	0.39

Table with columns TIME, Q, TIME, Q, TIME, Q, TIME, Q, TIME, Q. Values range from 1265 to 1400.

Total Runoff = 1.396 Acra-ft.
Peak Q = 27.16 CFS
Time to Peak = 1158 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
TOTAL HYDROGRAPH AT 1 147RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

Table with columns TIME, Q, TIME, Q, TIME, Q, TIME, Q, TIME, Q. Values range from 0 to 1400.

Total Runoff = 1.612 Acra-ft.
Peak Q = 27.04 CFS
Time to Peak = 1158 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
TOTAL HYDROGRAPH AT 1 148XZ STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

Table with columns TIME, Q, TIME, Q, TIME, Q, TIME, Q, TIME, Q. Values range from 0 to 1400.

Total Runoff = 3.470 Acre-ft.
Peak Q = 38.85 CFS
Time to Peak = 1158 Minutes

Appendix 5
Proposed Burned Watershed
50-Year, 24-hour event

File name: C:\Work\1493\10 - H & N Study\Civil-Survey\mpr\1493EC600.lac

Run date: Sun May 21 13:02:58 2006

Los Angeles County Flood Control District
Modified Rational Method Hydrology

Table with columns: LOCATION, SUBAREA, AREA, Q, TOTAL, CONV, CONV, CONV, CONV, CONV, CONTROL, SOIL, RAIN, FCT. It lists numerous data points for various locations and subareas, including details on storm frequency, conversion types, and control measures.

1 130U	6.0	20.48	6.0	20.48	1.183	0	0	0.00000	0.00	0.00	0	220	6	8.51	0.03
1 131U	0.0	0.00	6.0	20.48	1.438	4	104	0.02343	3.00	0.00	0	220	0	8.51	0.00
1 132AU	6.0	20.26	961.0	1410.34	258.803	4	408	0.03138	7.00	0.00	0	220	0	8.51	0.00
1 134V	29.4	102.31	29.4	102.31	8.397	0	0	0.00000	0.00	0.00	0	97	7	8.51	0.23
1 135V	0.0	0.00	29.4	102.31	8.456	5	138	0.01237	10.00	0.00	0	97	0	8.51	0.00
136AV	29.4	102.00	890.4	1423.88	267.259	0	0	0.00000	0.00	0.00	0	97	0	8.51	0.00
37H	38.0	116.68	38.0	116.68	8.501	0	0	0.00000	0.00	0.00	0	297	9	8.51	0.01
38W	0.0	0.00	38.0	116.68	8.501	0	0	0.00000	0.00	0.00	0	297	0	8.51	0.00
1 139X	3.5	14.64	3.5	14.64	0.812	0	0	0.00000	0.00	0.00	0	297	5	8.51	0.03
1 140X	0.0	0.00	3.5	14.64	1.232	4	410	0.01225	3.00	0.00	0	297	0	8.51	0.00
1 142Y	5.2	22.10	5.2	22.10	1.923	0	0	0.00000	0.00	0.00	0	97	5	8.51	0.42
1 143Y	0.0	0.00	5.2	22.10	1.979	4	146	0.02238	3.00	0.00	0	97	0	8.51	0.00
1 144XY	5.2	21.69	8.7	35.41	3.211	0	84	0.01104	0.00	0.00	0	97	0	8.51	0.00
1 146Z	27.4	84.35	27.4	84.35	6.353	0	0	0.00000	0.00	0.00	0	297	9	8.51	0.03
1 147Z	0.0	0.00	27.4	84.35	6.410	4	120	0.02073	3.00	0.00	0	297	0	8.51	0.00
1 148XZ	27.4	83.90	36.1	119.30	9.620	0	0	0.00000	0.00	0.00	0	297	0	8.51	0.00

Normal End of MODRAT

Total Runoff = 1.087 Acre-Ft.
Peak Q = 14.83 CFS
Time to Peak = 1157 Minutes

UNITED RATIONAL METHOD HYDROLOGY
HYDROGRAPH AT 1 72RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

Table with 10 columns: TIME, Q, TIME, Q, TIME, Q, TIME, Q, TIME, Q. Rows range from 0 to 1400 minutes.

Total Runoff = 1.347 Acre-Ft.
Peak Q = 14.63 CFS
Time to Peak = 1157 Minutes

UNITED RATIONAL METHOD HYDROLOGY
HYDROGRAPH AT 1 750 STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

Table with 10 columns: TIME, Q, TIME, Q, TIME, Q, TIME, Q, TIME, Q. Rows range from 0 to 1400 minutes.

Total Runoff = 2.845 Acre-Ft.
Peak Q = 38.82 CFS
Time to Peak = 1157 Minutes

UNITED RATIONAL METHOD HYDROLOGY
HYDROGRAPH AT 1 70RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

Table with 10 columns: TIME, Q, TIME, Q, TIME, Q, TIME, Q, TIME, Q. Rows range from 0 to 1400 minutes.

1493EC600.sum

1290	10.75	1291	10.66	1292	10.58	1293	10.50	1294	10.41
1295	10.33	1296	10.26	1297	10.18	1298	10.10	1299	10.03
1300	9.96	1310	9.31	1320	8.77	1330	8.31	1340	7.90
1350	7.55	1360	7.23	1370	6.94	1380	6.67	1390	6.43
1400	6.22	1420	5.83	1440	5.51	1460	4.92	1500	2.62

Total Runoff = 51.621 Acres-Ft.
 Peak Q = 399.69 CFS
 Time to Peak = 1167 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 136AV STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	8.80	100	122.16	200	46.69	300	34.93	400	53.92
500	46.67	600	68.58	700	67.09	800	91.00	900	106.34
1000	170.57	1050	210.20	1100	315.98	1110	339.65	1120	379.98
1130	430.58	1131	436.95	1132	443.68	1133	450.60	1134	457.58
1135	464.75	1136	472.22	1137	480.11	1138	488.40	1139	497.13
1140	506.34	1141	516.09	1142	526.37	1143	537.29	1144	548.96
1145	561.48	1146	574.76	1147	588.99	1148	604.21	1149	620.73
1150	638.35	1151	655.05	1152	677.56	1153	731.92	1154	766.93
1155	814.74	1156	890.32	1157	985.11	1158	1069.47	1159	1150.28
1160	1226.28	1161	1278.24	1162	1319.96	1163	1346.78	1164	1325.61
1165	1363.48	1166	1366.00	1167	1416.43	1168	1412.07	1169	1423.88
1170	1421.46	1171	1404.88	1172	1378.74	1173	1346.88	1174	1310.13
1175	1271.66	1176	1237.97	1177	1199.28	1178	1154.30	1179	1106.58
1180	1067.40	1181	1028.68	1182	992.33	1183	955.82	1184	920.46
1185	885.05	1186	850.37	1187	816.20	1188	782.23	1189	748.71
1190	716.16	1191	684.74	1192	654.36	1193	636.22	1194	624.18
1195	601.25	1196	568.41	1197	538.11	1198	512.80	1199	489.24
1200	468.39	1201	448.67	1202	430.53	1203	413.42	1204	397.62
1205	382.69	1206	368.82	1207	355.84	1208	343.55	1209	332.04
1210	323.29	1211	311.00	1212	301.53	1213	292.54	1214	284.05
1215	276.07	1216	268.52	1217	261.40	1218	254.70	1219	248.33
1220	242.23	1221	236.37	1222	230.74	1223	225.35	1224	220.17
1225	215.20	1226	210.46	1227	206.00	1228	201.78	1229	197.54
1230	193.49	1231	189.64	1232	186.02	1233	182.62	1234	179.36
1235	176.22	1236	173.17	1237	170.21	1238	167.34	1239	164.68
1240	162.01	1241	159.46	1242	156.97	1243	154.56	1244	152.20
1245	149.91	1246	147.70	1247	145.60	1248	143.57	1249	141.61
1250	139.70	1251	137.83	1252	136.00	1253	134.22	1254	132.48
1255	130.77	1256	129.13	1257	127.58	1258	126.14	1259	124.70
1260	122.83	1261	122.15	1262	120.55	1263	119.20	1264	117.83
1265	116.51	1266	115.21	1267	113.94	1268	112.70	1269	111.48
1270	110.29	1271	109.12	1272	108.00	1273	106.91	1274	105.84
1275	104.79	1276	103.75	1277	102.76	1278	101.80	1279	100.88
1280	99.97	1281	99.09	1282	98.22	1283	97.36	1284	96.52
1285	95.69	1286	94.88	1287	94.08	1288	93.31	1289	92.54
1290	91.79	1291	91.05	1292	90.33	1293	89.62	1294	88.93
1295	88.24	1296	87.57	1297	86.91	1298	86.27	1299	85.63
1300	85.01	1310	79.43	1320	74.71	1330	70.41	1340	66.60
1350	63.10	1360	59.80	1370	56.72	1380	53.89	1390	51.32
1400	48.91	1420	44.73	1440	41.19	1460	38.76	1500	22.50

Total Runoff = 267.259 Acres-Ft.
 Peak Q = 1423.89 CFS
 Time to Peak = 1168 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 138W STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	0.95	200	1.66	300	1.15	400	1.25
500	1.40	600	1.52	700	1.85	800	2.29	900	3.52
1000	6.38	1050	8.89	1100	14.37	1110	16.26	1120	18.93
1130	22.98	1131	23.44	1132	23.96	1133	24.49	1134	25.07
1135	25.71	1136	26.37	1137	27.06	1138	27.83	1139	28.65
1140	29.56	1141	30.54	1142	31.62	1143	32.80	1144	34.10
1145	35.58	1146	37.24	1147	38.95	1148	40.67	1149	43.07
1150	45.68	1151	48.82	1152	52.74	1153	57.50	1154	63.85
1155	73.61	1156	103.73	1157	115.71	1158	116.68	1159	115.21
1160	112.12	1161	107.55	1162	101.16	1163	92.43	1164	80.09
1165	47.62	1166	32.53	1167	27.69	1168	24.64	1169	22.46
1170	20.81	1171	19.06	1172	17.79	1173	16.72	1174	15.82
1175	15.63	1176	14.33	1177	13.60	1178	12.94	1179	12.36
1180	11.84	1181	11.35	1182	10.82	1183	10.53	1184	10.16
1185	9.83	1186	9.52	1187	9.23	1188	8.96	1189	8.71
1190	8.47	1191	8.26	1192	8.04	1193	7.86	1194	7.68
1195	7.49	1196	7.34	1197	7.14	1198	6.92	1199	6.71
1200	6.51	1201	6.32	1202	6.13	1203	5.97	1204	5.82
1205	5.66	1206	5.51	1207	5.36	1208	5.23	1209	5.09
1210	4.97	1211	4.86	1212	4.72	1213	4.63	1214	4.51
1215	4.41	1216	4.32	1217	4.22	1218	4.13	1219	4.04
1220	3.95	1221	3.87	1222	3.78	1223	3.72	1224	3.63
1225	3.59	1226	3.49	1227	3.43	1228	3.38	1229	3.31
1230	3.28	1231	3.18	1232	3.13	1233	3.07	1234	3.01
1235	2.97	1236	2.91	1237	2.86	1238	2.81	1239	2.76
1240	2.72	1241	2.67	1242	2.63	1243	2.59	1244	2.54
1245	2.49	1246	2.46	1247	2.42	1248	2.38	1249	2.35
1250	2.31	1251	2.28	1252	2.24	1253	2.21	1254	2.18
1255	2.16	1256	2.15	1257	2.13	1258	2.11	1259	2.09
1260	2.08	1261	2.06	1262	2.04	1263	2.03	1264	2.01
1265	2.00	1266	1.99	1267	1.97	1268	1.96	1269	1.94
1270	1.83	1271	1.81	1272	1.80	1273	1.78	1274	1.77
1275	1.86	1276	1.85	1277	1.83	1278	1.82	1279	1.81
1280	1.80	1281	1.79	1282	1.77	1283	1.76	1284	1.75
1285	1.75	1286	1.73	1287	1.72	1288	1.71	1289	1.70
1290	1.69	1291	1.68	1292	1.67	1293	1.66	1294	1.65
1295	1.64	1296	1.63	1297	1.62	1298	1.61	1299	1.60
1300	1.58	1310	1.51	1320	1.44	1330	1.37	1340	1.32
1350	1.26	1360	1.21	1370	1.17	1380	1.13	1390	1.09
1400	1.06	1420	1.00	1440	0.94	1460	0.90	1500	0.80

Total Runoff = 3.581 Acres-Ft.
 Peak Q = 11.35 CFS
 Time to Peak = 1156 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY

TOTAL HYDROGRAPH AT 1 140X STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

Table with 10 columns: TIME, Q, TIME, Q, TIME, Q, TIME, Q, TIME, Q. Rows show discharge values (Q) at various time intervals from 0 to 1400 minutes.

Total Runoff = 0.812 Acree-ft.
Peak Q = 14.64 CFS
Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY TOTAL HYDROGRAPH AT 1 140RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

Table with 10 columns: TIME, Q, TIME, Q, TIME, Q, TIME, Q, TIME, Q. Rows show discharge values (Q) at various time intervals from 0 to 1400 minutes.

Total Runoff = 1.232 Acree-ft.
Peak Q = 14.13 CFS
Time to Peak = 1158 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY TOTAL HYDROGRAPH AT 1 143Y STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

Table with 10 columns: TIME, Q, TIME, Q, TIME, Q, TIME, Q, TIME, Q. Rows show discharge values (Q) at various time intervals from 0 to 1400 minutes.

1155	12.90	1156	19.79	1157	22.10	1158	21.54	1159	20.06
1160	17.43	1161	9.70	1162	6.20	1163	5.18	1164	4.55
1165	4.10	1166	3.77	1167	3.51	1168	3.27	1169	3.08
1170	2.92	1171	2.78	1172	2.66	1173	2.55	1174	2.45
1175	2.36	1176	2.27	1177	2.19	1178	2.11	1179	2.05
1180	1.99	1181	1.94	1182	1.88	1183	1.84	1184	1.79
1185	1.75	1186	1.71	1187	1.67	1188	1.64	1189	1.60
1190	1.57	1191	1.54	1192	1.52	1193	1.49	1194	1.47
1195	1.44	1196	1.41	1197	1.38	1198	1.35	1199	1.32
1200	1.31	1201	1.29	1202	1.26	1203	1.24	1204	1.22
1205	1.20	1206	1.18	1207	1.16	1208	1.14	1209	1.13
1210	1.11	1211	1.10	1212	1.08	1213	1.07	1214	1.05
1215	1.04	1216	1.02	1217	1.01	1218	1.00	1219	0.99
1220	0.97	1221	0.96	1222	0.95	1223	0.94	1224	0.93
1225	0.92	1226	0.91	1227	0.90	1228	0.89	1229	0.88
1230	0.87	1231	0.87	1232	0.86	1233	0.85	1234	0.84
1235	0.83	1236	0.83	1237	0.82	1238	0.81	1239	0.80
1240	0.80	1241	0.79	1242	0.78	1243	0.78	1244	0.77
1245	0.76	1246	0.76	1247	0.75	1248	0.74	1249	0.74
1250	0.74	1251	0.73	1252	0.72	1253	0.72	1254	0.72
1255	0.71	1256	0.71	1257	0.70	1258	0.70	1259	0.70
1260	0.70	1261	0.69	1262	0.69	1263	0.69	1264	0.68
1265	0.68	1266	0.68	1267	0.67	1268	0.67	1269	0.67
1270	0.66	1271	0.66	1272	0.66	1273	0.66	1274	0.66
1275	0.65	1276	0.65	1277	0.65	1278	0.64	1279	0.64
1280	0.64	1281	0.64	1282	0.63	1283	0.63	1284	0.63
1285	0.63	1286	0.63	1287	0.62	1288	0.62	1289	0.62
1290	0.62	1291	0.61	1292	0.61	1293	0.61	1294	0.61
1295	0.60	1296	0.60	1297	0.60	1298	0.60	1299	0.60
1300	0.60	1310	0.58	1320	0.56	1330	0.54	1340	0.53
1350	0.52	1360	0.50	1370	0.49	1380	0.48	1390	0.47
1400	0.46	1420	0.45	1440	0.43	1460	0.40	1500	0.40

Total Runoff = 1.923 Acre-Ft.
 Peak Q = 22.10 CFS
 Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 1438T STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.40	100	0.44	200	0.46	300	0.49	400	0.52
500	0.55	600	0.60	700	0.66	800	0.74	900	0.84
1000	1.35	1050	1.71	1100	2.52	1110	2.60	1120	3.19
1130	3.79	1131	3.86	1132	3.94	1133	4.02	1134	4.11
1135	4.20	1136	4.31	1137	4.42	1138	4.54	1139	4.67
1140	4.80	1141	4.95	1142	5.12	1143	5.30	1144	5.51
1145	5.73	1146	5.97	1147	6.24	1148	6.56	1149	6.93
1150	7.35	1151	7.87	1152	8.50	1153	9.31	1154	10.42
1155	12.16	1156	17.32	1157	21.68	1158	21.69	1159	20.59
1160	18.31	1161	12.60	1162	7.47	1163	5.64	1164	4.84
1165	4.31	1166	3.95	1167	3.65	1168	3.40	1169	3.18
1170	3.01	1171	2.86	1172	2.72	1173	2.61	1174	2.51
1175	2.41	1176	2.32	1177	2.24	1178	2.16	1179	2.09
1180	2.03	1181	1.97	1182	1.92	1183	1.87	1184	1.82
1185	1.73	1186	1.73	1187	1.70	1188	1.66	1189	1.63
1190	1.60	1191	1.56	1192	1.53	1193	1.51	1194	1.48
1195	1.46	1196	1.43	1197	1.40	1198	1.37	1199	1.34
1200	1.32	1201	1.30	1202	1.27	1203	1.25	1204	1.23
1205	1.21	1206	1.19	1207	1.17	1208	1.16	1209	1.14
1210	1.12	1211	1.11	1212	1.09	1213	1.09	1214	1.06
1215	1.05	1216	1.03	1217	1.02	1218	1.01	1219	0.99
1220	0.98	1221	0.97	1222	0.96	1223	0.95	1224	0.94
1225	0.93	1226	0.92	1227	0.91	1228	0.90	1229	0.89
1230	0.89	1231	0.87	1232	0.86	1233	0.85	1234	0.85
1235	0.84	1236	0.83	1237	0.82	1238	0.82	1239	0.81
1240	0.80	1241	0.79	1242	0.79	1243	0.78	1244	0.78
1245	0.77	1246	0.76	1247	0.75	1248	0.75	1249	0.74
1250	0.74	1251	0.73	1252	0.73	1253	0.72	1254	0.72
1255	0.71	1256	0.71	1257	0.71	1258	0.70	1259	0.70
1260	0.70	1261	0.70	1262	0.69	1263	0.69	1264	0.68
1265	0.68	1266	0.68	1267	0.68	1268	0.67	1269	0.67
1270	0.67	1271	0.66	1272	0.66	1273	0.66	1274	0.66
1275	0.65	1276	0.65	1277	0.65	1278	0.65	1279	0.64
1280	0.64	1281	0.64	1282	0.64	1283	0.63	1284	0.63
1285	0.63	1286	0.63	1287	0.62	1288	0.62	1289	0.62
1290	0.62	1291	0.62	1292	0.61	1293	0.61	1294	0.61
1295	0.61	1296	0.60	1297	0.60	1298	0.60	1299	0.60
1300	0.60	1310	0.58	1320	0.56	1330	0.54	1340	0.53
1350	0.52	1360	0.50	1370	0.49	1380	0.48	1390	0.47
1400	0.46	1420	0.45	1440	0.43	1460	0.40	1500	0.40

Total Runoff = 1.979 Acre-Ft.
 Peak Q = 21.69 CFS
 Time to Peak = 1158 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 1472 STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.60	100	0.73	200	0.83	300	0.92	400	1.00
500	1.11	600	1.23	700	1.45	800	1.78	900	2.27
1000	6.74	1050	8.58	1100	10.23	1110	11.49	1120	13.43
1130	16.75	1131	17.09	1132	17.46	1133	17.85	1134	18.26
1135	15.73	1136	16.29	1137	16.76	1138	17.24	1139	17.73
1140	21.51	1141	22.22	1142	23.06	1143	23.93	1144	24.79
1145	25.65	1146	27.05	1147	28.53	1148	29.97	1149	31.24
1150	33.15	1151	36.41	1152	39.22	1153	41.67	1154	43.78
1155	53.29	1156	75.01	1157	95.65	1158	94.35	1159	86.98
1160	81.06	1161	70.77	1162	73.16	1163	66.11	1164	59.36
1165	34.55	1166	29.62	1167	26.15	1168	23.26	1169	20.69
1170	15.04	1171	13.92	1172	13.09	1173	12.29	1174	11.97
1175	11.31	1176	10.49	1177	9.97	1178	9.45	1179	9.07
1180	8.98	1181	8.74	1182	8.50	1183	8.25	1184	8.04
1185	7.24	1186	7.02	1187	6.81	1188	6.61	1189	6.43
1190	6.22	1191	6.05	1192	5.87	1193	5.70	1194	5.54
1195	5.59	1196	5.41	1197	5.24	1198	5.07	1199	4.91
1200	5.11	1201	4.93	1202	4.76	1203	4.60	1204	4.44
1205	4.72	1206	4.54	1207	4.38	1208	4.22	1209	4.07

1210	3.73	1211	3.64	1212	3.55	1213	3.48	1214	3.39
1215	3.32	1216	3.25	1217	3.19	1218	3.12	1219	3.05
1220	2.99	1221	2.93	1222	2.87	1223	2.82	1224	2.76
1225	2.72	1226	2.65	1227	2.61	1228	2.57	1229	2.52
1230	2.48	1231	2.43	1232	2.39	1233	2.35	1234	2.30
1235	2.27	1236	2.23	1237	2.20	1238	2.16	1239	2.12
1240	2.09	1241	2.05	1242	2.03	1243	2.00	1244	1.96
1245	1.93	1246	1.90	1247	1.87	1248	1.85	1249	1.82
1250	1.79	1251	1.77	1252	1.74	1253	1.72	1254	1.70
1255	1.68	1256	1.67	1257	1.66	1258	1.65	1259	1.63
1260	1.62	1261	1.61	1262	1.60	1263	1.59	1264	1.57
1265	1.56	1266	1.55	1267	1.54	1268	1.53	1269	1.52
1270	1.51	1271	1.50	1272	1.49	1273	1.48	1274	1.47
1275	1.46	1276	1.45	1277	1.44	1278	1.43	1279	1.42
1280	1.41	1281	1.40	1282	1.39	1283	1.39	1284	1.38
1285	1.37	1286	1.36	1287	1.35	1288	1.35	1289	1.34
1290	1.33	1291	1.32	1292	1.32	1293	1.31	1294	1.30
1295	1.29	1296	1.28	1297	1.28	1298	1.27	1299	1.26
1300	1.26	1310	1.20	1320	1.14	1330	1.09	1340	1.05
1350	1.00	1360	0.97	1370	0.93	1380	0.91	1390	0.88
1400	0.85	1420	0.80	1440	0.76	1460	0.60	1500	0.00

Total Runoff = 6.353 Acre-Ft.
Peak Q = 84.35 CFS
Time to Peak = 1158 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
TOTAL HYDROGRAPH AT 1 147RT STORM DAY 4, STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.40	100	0.79	200	0.85	300	0.91	400	1.00
500	1.11	600	1.26	700	1.45	800	1.78	900	2.67
1000	4.73	1050	6.54	1100	10.50	1110	11.65	1120	13.77
1130	15.66	1131	16.99	1132	17.35	1133	17.74	1134	18.15
1135	18.60	1136	19.09	1137	19.57	1138	20.11	1139	20.69
1140	21.33	1141	22.03	1142	22.79	1143	23.63	1144	24.54
1145	25.58	1146	26.75	1147	27.98	1148	29.33	1149	30.87
1150	32.69	1151	34.87	1152	37.55	1153	40.87	1154	45.18
1155	51.66	1156	59.64	1157	82.83	1158	83.90	1159	83.81
1160	81.43	1161	78.62	1162	74.14	1163	68.32	1164	59.96
1165	40.52	1166	25.40	1167	21.31	1168	18.36	1169	16.90
1170	15.37	1171	14.26	1172	13.26	1173	12.47	1174	11.77
1175	11.18	1176	10.65	1177	10.15	1178	9.65	1179	9.21
1180	8.82	1181	8.46	1182	8.14	1183	7.85	1184	7.57
1185	7.33	1186	7.10	1187	6.88	1188	6.68	1189	6.50
1190	6.32	1191	6.16	1192	6.01	1193	5.86	1194	5.73
1195	5.60	1196	5.48	1197	5.35	1198	5.20	1199	5.04
1200	4.89	1201	4.75	1202	4.62	1203	4.49	1204	4.38
1205	4.27	1206	4.16	1207	4.05	1208	3.95	1209	3.86
1210	3.77	1211	3.56	1212	3.59	1213	3.51	1214	3.43
1215	3.35	1216	3.29	1217	3.22	1218	3.15	1219	3.08
1220	3.01	1221	2.95	1222	2.89	1223	2.84	1224	2.79
1225	2.73	1226	2.66	1227	2.63	1228	2.59	1229	2.54
1230	2.50	1231	2.45	1232	2.41	1233	2.37	1234	2.32
1235	2.29	1236	2.25	1237	2.21	1238	2.18	1239	2.14
1240	2.11	1241	2.07	1242	2.04	1243	2.01	1244	1.99
1245	1.95	1246	1.91	1247	1.89	1248	1.86	1249	1.83
1250	1.81	1251	1.78	1252	1.76	1253	1.73	1254	1.71
1255	1.69	1256	1.68	1257	1.67	1258	1.65	1259	1.64
1260	1.63	1261	1.62	1262	1.60	1263	1.59	1264	1.58
1265	1.57	1266	1.56	1267	1.55	1268	1.54	1269	1.53
1270	1.51	1271	1.50	1272	1.49	1273	1.48	1274	1.47
1275	1.46	1276	1.45	1277	1.44	1278	1.44	1279	1.43
1280	1.42	1281	1.41	1282	1.40	1283	1.39	1284	1.38
1285	1.37	1286	1.37	1287	1.36	1288	1.35	1289	1.34
1290	1.34	1291	1.33	1292	1.32	1293	1.31	1294	1.30
1295	1.30	1296	1.29	1297	1.28	1298	1.27	1299	1.27
1300	1.26	1310	1.20	1320	1.14	1330	1.09	1340	1.05
1350	1.01	1360	0.97	1370	0.93	1380	0.91	1390	0.88
1400	0.85	1420	0.80	1440	0.76	1460	0.42	1500	0.40

Total Runoff = 6.410 Acre-Ft.
Peak Q = 83.90 CFS
Time to Peak = 1158 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
TOTAL HYDROGRAPH AT 1 148XZ STORM DAY 4, STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	1.20	100	1.63	200	1.71	300	1.80	400	1.92
500	2.06	600	2.26	700	2.51	800	2.92	900	4.06
1000	6.49	1050	9.09	1100	14.36	1110	16.16	1120	18.73
1130	22.59	1131	23.04	1132	23.52	1133	24.04	1134	24.69
1135	25.19	1136	25.83	1137	26.50	1138	27.23	1139	28.01
1140	28.37	1141	29.81	1142	30.84	1143	31.96	1144	33.21
1145	34.62	1146	36.18	1147	37.84	1148	39.69	1149	41.79
1150	44.29	1151	47.26	1152	50.94	1153	55.52	1154	61.50
1155	70.50	1156	95.24	1157	115.79	1158	119.30	1159	116.53
1160	113.06	1161	102.67	1162	89.87	1163	79.34	1164	68.67
1165	47.98	1166	32.11	1167	27.42	1168	23.59	1169	22.12
1170	20.26	1171	15.87	1172	17.63	1173	16.63	1174	15.76
1175	15.03	1176	14.34	1177	13.69	1178	13.05	1179	12.49
1180	11.99	1181	11.52	1182	11.10	1183	10.72	1184	10.37
1185	10.64	1186	9.75	1187	9.47	1188	9.20	1189	8.96
1190	8.73	1191	8.52	1192	8.31	1193	8.13	1194	7.97
1195	7.77	1196	7.61	1197	7.43	1198	7.23	1199	7.03
1200	6.84	1201	6.66	1202	6.49	1203	6.33	1204	6.18
1205	6.03	1206	5.89	1207	5.75	1208	5.62	1209	5.49
1210	5.37	1211	5.26	1212	5.14	1213	5.03	1214	4.93
1215	4.83	1216	4.74	1217	4.65	1218	4.56	1219	4.48
1220	4.40	1221	4.33	1222	4.25	1223	4.19	1224	4.12
1225	4.06	1226	4.00	1227	3.94	1228	3.88	1229	3.83
1230	3.76	1231	3.72	1232	3.67	1233	3.62	1234	3.57
1235	3.52	1236	3.48	1237	3.44	1238	3.41	1239	3.37
1240	3.31	1241	3.27	1242	3.23	1243	3.19	1244	3.16
1245	3.11	1246	3.06	1247	3.04	1248	3.01	1249	2.99
1250	2.96	1251	2.91	1252	2.88	1253	2.85	1254	2.82
1255	2.81	1256	2.78	1257	2.75	1258	2.72	1259	2.70
1260	2.72	1261	2.71	1262	2.70	1263	2.69	1264	2.68

1265	2.65	1266	2.64	1267	2.63	1268	2.61	1269	2.60
1270	2.58	1271	2.57	1272	2.55	1273	2.54	1274	2.53
1275	2.52	1276	2.51	1277	2.49	1278	2.48	1279	2.47
1280	2.46	1281	2.45	1282	2.44	1283	2.42	1284	2.41
1285	2.40	1286	2.39	1287	2.38	1288	2.37	1289	2.36
1290	2.35	1291	2.34	1292	2.33	1293	2.32	1294	2.31
	2.30	1296	2.29	1297	2.28	1298	2.27	1299	2.27
	2.25	1310	2.18	1320	2.10	1330	2.04	1340	1.98
	1.92	1360	1.87	1370	1.83	1380	1.79	1390	1.75
1400	1.72	1420	1.65	1440	1.59	1460	1.22	1500	1.20

Total Runoff = 9.620 Acres-ft.
 Peak Q = 119.30 CFS
 Time to Peak = 1156 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
TOTAL HYDROGRAPH AT 1 40A STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	2.00	100	9.64	200	21.19	300	24.18	400	28.64
500	33.98	600	39.91	700	46.69	800	56.00	900	72.16
105.59	105.59	1050	135.47	1100	195.14	1110	212.61	1120	234.54
265.81	1131	269.38	1132	273.04	1133	276.84	1134	280.77	
284.92	1136	289.26	1137	293.78	1138	298.49	1139	303.42	
308.62	1141	314.10	1142	319.92	1143	326.08	1144	332.64	
339.64	1146	347.08	1147	355.07	1148	363.70	1149	373.08	
383.31	1151	394.56	1152	406.97	1153	420.93	1154	436.99	
456.38	1156	487.11	1157	513.40	1158	540.73	1159	574.82	
614.43	1161	655.82	1162	689.16	1163	731.79	1164	780.39	
829.34	1166	872.95	1167	905.77	1168	927.71	1169	941.13	
947.42	1171	948.08	1172	943.50	1173	933.01	1174	916.24	
895.16	1176	872.40	1177	849.70	1178	827.49	1179	805.47	
782.97	1181	759.57	1182	734.86	1183	709.05	1184	682.11	
654.58	1186	626.64	1187	598.67	1188	571.18	1189	544.20	
518.15	1191	493.10	1192	469.24	1193	446.64	1194	425.23	
405.04	1196	386.05	1197	368.23	1198	351.56	1199	335.96	
321.39	1201	307.78	1202	295.07	1203	283.23	1204	272.22	
261.95	1206	252.28	1207	243.04	1208	234.41	1209	226.47	
218.97	1211	211.91	1212	205.37	1213	199.24	1214	193.49	
188.29	1216	183.20	1217	178.30	1218	173.61	1219	169.11	
164.83	1221	160.72	1222	156.79	1223	153.03	1224	149.42	
145.97	1226	142.64	1227	139.46	1228	136.47	1229	133.74	
131.30	1231	128.81	1232	126.41	1233	124.07	1234	121.81	
119.63	1236	117.53	1237	115.50	1238	113.52	1239	111.62	
109.77	1241	107.99	1242	106.29	1243	104.71	1244	103.30	
101.85	1246	100.41	1247	99.00	1248	97.63	1249	96.29	
94.98	1251	93.71	1252	92.46	1253	91.25	1254	90.07	
88.91	1256	87.78	1257	86.67	1258	85.59	1259	84.54	
83.51	1261	82.49	1262	81.50	1263	80.53	1264	79.58	
78.65	1266	77.74	1267	76.84	1268	75.97	1269	75.11	
74.27	1271	73.44	1272	72.65	1273	71.91	1274	71.22	
70.56	1276	69.87	1277	69.21	1278	68.55	1279	67.90	
67.26	1281	66.63	1282	66.03	1283	65.42	1284	64.83	
64.26	1286	63.68	1287	63.13	1288	62.58	1289	62.04	
61.51	1291	60.99	1292	60.48	1293	59.97	1294	59.48	
58.99	1296	58.51	1297	58.03	1298	57.57	1299	57.11	
56.65	1301	52.74	1302	49.31	1303	46.23	1304	43.48	
40.82	1360	38.37	1370	36.04	1380	33.87	1390	31.92	
30.08	1420	26.93	1440	24.23	1460	20.50	1500	12.84	

Total Runoff = 160.465 Acree-Ft.
Peak Q = 948.08 CFS
Time to Peak = 1171 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
TOTAL HYDROGRAPH AT 1 40RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	2.00	100	9.64	200	21.18	300	24.12	400	28.64
500	33.98	600	39.91	700	46.69	800	55.99	900	72.16
105.59	105.59	1050	135.46	1100	195.11	1110	212.61	1120	234.48
265.75	1131	269.31	1132	272.97	1133	276.77	1134	280.70	
284.84	1136	289.18	1137	293.69	1138	298.40	1139	303.32	
308.52	1141	313.99	1142	319.80	1143	325.96	1144	332.51	
339.50	1146	346.93	1147	354.91	1148	363.54	1149	372.90	
383.12	1151	394.35	1152	406.74	1153	420.68	1154	436.69	
456.01	1156	486.47	1157	513.04	1158	540.13	1159	574.27	
613.63	1161	655.17	1162	688.56	1163	731.10	1164	779.61	
828.60	1166	872.29	1167	905.33	1168	927.39	1169	940.97	
947.34	1171	948.07	1172	943.70	1173	933.19	1174	916.53	
895.49	1176	872.76	1177	850.04	1178	827.84	1179	805.80	
783.34	1181	759.94	1182	736.26	1183	709.46	1184	682.58	
655.87	1186	627.12	1187	599.17	1188	571.66	1189	544.69	
518.60	1191	493.56	1192	469.66	1193	447.05	1194	425.61	
405.41	1196	386.39	1197	368.57	1198	351.86	1199	336.26	
321.66	1201	308.06	1202	295.31	1203	283.47	1204	272.43	
262.17	1206	252.48	1207	243.24	1208	234.59	1209	226.66	
219.13	1211	212.08	1212	205.51	1213	199.39	1214	193.62	
188.43	1216	183.32	1217	178.43	1218	173.72	1219	169.23	
164.92	1221	160.63	1222	156.88	1223	153.13	1224	149.50	
146.86	1226	142.72	1227	139.55	1228	136.54	1229	133.82	
131.36	1231	128.89	1232	126.47	1233	124.14	1234	121.86	
119.70	1236	117.58	1237	115.56	1238	113.57	1239	111.67	
109.82	1241	108.05	1242	106.33	1243	104.76	1244	103.33	
101.90	1246	100.45	1247	99.05	1248	97.66	1249	96.33	
95.02	1251	93.75	1252	92.50	1253	91.29	1254	90.10	
88.95	1256	87.81	1257	86.71	1258	85.62	1259	84.57	
83.54	1261	82.53	1262	81.53	1263	80.56	1264	79.61	
78.68	1266	77.76	1267	76.87	1268	75.99	1269	75.14	
74.29	1271	73.47	1272	72.67	1273	71.93	1274	71.25	
70.53	1276	69.90	1277	69.23	1278	68.57	1279	67.92	
67.28	1281	66.65	1282	66.05	1283	65.44	1284	64.85	
64.28	1286	63.70	1287	63.15	1288	62.60	1289	62.06	
61.53	1291	61.01	1292	60.50	1293	59.99	1294	59.49	
58.99	1296	58.52	1297	58.05	1298	57.58	1299	57.12	
56.67	1301	52.75	1302	48.32	1303	46.24	1304	43.49	
40.83	1360	38.38	1370	36.04	1380	33.88	1390	31.93	
30.09	1420	26.93	1440	24.24	1460	20.52	1500	12.85	

Total Runoff = 160.465 Acree-Ft.
Peak Q = 948.07 CFS
Time to Peak = 1171 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
TOTAL HYDROGRAPH AT 1 53E STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	0.39	200	0.44	300	0.51	400	0.60
500	0.71	600	0.83	700	0.96	800	1.14	900	1.51
1050	2.25	1050	2.91	1100	4.37	1110	4.88	1120	5.43
1130	6.78	1131	6.88	1132	7.03	1133	7.15	1134	7.24
1135	7.53	1136	7.72	1137	7.92	1138	8.15	1139	8.49
1140	8.40	1141	8.84	1142	9.27	1143	9.61	1144	10.01
1145	10.43	1146	10.98	1147	11.49	1148	12.00	1149	12.60

Appendix 6
Proposed Burned Watershed
Peak Mitigated Flow - Q_{pm}

File name: C:\Work\1493\10 - H & H Study\Civil-Survey\wpr\1493EC615.lac

Run date: Sun May 21 14:02:14 2006

Los Angeles County Flood Control District
Modified Rational Method Hydrology

LOCATION	Storm Day 4		Storm Frequency 50		CONV TYPE	CONV LNCGTH	CONV SLOPE	CONV SIZE	CONV Z	CONTROL	SOIL NAME	TC	RAIN	PCT IMPV	
	SUBAREA AREA	SUBAREA Q	TOTAL AREA	TOTAL Q											TOTAL VOLUME
1 1A	37.8	122.85	37.8	122.85	8.040	0	0.00000	0.00	0.00	0	293	8	8.51	0.01	
1 1BA	0.0	0.00	37.8	122.85	8.119	1	1517	0.14568	0.00	0.00	0	293	8	8.51	0.00
1 1CA	41.0	125.18	78.8	227.97	16.836	0	0.00000	0.00	0.00	0	293	9	8.51	0.01	
1 1DA	0.0	0.00	78.8	227.97	16.859	1	727	0.10127	0.00	0.00	0	293	8	8.51	0.00
1 1EA	40.6	131.94	119.4	337.56	25.493	0	0.00000	0.00	0.00	0	293	8	8.51	0.01	
1 1FA	0.0	0.00	119.4	337.56	25.553	1	1016	0.07674	0.00	0.00	0	293	8	8.51	0.00
1 1GA	30.4	103.68	149.8	410.67	35.069	0	0.00000	0.00	0.00	0	291	8	8.51	0.01	
1 1GB	17.8	70.51	17.8	70.51	5.573	0	0.00000	0.00	0.00	0	291	6	8.51	0.01	
1 10B	0.0	0.00	17.8	70.51	5.646	1	1044	0.07760	0.00	0.00	0	291	6	8.51	0.00
1 11AB	17.8	62.41	167.6	473.08	40.783	1	1044	0.06035	0.00	0.00	0	291	8	8.51	0.00
1 11BA	34.8	117.68	202.4	535.88	51.537	0	0.00000	0.00	0.00	0	291	8	8.44	0.01	
1 11CA	0.0	0.00	202.4	535.88	51.599	1	832	0.04569	0.00	0.00	0	291	8	8.44	0.00
1 11DA	28.3	94.27	230.7	556.16	60.145	0	0.00000	0.00	0.00	0	291	8	8.33	0.01	
1 11EA	0.0	0.00	230.7	556.16	60.206	1	978	0.04602	0.00	0.00	0	291	8	8.33	0.00
1 11FA	23.8	75.61	254.5	571.25	67.517	0	0.00000	0.00	0.00	0	291	9	8.41	0.01	
1 11GA	0.0	0.00	254.5	571.25	67.575	1	1815	0.04297	0.00	0.00	0	291	8	8.41	0.00
1 11BA	30.8	93.67	285.3	572.13	77.177	0	0.00000	0.00	0.00	0	291	10	8.49	0.01	
1 11CA	0.0	0.00	285.3	572.13	77.198	1	534	0.02809	0.00	0.00	0	291	8	8.49	0.00
1 120A	32.0	92.89	317.3	590.21	87.196	0	0.00000	0.00	0.00	0	291	11	8.51	0.01	
1 121A	0.0	0.00	317.3	590.21	87.210	1	666	0.04052	0.00	0.00	0	291	8	8.51	0.00
1 122A	13.3	52.69	330.6	593.34	91.374	0	0.00000	0.00	0.00	0	291	8	8.51	0.01	
1 123C	45.5	149.55	46.5	149.55	14.558	0	0.00000	0.00	0.00	0	291	9	8.51	0.01	
1 124C	0.0	0.00	46.5	149.55	14.634	1	419	0.05016	0.00	0.00	0	291	8	8.51	0.00
1 126C	21.3	68.51	67.8	214.46	21.303	0	0.00000	0.00	0.00	0	291	9	8.51	0.01	
1 127C	0.0	0.00	67.8	214.46	21.345	1	611	0.04440	0.00	0.00	0	291	8	8.51	0.00
1 128D	35.9	115.44	35.9	115.44	11.236	0	0.00000	0.00	0.00	0	291	9	8.51	0.01	
1 129B	0.0	0.00	35.9	115.44	11.342	1	1490	0.04037	0.00	0.00	0	291	6	8.51	0.00
1 130D	33.1	91.88	69.0	179.63	21.697	0	0.00000	0.00	0.00	0	291	12	8.51	0.01	
1 131CD	69.0	179.63	136.8	386.81	43.068	1	372	0.04261	0.00	0.00	0	291	8	8.51	0.00
1 132RC	136.8	384.67	467.4	896.02	134.513	1	1490	0.02349	0.00	0.00	0	291	8	8.51	0.00
1 133A	23.6	75.96	491.0	899.82	141.976	0	0.00000	0.00	0.00	0	291	9	8.51	0.02	
1 134E	46.5	141.90	46.5	141.90	14.703	0	0.00000	0.00	0.00	0	291	10	8.51	0.02	
1 135E	0.0	0.00	46.5	141.90	14.789	1	366	0.02852	0.00	0.00	0	291	8	8.51	0.00
1 136AE	46.5	139.76	537.5	947.95	156.789	1	332	0.00306	0.00	0.00	0	291	8	8.51	0.00
1 136B	0.0	0.00	537.5	947.95	156.790	1	329	0.05090	0.00	0.00	0	291	8	8.51	0.00
1 136A	11.5	45.62	549.0	948.08	160.465	0	0.00000	0.00	0.00	0	291	6	8.51	0.03	
1 140A	0.0	0.00	549.0	948.08	160.465	5	31	0.11340	0.00	0.00	0	291	8	8.51	0.00
1 142F	6.7	26.58	6.7	26.58	2.141	0	0.00000	0.00	0.00	0	291	6	8.51	0.03	
1 143F	0.0	0.00	6.7	26.58	2.238	4	51	0.05492	3.00	0.00	0	291	8	8.51	0.00
1 146G	1.8	0.50	1.8	0.50	0.049	0	0.00000	0.00	0.00	0	91	5	0.75	0.42	
1 147G	0.0	0.00	1.8	0.50	0.327	4	769	0.01284	3.00	0.00	0	91	5	0.75	0.42
1 148H	4.6	1.28	4.6	1.28	0.126	0	0.00000	0.00	0.00	0	91	5	0.75	0.42	
1 149H	0.0	0.00	4.6	1.28	0.832	4	72	0.04449	3.00	0.00	0	91	5	0.75	0.42
1 152I	9.2	40.13	9.2	40.13	2.941	0	0.00000	0.00	0.00	0	291	5	8.51	0.03	
1 153I	0.0	0.00	9.2	40.13	2.999	4	95	0.04754	3.00	0.00	0	291	8	8.51	0.00
1 154HI	9.2	39.44	13.3	41.11	3.837	4	744	0.00841	3.00	0.00	0	291	9	8.51	0.00
1 155H	5.4	1.51	19.2	39.87	3.984	0	0.00000	0.00	0.00	0	91	5	0.75	0.42	
1 156GH	19.2	39.87	21.0	40.30	4.812	4	653	0.11092	3.00	0.00	0	91	9	8.75	0.00
1 157FG	21.0	39.56	27.7	62.87	7.051	4	80	0.07155	3.00	0.00	0	91	9	8.75	0.00
1 159J	7.2	2.01	7.2	2.01	0.197	0	0.00000	0.00	0.00	0	91	5	0.75	0.42	
1 160J	0.0	0.00	7.2	2.01	0.840	4	238	0.02252	3.00	0.00	0	91	5	0.75	0.42
1 163K	1.9	0.53	1.9	0.53	0.052	0	0.00000	0.00	0.00	0	91	5	0.75	0.42	
1 164K	0.0	0.00	1.9	0.53	0.327	4	35	0.06272	3.00	0.00	0	91	5	0.75	0.42
1 165L	11.3	2.81	11.3	2.81	0.308	0	0.00000	0.00	0.00	0	91	5	0.75	0.42	
1 166L	0.0	0.00	11.3	2.81	0.856	4	157	0.09276	3.00	0.00	0	91	5	0.75	0.42
1 169M	5.1	22.24	5.1	22.24	1.630	0	0.00000	0.00	0.00	0	291	5	8.51	0.03	
1 170M	0.0	0.00	5.1	22.24	1.782	4	285	0.11642	3.00	0.00	0	291	9	8.51	0.00
1 171N	3.4	14.83	3.4	14.83	1.087	0	0.00000	0.00	0.00	0	291	5	8.51	0.03	
1 172N	0.0	0.00	3.4	14.83	1.347	4	252	0.24596	3.00	0.00	0	291	9	8.51	0.00
1 174O	8.9	28.82	8.9	28.82	2.845	0	0.00000	0.00	0.00	0	291	5	8.51	0.03	
1 175O	0.0	0.00	8.9	28.82	2.906	4	292	0.03686	2.00	0.00	0	291	9	8.51	0.00
1 178P	9.1	39.69	9.1	39.69	2.909	0	0.00000	0.00	0.00	0	291	5	8.51	0.03	
1 179P	0.0	0.00	9.1	39.69	2.975	3	573	0.01071	36-6	0.00	0	291	8	8.51	0.00
1 180OP	9.1	31.19	18.0	54.57	5.885	4	416	0.00822	3.00	0.00	0	291	8	8.51	0.00
1 182NO	18.0	53.94	21.4	64.27	7.235	3	394	0.13587	36-6	0.00	0	291	8	8.51	0.00
1 183N	3.4	0.95	24.8	65.61	7.328	0	0.00000	0.00	0.00	0	91	5	0.75	0.42	
1 184MN	24.9	65.61	29.9	83.20	9.112	4	136	0.01825	3.00	0.00	0	91	8	0.75	0.00
1 186LM	29.9	82.68	41.2	85.14	9.868	4	119	0.20094	3.00	0.00	0	91	8	0.75	0.00
1 189KL	41.2	84.99	43.1	95.40	10.797	4	210	0.01907	3.00	0.00	0	91	8	0.75	0.00
1 190JK	43.1	94.20	50.3	85.96	11.640	4	411	0.02096	2.50	0.00	0	91	8	0.75	0.00
1 191J	6.3	1.76	38.6	38.09	11.812	0	0.00000	0.00	0.00	0	91	5	0.75	0.42	
1 192J	0.0	0.00	38.6	38.09	11.812	4	113	0.07822	3.00	0.00	0	91	8	0.75	0.00
1 194EJ	56.6	95.99	84.3	146.09	18.864	4	43	0.18322	3.00	0.00	0	91	8	0.75	0.00
1 196AF	84.3	146.09	83.2	179.335	22.825	4	793	0.05222	7.00	0.00	0	91	8	0.75	0.00
1 197A	6.9	0.00	639.3	937.96	179.335	0	0.00000	0.00	0.00	0	91	8	0.75	0.00	
1 198A	6.9	0.00	639.3	937.96	179.341	4	1096	0.12277	7.00	0.00	0	91	8	0.75	0.00
1 199A	1.7	0.46	641.0	937.96	179.406	0	0.00000	0.00	0.00	0	97	6	0.75	0.00	
1 199A	0.0	0.00	641.0	937.96	179.406	4	33	0.04190	7.00	0.00	0	97	6	0.75	0.00
1 193Q	54.2	150.19	54.2	150.19	12.554	0	0.00000	0.00	0.00	0	297	11	3.51	0.03	
1 194Q	0.0	0.00	54.2	150.19	12.679	1	794	0.00725	0.00	0.00	0	297	8	8.51	0.00
1 196R	29.7	96.86	29.7	96.86	6.840	0	0.00000	0.00	0.00	0	297	8	8.51	0.01	
1 197R	0.0	0.00	29.7	96.86	6.713	1	711	0.05487	0.00	0.00	0	297	8	8.51	0.00
1 198R	39.3	110.51	43.2	104.11	14.548	0	0.00000	0.00	0.00	0	297	9	8.51	0.01	
1 199R	0.0	0.00	43.2	104.11	14.602	1									

1 130U	6.0	0.61	6.0	0.61	0.036	0	0	0.00000	0.00	0.00	0	220	6	0.75	0.03
1 131U	0.0	0.00	6.0	0.61	0.827	4	104	0.02343	3.00	0.00	0	220	0	0.75	0.00
1 132AU	6.0	0.60	861.0	1355.42	233.920	4	408	0.03138	7.00	0.00	0	220	0	0.75	0.00
1 134V	29.4	102.31	29.4	102.31	8.397	0	0	0.00000	0.00	0.00	0	97	7	8.51	0.23
1 135V	0.0	0.00	29.4	102.31	8.456	5	138	0.01237	10.00	0.00	0	97	0	8.51	0.00
1 136AV	29.4	102.00	890.4	1380.04	242.376	0	0	0.00000	0.00	0.00	0	97	0	8.51	0.00
1 37W	38.0	116.68	38.0	116.68	8.501	0	0	0.00000	0.00	0.00	0	297	9	8.51	0.01
1 38W	0.0	0.00	38.0	116.68	8.501	0	0	0.00000	0.00	0.00	0	297	0	8.51	0.00
1 139K	3.5	14.64	3.5	14.64	0.812	0	0	0.00000	0.00	0.00	0	297	5	8.51	0.03
1 140X	0.0	0.00	3.5	14.64	1.232	4	410	0.01225	3.00	0.00	0	297	0	8.51	0.00
1 142Y	5.2	1.22	5.2	1.22	0.140	0	0	0.00000	0.00	0.00	0	97	5	0.75	0.42
1 143Y	0.0	0.00	5.2	1.22	0.832	4	146	0.02238	3.00	0.00	0	97	0	0.75	0.00
1 144XY	5.2	1.19	8.7	15.26	2.064	0	84	0.01104	0.00	0.00	0	97	0	0.75	0.00
1 146Z	27.4	84.35	27.4	84.35	6.353	0	0	0.00000	0.00	0.00	0	297	9	8.51	0.53
1 147Z	0.0	0.00	27.4	84.35	6.410	4	120	0.02073	3.00	0.00	0	297	0	8.51	0.00
1 148XZ	27.4	83.90	36.1	99.07	8.473	0	0	0.00000	0.00	0.00	0	297	0	8.51	0.60

Normal End of MODRAT

MODIFIED RATIONAL METHOD HYDROLOGY
TOTAL HYDROGRAPH AT 1 40A STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

Table with 10 columns: TIME, Q, TIME, Q, TIME, Q, TIME, Q, TIME, Q. Rows range from 0 to 1400 minutes.

Total Runoff = 160.465 Acre-Ft.
Peak Q = 948.08 CFS
Time to Peak = 1171 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
TOTAL HYDROGRAPH AT 1 40RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

Table with 10 columns: TIME, Q, TIME, Q, TIME, Q, TIME, Q, TIME, Q. Rows range from 0 to 1400 minutes.

Total Runoff = 160.465 Acre-Ft.
Peak Q = 948.07 CFS
Time to Peak = 1171 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
TOTAL HYDROGRAPH AT 1 53I STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

Table with 10 columns: TIME, Q, TIME, Q, TIME, Q, TIME, Q, TIME, Q. Rows range from 0 to 1145 minutes.

1150	13.54	1151	14.55	1152	15.76	1153	17.37	1154	19.65
1155	23.36	1156	35.77	1157	40.13	1158	39.09	1159	36.28
1160	31.45	1161	17.41	1162	11.09	1163	9.22	1164	8.06
1165	7.25	1166	6.65	1167	6.17	1168	5.74	1169	5.39
1170	5.09	1171	4.83	1172	4.61	1173	4.42	1174	4.23
1175	4.06	1176	3.90	1177	3.75	1178	3.62	1179	3.50
	3.39	1181	3.29	1182	3.20	1183	3.12	1184	3.04
	2.96	1186	2.89	1187	2.82	1188	2.76	1189	2.70
	2.65	1191	2.59	1192	2.54	1193	2.50	1194	2.45
1195	2.40	1196	2.35	1197	2.30	1198	2.25	1199	2.20
1200	2.16	1201	2.11	1202	2.08	1203	2.04	1204	2.01
1205	1.97	1206	1.94	1207	1.90	1208	1.87	1209	1.84
1210	1.81	1211	1.79	1212	1.76	1213	1.73	1214	1.70
1215	1.68	1216	1.66	1217	1.64	1218	1.61	1219	1.59
1220	1.57	1221	1.55	1222	1.53	1223	1.51	1224	1.49
1225	1.48	1226	1.46	1227	1.44	1228	1.42	1229	1.41
1230	1.39	1231	1.38	1232	1.36	1233	1.34	1234	1.33
1235	1.32	1236	1.31	1237	1.29	1238	1.28	1239	1.27
1240	1.25	1241	1.24	1242	1.23	1243	1.22	1244	1.21
1245	1.20	1246	1.19	1247	1.17	1248	1.16	1249	1.15
1250	1.15	1251	1.14	1252	1.13	1253	1.12	1254	1.11
1255	1.09	1256	1.09	1257	1.08	1258	1.07	1259	1.07
1260	1.06	1261	1.05	1262	1.04	1263	1.04	1264	1.03
1265	1.02	1266	1.01	1267	1.00	1268	1.00	1269	0.99
1270	0.98	1271	0.97	1272	0.97	1273	0.96	1274	0.96
1275	0.95	1276	0.94	1277	0.94	1278	0.93	1279	0.92
1280	0.92	1281	0.91	1282	0.91	1283	0.90	1284	0.90
1285	0.89	1286	0.89	1287	0.88	1288	0.88	1289	0.87
1290	0.86	1291	0.86	1292	0.85	1293	0.85	1294	0.84
1295	0.84	1296	0.84	1297	0.83	1298	0.83	1299	0.82
1300	0.82	1310	0.78	1320	0.73	1330	0.67	1340	0.63
1350	0.59	1360	0.55	1370	0.52	1380	0.49	1390	0.46
1400	0.44	1420	0.39	1440	0.35	1460	0.30	1500	0.20

Total Runoff = 2.941 Acre-ft.
 Peak Q = 40.13 CFS
 Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY

TOTAL HYDROGRAPH AT 1 53RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.40	100	0.40	200	0.44	300	0.51	400	0.60
500	0.71	600	0.83	700	0.96	800	1.16	900	1.50
1000	2.24	1050	2.90	1100	4.36	1110	4.88	1120	5.61
1130	6.71	1131	6.85	1132	7.00	1133	7.15	1134	7.31
1135	7.49	1136	7.68	1137	7.88	1138	8.10	1139	8.34
1140	8.60	1141	8.88	1142	9.20	1143	9.55	1144	9.93
1145	10.36	1146	10.80	1147	11.30	1148	11.89	1149	12.57
1150	13.38	1151	14.36	1152	15.55	1153	17.10	1154	19.26
1155	22.76	1156	33.69	1157	39.84	1158	39.24	1159	36.73
1160	32.16	1161	19.92	1162	11.68	1163	9.73	1164	8.16
1165	7.49	1166	6.71	1167	6.31	1168	5.91	1169	5.48
1170	5.15	1171	4.90	1172	4.66	1173	4.46	1174	4.27
	4.10	1176	3.93	1177	3.79	1178	3.68	1179	3.53
	3.42	1181	3.32	1182	3.22	1183	3.14	1184	3.06
	2.98	1186	2.91	1187	2.84	1188	2.77	1189	2.72
1190	2.66	1191	2.61	1192	2.56	1193	2.51	1194	2.47
1195	2.42	1196	2.37	1197	2.31	1198	2.26	1199	2.21
1200	2.17	1201	2.13	1202	2.09	1203	2.06	1204	2.02
1205	1.96	1206	1.95	1207	1.91	1208	1.88	1209	1.85
1210	1.82	1211	1.79	1212	1.77	1213	1.74	1214	1.71
1215	1.69	1216	1.66	1217	1.64	1218	1.62	1219	1.59
1220	1.59	1221	1.55	1222	1.53	1223	1.52	1224	1.50
1225	1.49	1226	1.46	1227	1.45	1228	1.43	1229	1.41
1230	1.40	1231	1.38	1232	1.37	1233	1.35	1234	1.33
1235	1.32	1236	1.31	1237	1.30	1238	1.28	1239	1.27
1240	1.26	1241	1.25	1242	1.23	1243	1.22	1244	1.21
1245	1.20	1246	1.19	1247	1.18	1248	1.16	1249	1.16
1250	1.15	1251	1.14	1252	1.13	1253	1.12	1254	1.11
1255	1.10	1256	1.09	1257	1.08	1258	1.07	1259	1.07
1260	1.06	1261	1.05	1262	1.04	1263	1.04	1264	1.03
1265	1.02	1266	1.02	1267	1.01	1268	1.00	1269	0.99
1270	0.98	1271	0.98	1272	0.97	1273	0.96	1274	0.96
1275	0.95	1276	0.94	1277	0.94	1278	0.93	1279	0.93
1280	0.92	1281	0.91	1282	0.91	1283	0.90	1284	0.90
1285	0.89	1286	0.89	1287	0.89	1288	0.88	1289	0.87
1290	0.87	1291	0.86	1292	0.86	1293	0.85	1294	0.85
1295	0.84	1296	0.84	1297	0.83	1298	0.83	1299	0.82
1300	0.82	1310	0.78	1320	0.73	1330	0.68	1340	0.64
1350	0.59	1360	0.55	1370	0.52	1380	0.49	1390	0.46
1400	0.44	1420	0.40	1440	0.40	1460	0.40	1500	0.40

Total Runoff = 2.999 Acre-ft.
 Peak Q = 39.84 CFS
 Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY

TOTAL HYDROGRAPH AT 1 64K STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	0.01	200	0.01	300	0.02	400	0.02
500	0.02	600	0.02	700	0.02	800	0.02	900	0.03
1000	0.03	1050	0.04	1100	0.06	1110	0.06	1120	0.07
1130	0.08	1131	0.08	1132	0.08	1133	0.08	1134	0.08
1135	0.09	1136	0.09	1137	0.09	1138	0.09	1139	0.09
1140	0.10	1141	0.10	1142	0.10	1143	0.10	1144	0.11
1145	0.11	1146	0.12	1147	0.12	1148	0.13	1149	0.13
1150	0.14	1151	0.15	1152	0.16	1153	0.18	1154	0.22
1155	0.29	1156	0.46	1157	0.53	1158	0.51	1159	0.47
1160	0.39	1161	0.19	1162	0.12	1163	0.10	1164	0.09
	0.09	1166	0.08	1167	0.07	1168	0.07	1169	0.07
	0.06	1171	0.06	1172	0.06	1173	0.06	1174	0.06
	0.05	1176	0.05	1177	0.05	1178	0.05	1179	0.05
	0.05	1181	0.05	1182	0.04	1183	0.04	1184	0.04
	0.04	1186	0.04	1187	0.04	1188	0.04	1189	0.04
1190	0.04	1191	0.04	1192	0.04	1193	0.04	1194	0.04
1195	0.04	1196	0.04	1197	0.04	1198	0.04	1199	0.03
1200	0.03	1201	0.03	1202	0.03	1203	0.03	1204	0.03

1205	0.03	1206	0.03	1207	0.03	1208	0.03	1209	0.03
1210	0.03	1211	0.03	1212	0.03	1213	0.03	1214	0.03
1215	0.03	1216	0.03	1217	0.03	1218	0.03	1219	0.03
1220	0.03	1221	0.03	1222	0.03	1223	0.03	1224	0.03
1225	0.03	1226	0.03	1227	0.03	1228	0.03	1229	0.03
1230	0.03	1231	0.03	1232	0.03	1233	0.03	1234	0.03
	0.03	1235	0.03	1237	0.03	1238	0.03	1239	0.02
	0.02	1241	0.02	1242	0.02	1243	0.02	1244	0.02
	0.02	1246	0.02	1247	0.02	1248	0.02	1249	0.02
1250	0.02	1251	0.02	1252	0.02	1253	0.02	1254	0.02
1255	0.02	1256	0.02	1257	0.02	1258	0.02	1259	0.02
1260	0.02	1261	0.02	1262	0.02	1263	0.02	1264	0.02
1265	0.02	1266	0.02	1267	0.02	1268	0.02	1269	0.02
1270	0.02	1271	0.02	1272	0.02	1273	0.02	1274	0.02
1275	0.02	1276	0.02	1277	0.02	1278	0.02	1279	0.02
1280	0.02	1281	0.02	1282	0.02	1283	0.02	1284	0.02
1285	0.02	1286	0.02	1287	0.02	1288	0.02	1289	0.02
1290	0.02	1291	0.02	1292	0.02	1293	0.02	1294	0.02
1295	0.02	1296	0.02	1297	0.02	1298	0.02	1299	0.02
1300	0.02	1301	0.02	1302	0.02	1303	0.02	1304	0.02
1350	0.02	1360	0.02	1370	0.02	1380	0.02	1390	0.02
1400	0.01	1420	0.01	1440	0.01	1460	0.00	1500	0.00

Total Runoff = 0.052 Acre-ft.
 Peak Q = 0.53 CFS
 Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 64RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.40	100	0.40	200	0.40	300	0.40	400	0.40
500	0.40	600	0.40	700	0.40	800	0.40	900	0.40
1000	0.40	1050	0.40	1100	0.40	1110	0.40	1120	0.40
1130	0.40	1131	0.40	1132	0.40	1133	0.40	1134	0.40
1135	0.40	1136	0.40	1137	0.40	1138	0.40	1139	0.40
1140	0.40	1141	0.40	1142	0.40	1143	0.40	1144	0.40
1145	0.40	1146	0.40	1147	0.40	1148	0.40	1149	0.40
1150	0.40	1151	0.40	1152	0.40	1153	0.40	1154	0.40
1155	0.40	1156	0.45	1157	0.52	1158	0.52	1159	0.47
1160	0.41	1161	0.40	1162	0.40	1163	0.40	1164	0.40
1165	0.40	1166	0.40	1167	0.40	1168	0.40	1169	0.40
1170	0.40	1171	0.40	1172	0.40	1173	0.40	1174	0.40
1175	0.40	1176	0.40	1177	0.40	1178	0.40	1179	0.40
1180	0.40	1181	0.40	1182	0.40	1183	0.40	1184	0.40
1185	0.40	1186	0.40	1187	0.40	1188	0.40	1189	0.40
1190	0.40	1191	0.40	1192	0.40	1193	0.40	1194	0.40
1195	0.40	1196	0.40	1197	0.40	1198	0.40	1199	0.40
1200	0.40	1201	0.40	1202	0.40	1203	0.40	1204	0.40
1205	0.40	1206	0.40	1207	0.40	1208	0.40	1209	0.40
1210	0.40	1211	0.40	1212	0.40	1213	0.40	1214	0.40
1215	0.40	1216	0.40	1217	0.40	1218	0.40	1219	0.40
1220	0.40	1221	0.40	1222	0.40	1223	0.40	1224	0.40
1225	0.40	1226	0.40	1227	0.40	1228	0.40	1229	0.40
	0.40	1231	0.40	1232	0.40	1233	0.40	1234	0.40
	0.40	1235	0.40	1237	0.40	1238	0.40	1239	0.40
	0.40	1241	0.40	1242	0.40	1243	0.40	1244	0.40
1245	0.40	1246	0.40	1247	0.40	1248	0.40	1249	0.40
1250	0.40	1251	0.40	1252	0.40	1253	0.40	1254	0.40
1255	0.40	1256	0.40	1257	0.40	1258	0.40	1259	0.40
1260	0.40	1261	0.40	1262	0.40	1263	0.40	1264	0.40
1265	0.40	1266	0.40	1267	0.40	1268	0.40	1269	0.40
1270	0.40	1271	0.40	1272	0.40	1273	0.40	1274	0.40
1275	0.40	1276	0.40	1277	0.40	1278	0.40	1279	0.40
1280	0.40	1281	0.40	1282	0.40	1283	0.40	1284	0.40
1285	0.40	1286	0.40	1287	0.40	1288	0.40	1289	0.40
1290	0.40	1291	0.40	1292	0.40	1293	0.40	1294	0.40
1295	0.40	1296	0.40	1297	0.40	1298	0.40	1299	0.40
1300	0.40	1301	0.40	1302	0.40	1303	0.40	1304	0.40
1350	0.40	1360	0.40	1370	0.40	1380	0.40	1390	0.40
1400	0.40	1420	0.40	1440	0.40	1460	0.40	1500	0.40

Total Runoff = 0.827 Acre-ft.
 Peak Q = 0.52 CFS
 Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 70M STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.30	100	0.22	200	0.24	300	0.25	400	0.33
500	0.39	600	0.46	700	0.53	800	0.64	900	0.82
1000	1.25	1050	1.61	1100	2.42	1110	2.71	1120	3.12
1130	3.74	1131	3.81	1132	3.99	1133	3.98	1134	4.07
1135	4.17	1136	4.28	1137	4.39	1138	4.52	1139	4.65
1140	4.79	1141	4.96	1142	5.14	1143	5.32	1144	5.58
1145	5.78	1146	6.03	1147	6.32	1148	6.65	1149	7.04
1150	7.50	1151	8.08	1152	8.74	1153	9.63	1154	10.90
1155	12.95	1156	19.93	1157	22.24	1158	21.87	1159	20.11
1160	17.43	1161	19.85	1162	21.15	1163	21.11	1164	19.47
1165	14.92	1166	13.68	1167	13.42	1168	13.18	1169	12.98
1170	12.82	1171	12.68	1172	12.56	1173	12.45	1174	12.35
1175	12.25	1176	12.16	1177	12.09	1178	12.01	1179	11.94
1180	11.98	1181	11.83	1182	11.77	1183	11.73	1184	11.68
1185	11.64	1186	11.60	1187	11.66	1188	11.63	1189	11.50
1190	11.47	1191	11.44	1192	11.41	1193	11.39	1194	11.36
1195	11.33	1196	11.30	1197	11.27	1198	11.25	1199	11.22
1200	11.20	1201	11.17	1202	11.15	1203	11.13	1204	11.11
1205	11.09	1206	11.08	1207	11.05	1208	11.04	1209	11.02
1210	11.00	1211	11.00	1212	11.00	1213	11.00	1214	11.00
1215	10.93	1216	10.92	1217	10.91	1218	10.89	1219	10.88
	10.87	1221	10.86	1222	10.85	1223	10.84	1224	10.83
	10.82	1226	10.81	1227	10.80	1228	10.79	1229	10.78
	10.77	1231	10.76	1232	10.76	1233	10.75	1234	10.74
	10.73	1236	10.72	1237	10.72	1238	10.71	1239	10.70
	10.71	1241	10.69	1242	10.68	1243	10.67	1244	10.67
1245	10.66	1246	10.66	1247	10.65	1248	10.64	1249	10.64
1250	10.61	1251	10.61	1252	10.61	1253	10.62	1254	10.61
1255	10.61	1256	10.60	1257	10.60	1258	10.59	1259	10.59

1260	0.59	1261	0.58	1262	0.58	1263	0.57	1264	0.57
1265	0.57	1266	0.56	1267	0.56	1268	0.55	1269	0.55
1270	0.54	1271	0.54	1272	0.54	1273	0.53	1274	0.53
1275	0.53	1276	0.52	1277	0.52	1278	0.52	1279	0.51
1280	0.51	1281	0.51	1282	0.50	1283	0.50	1284	0.50
1285	0.49	1286	0.49	1287	0.49	1288	0.49	1289	0.48
	0.48	1291	0.48	1292	0.47	1293	0.47	1294	0.47
	0.46	1296	0.46	1297	0.46	1298	0.46	1299	0.46
	0.45	1310	0.43	1320	0.40	1330	0.37	1340	0.35
1350	0.33	1360	0.30	1370	0.29	1380	0.27	1390	0.26
1400	0.24	1420	0.22	1440	0.20	1460	0.00	1500	0.00

Total Runoff = 1.630 Acra-ft.
 Peak Q = 22.24 CFS
 Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 7072 STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.40	100	0.40	200	0.40	300	0.40	400	0.40
500	0.40	600	0.46	700	0.53	800	0.64	900	0.83
1000	1.24	1050	1.61	1100	2.41	1110	2.70	1120	3.09
1130	3.70	1131	3.77	1132	3.85	1133	3.93	1134	4.01
1135	4.11	1136	4.21	1137	4.32	1138	4.44	1139	4.57
1140	4.72	1141	4.88	1142	5.05	1143	5.24	1144	5.44
1145	5.67	1146	5.91	1147	6.18	1148	6.50	1149	6.86
1150	7.29	1151	7.80	1152	8.42	1153	9.22	1154	10.37
1155	12.10	1156	17.20	1157	21.65	1158	21.84	1159	20.71
1160	18.41	1161	12.79	1162	7.64	1163	5.64	1164	4.76
1165	4.30	1166	3.90	1167	3.58	1168	3.33	1169	3.11
1170	2.92	1171	2.77	1172	2.63	1173	2.51	1174	2.41
1175	2.31	1176	2.21	1177	2.13	1178	2.05	1179	1.98
1180	1.92	1181	1.86	1182	1.81	1183	1.76	1184	1.71
1185	1.67	1186	1.63	1187	1.59	1188	1.55	1189	1.52
1190	1.49	1191	1.46	1192	1.43	1193	1.40	1194	1.38
1195	1.35	1196	1.32	1197	1.29	1198	1.26	1199	1.24
1200	1.22	1201	1.20	1202	1.17	1203	1.15	1204	1.13
1205	1.11	1206	1.09	1207	1.07	1208	1.05	1209	1.04
1210	1.02	1211	1.00	1212	0.98	1213	0.97	1214	0.96
1215	0.95	1216	0.93	1217	0.92	1218	0.91	1219	0.89
1220	0.88	1221	0.87	1222	0.86	1223	0.85	1224	0.84
1225	0.83	1226	0.82	1227	0.81	1228	0.80	1229	0.79
1230	0.78	1231	0.77	1232	0.76	1233	0.76	1234	0.75
1235	0.74	1236	0.73	1237	0.73	1238	0.72	1239	0.71
1240	0.70	1241	0.70	1242	0.69	1243	0.68	1244	0.68
1245	0.67	1246	0.66	1247	0.66	1248	0.65	1249	0.64
1250	0.64	1251	0.64	1252	0.63	1253	0.63	1254	0.62
1255	0.61	1256	0.61	1257	0.60	1258	0.60	1259	0.59
1260	0.59	1261	0.59	1262	0.58	1263	0.58	1264	0.57
1265	0.57	1266	0.57	1267	0.56	1268	0.56	1269	0.55
1270	0.55	1271	0.54	1272	0.54	1273	0.54	1274	0.53
1275	0.53	1276	0.53	1277	0.52	1278	0.52	1279	0.52
1280	0.51	1281	0.51	1282	0.51	1283	0.50	1284	0.50
	0.50	1286	0.49	1287	0.49	1288	0.49	1289	0.49
	0.48	1291	0.48	1292	0.48	1293	0.47	1294	0.47
	0.47	1296	0.47	1297	0.46	1298	0.46	1299	0.46
1300	0.46	1310	0.43	1320	0.41	1330	0.40	1340	0.40
1350	0.40	1360	0.40	1370	0.40	1380	0.40	1390	0.40
1400	0.40	1420	0.40	1440	0.40	1460	0.40	1500	0.40

Total Runoff = 1.782 Acra-ft.
 Peak Q = 21.84 CFS
 Time to Peak = 1158 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 72N STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	0.14	200	0.18	300	0.19	400	0.22
500	0.26	600	0.31	700	0.36	800	0.43	900	0.56
1000	0.83	1050	1.07	1100	1.62	1110	1.81	1120	2.08
1130	2.59	1131	2.54	1132	2.60	1133	2.65	1134	2.71
1135	2.78	1136	2.85	1137	2.93	1138	3.01	1139	3.10
1140	3.20	1141	3.31	1142	3.42	1143	3.55	1144	3.70
1145	3.95	1146	4.02	1147	4.21	1148	4.43	1149	4.69
1150	5.00	1151	5.38	1152	5.82	1153	6.42	1154	7.26
1155	8.63	1156	13.22	1157	14.83	1158	14.45	1159	13.41
1160	11.62	1161	6.43	1162	4.10	1163	3.41	1164	2.98
1165	2.68	1166	2.46	1167	2.28	1168	2.12	1169	1.99
1170	1.88	1171	1.79	1172	1.70	1173	1.63	1174	1.58
1175	1.50	1176	1.44	1177	1.39	1178	1.34	1179	1.29
1180	1.25	1181	1.22	1182	1.19	1183	1.15	1184	1.12
1185	1.09	1186	1.07	1187	1.04	1188	1.02	1189	1.00
1190	0.98	1191	0.96	1192	0.94	1193	0.92	1194	0.91
1195	0.89	1196	0.87	1197	0.85	1198	0.83	1199	0.81
1200	0.80	1201	0.78	1202	0.77	1203	0.75	1204	0.74
1205	0.73	1206	0.72	1207	0.70	1208	0.69	1209	0.68
1210	0.67	1211	0.66	1212	0.65	1213	0.64	1214	0.63
1215	0.62	1216	0.61	1217	0.61	1218	0.60	1219	0.59
1220	0.58	1221	0.57	1222	0.56	1223	0.56	1224	0.55
1225	0.55	1226	0.54	1227	0.53	1228	0.53	1229	0.52
1230	0.51	1231	0.51	1232	0.50	1233	0.50	1234	0.49
1235	0.49	1236	0.48	1237	0.48	1238	0.47	1239	0.47
1240	0.46	1241	0.46	1242	0.45	1243	0.45	1244	0.45
1245	0.44	1246	0.44	1247	0.43	1248	0.43	1249	0.43
1250	0.42	1251	0.42	1252	0.42	1253	0.41	1254	0.41
1255	0.40	1256	0.40	1257	0.40	1258	0.40	1259	0.39
1260	0.39	1261	0.39	1262	0.39	1263	0.38	1264	0.38
1265	0.38	1266	0.37	1267	0.37	1268	0.37	1269	0.37
1270	0.36	1271	0.36	1272	0.36	1273	0.36	1274	0.35
1275	0.35	1276	0.35	1277	0.35	1278	0.34	1279	0.34
	0.34	1281	0.34	1282	0.34	1283	0.33	1284	0.33
	0.33	1286	0.33	1287	0.33	1288	0.33	1289	0.33
	0.32	1291	0.32	1292	0.32	1293	0.31	1294	0.31
	0.31	1296	0.31	1297	0.31	1298	0.31	1299	0.31
1300	0.30	1310	0.29	1320	0.27	1330	0.26	1340	0.26
1350	0.25	1360	0.25	1370	0.25	1380	0.25	1390	0.25
1400	0.25	1420	0.25	1440	0.25	1460	0.25	1500	0.25

Total Runoff = 1.087 Acre-ft.
Peak Q = 14.83 CFS
Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
HYDROGRAPH AT 1 72RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

Table with 10 columns: TIME, Q, TIME, Q, TIME, Q, TIME, Q, TIME, Q. Data points range from 0 to 1400 minutes.

Total Runoff = 1.347 Acre-ft.
Peak Q = 14.63 CFS
Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
HYDROGRAPH AT 1 750 STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

Table with 10 columns: TIME, Q, TIME, Q, TIME, Q, TIME, Q, TIME, Q. Data points range from 0 to 1400 minutes.

Total Runoff = 2.845 Acre-ft.
Peak Q = 33.32 CFS
Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
HYDROGRAPH AT 1 75RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

Table with 10 columns: TIME, Q, TIME, Q, TIME, Q, TIME, Q, TIME, Q. Data points range from 0 to 500 minutes.

1000	2.16	1050	2.60	1100	4.20	1110	4.69	1120	5.39
1130	6.44	1131	6.56	1132	6.70	1133	6.84	1134	6.99
1135	7.16	1136	7.34	1137	7.53	1138	7.73	1139	7.96
1140	8.20	1141	8.47	1142	8.77	1143	9.09	1144	9.44
1145	9.84	1146	10.26	1147	10.72	1148	11.25	1149	11.87
1150	12.60	1151	13.49	1152	14.58	1153	15.94	1154	17.82
	20.73	1156	28.78	1157	36.99	1158	38.04	1159	36.47
	32.59	1161	23.69	1162	14.30	1163	10.27	1164	8.50
	7.58	1166	6.86	1167	6.31	1168	5.85	1169	5.46
1170	5.16	1171	4.88	1172	4.64	1173	4.43	1174	4.24
1175	4.06	1176	3.90	1177	3.75	1178	3.61	1179	3.48
1180	3.37	1181	3.27	1182	3.17	1183	3.08	1184	3.00
1185	2.93	1186	2.85	1187	2.79	1188	2.73	1189	2.67
1190	2.61	1191	2.56	1192	2.51	1193	2.46	1194	2.42
1195	2.37	1196	2.33	1197	2.27	1198	2.23	1199	2.18
1200	2.13	1201	2.09	1202	2.05	1203	2.01	1204	1.98
1205	1.95	1206	1.91	1207	1.88	1208	1.84	1209	1.81
1210	1.78	1211	1.75	1212	1.73	1213	1.70	1214	1.68
1215	1.65	1216	1.63	1217	1.61	1218	1.58	1219	1.56
1220	1.54	1221	1.52	1222	1.50	1223	1.48	1224	1.46
1225	1.45	1226	1.43	1227	1.41	1228	1.40	1229	1.38
1230	1.36	1231	1.35	1232	1.33	1233	1.32	1234	1.30
1235	1.29	1236	1.28	1237	1.27	1238	1.25	1239	1.24
1240	1.23	1241	1.21	1242	1.20	1243	1.19	1244	1.18
1245	1.17	1246	1.16	1247	1.15	1248	1.14	1249	1.13
1250	1.12	1251	1.11	1252	1.10	1253	1.09	1254	1.08
1255	1.07	1256	1.06	1257	1.05	1258	1.04	1259	1.04
1260	1.03	1261	1.02	1262	1.02	1263	1.01	1264	1.00
1265	0.99	1266	0.99	1267	0.98	1268	0.97	1269	0.96
1270	0.96	1271	0.95	1272	0.94	1273	0.94	1274	0.93
1275	0.93	1276	0.92	1277	0.91	1278	0.91	1279	0.90
1280	0.89	1281	0.89	1282	0.88	1283	0.88	1284	0.87
1285	0.87	1286	0.86	1287	0.86	1288	0.85	1289	0.85
1290	0.84	1291	0.84	1292	0.83	1293	0.83	1294	0.82
1295	0.82	1296	0.81	1297	0.81	1298	0.80	1299	0.80
1300	0.80	1310	0.76	1320	0.71	1330	0.66	1340	0.62
1350	0.58	1360	0.54	1370	0.51	1380	0.48	1390	0.45
1400	0.43	1420	0.40	1440	0.40	1460	0.40	1500	0.40

Total Runoff = 2.906 Acra-ft.
 Peak Q = 38.04 CFS
 Time to Peak = 1158 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY

TOTAL HYDROGRAPH AT 1 79P STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	0.38	200	0.43	300	0.50
500	0.70	600	0.82	700	0.95	800	1.15
1000	2.22	1050	2.87	1100	4.32	1110	4.84
1130	6.67	1131	6.80	1132	6.95	1133	7.10
1135	7.45	1136	7.64	1137	7.84	1138	8.06
1140	8.56	1141	8.85	1142	9.17	1143	9.51
1145	10.32	1146	10.76	1147	11.27	1148	11.87
	13.39	1151	14.39	1152	15.59	1153	17.18
	23.10	1156	35.38	1157	39.69	1158	38.67
	31.11	1161	17.22	1162	10.97	1163	9.12
1165	7.17	1166	6.57	1167	6.10	1168	5.67
1170	5.03	1171	4.76	1172	4.56	1173	4.37
1175	4.01	1176	3.85	1177	3.71	1178	3.58
1180	3.36	1181	3.26	1182	3.16	1183	3.08
1185	2.92	1186	2.86	1187	2.79	1188	2.73
1190	2.62	1191	2.56	1192	2.51	1193	2.47
1195	2.37	1196	2.32	1197	2.27	1198	2.22
1200	2.14	1201	2.09	1202	2.06	1203	2.02
1205	1.95	1206	1.92	1207	1.88	1208	1.85
1210	1.79	1211	1.77	1212	1.74	1213	1.72
1215	1.66	1216	1.64	1217	1.62	1218	1.59
1220	1.55	1221	1.53	1222	1.51	1223	1.50
1225	1.45	1226	1.44	1227	1.43	1228	1.41
1230	1.38	1231	1.36	1232	1.35	1233	1.33
1235	1.30	1236	1.30	1237	1.28	1238	1.27
1240	1.24	1241	1.23	1242	1.22	1243	1.21
1245	1.18	1246	1.17	1247	1.16	1248	1.15
1250	1.14	1251	1.12	1252	1.12	1253	1.11
1255	1.08	1256	1.06	1257	1.07	1258	1.06
1260	1.05	1261	1.04	1262	1.03	1263	1.03
1265	1.01	1266	1.00	1267	0.99	1268	0.99
1270	0.97	1271	0.96	1272	0.96	1273	0.95
1275	0.94	1276	0.93	1277	0.93	1278	0.92
1280	0.91	1281	0.90	1282	0.90	1283	0.89
1285	0.88	1286	0.88	1287	0.87	1288	0.87
1290	0.86	1291	0.85	1292	0.85	1293	0.84
1295	0.83	1296	0.83	1297	0.82	1298	0.82
1300	0.81	1310	0.77	1320	0.72	1330	0.66
1350	0.58	1360	0.54	1370	0.52	1380	0.48
1400	0.43	1420	0.39	1440	0.35	1460	0.30

Total Runoff = 2.909 Acra-ft.
 Peak Q = 39.68 CFS
 Time to Peak = 1157 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY

TOTAL HYDROGRAPH AT 1 79RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.40	100	0.40	200	0.43	300	0.50
500	0.59	600	0.81	700	0.94	800	1.13
1000	2.14	1050	2.79	1100	4.05	1110	4.45
1130	6.36	1131	6.56	1132	6.77	1133	6.97
1135	6.40	1136	6.52	1137	6.41	1138	6.78
1140	7.68	1141	7.27	1142	7.41	1143	7.65
	8.11	1148	8.37	1147	8.55	1148	8.97
	9.70	1151	10.13	1152	10.61	1153	11.16
	12.88	1156	13.46	1157	14.30	1158	15.10
	11.75	1161	12.51	1162	12.85	1163	13.17
1165	10.57	1166	10.53	1167	10.35	1168	10.08
1170	12.52	1171	12.91	1172	13.46	1173	14.08
1175	8.48	1176	8.31	1177	8.35	1178	8.48

1180	4.87	1181	4.63	1182	4.41	1183	4.22	1184	4.05
1185	3.90	1186	3.76	1187	3.63	1188	3.51	1189	3.40
1190	3.30	1191	3.20	1192	3.11	1193	3.03	1194	2.95
1195	2.88	1196	2.81	1197	2.76	1198	2.70	1199	2.65
1200	2.60	1201	2.55	1202	2.49	1203	2.44	1204	2.39
1205	2.34	1206	2.30	1207	2.25	1208	2.21	1209	2.17
	2.13	1211	2.09	1212	2.06	1213	2.02	1214	1.99
	1.95	1216	1.92	1217	1.89	1218	1.86	1219	1.83
	1.80	1221	1.77	1222	1.75	1223	1.72	1224	1.69
1225	1.67	1226	1.65	1227	1.62	1228	1.60	1229	1.58
1230	1.56	1231	1.54	1232	1.52	1233	1.50	1234	1.48
1235	1.47	1236	1.45	1237	1.43	1238	1.42	1239	1.40
1240	1.39	1241	1.37	1242	1.36	1243	1.34	1244	1.33
1245	1.32	1246	1.30	1247	1.29	1248	1.29	1249	1.26
1250	1.25	1251	1.24	1252	1.23	1253	1.22	1254	1.20
1255	1.19	1256	1.18	1257	1.17	1258	1.16	1259	1.15
1260	1.14	1261	1.13	1262	1.12	1263	1.11	1264	1.11
1265	1.10	1266	1.09	1267	1.08	1268	1.07	1269	1.06
1270	1.06	1271	1.05	1272	1.04	1273	1.03	1274	1.03
1275	1.02	1276	1.01	1277	1.00	1278	1.00	1279	0.99
1280	0.98	1281	0.97	1282	0.97	1283	0.96	1284	0.95
1285	0.95	1286	0.94	1287	0.94	1288	0.93	1289	0.92
1290	0.92	1291	0.91	1292	0.91	1293	0.90	1294	0.90
1295	0.89	1296	0.89	1297	0.89	1298	0.88	1299	0.87
1300	0.86	1310	0.82	1320	0.78	1330	0.73	1340	0.68
1350	0.63	1360	0.59	1370	0.54	1380	0.51	1390	0.48
1400	0.46	1420	0.42	1440	0.40	1460	0.40	1500	0.40

Total Runoff = 2.975 Acre-ft.
 Peak Q = 31.18 CFS
 Time to Peak = 1163 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 104Q STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	1.56	200	1.69	300	1.81	400	1.98
500	2.19	600	2.48	700	2.86	800	3.50	900	5.26
1000	9.31	1050	12.88	1100	20.57	1110	23.21	1120	26.91
1130	32.53	1131	33.18	1132	33.88	1133	34.60	1134	35.38
1135	36.23	1136	37.11	1137	38.07	1138	39.11	1139	40.20
1140	41.40	1141	42.70	1142	44.14	1143	45.69	1144	47.43
1145	49.36	1146	51.50	1147	53.95	1148	56.45	1149	59.29
1150	62.64	1151	66.62	1152	71.50	1153	77.77	1154	85.58
1155	97.53	1156	132.79	1157	148.06	1158	150.19	1159	149.59
1160	147.26	1161	143.52	1162	138.49	1163	132.06	1164	123.96
1165	113.55	1166	99.00	1167	80.73	1168	62.80	1169	47.03
1170	33.32	1171	30.46	1172	28.06	1173	26.11	1174	24.48
1175	23.12	1176	21.95	1177	20.93	1178	19.66	1179	18.91
1180	13.06	1181	17.29	1182	16.60	1183	15.96	1184	15.38
1185	14.85	1186	14.38	1187	13.92	1188	13.49	1189	13.12
1190	12.76	1191	12.41	1192	12.09	1193	11.81	1194	11.52
1195	11.25	1196	11.00	1197	10.75	1198	10.50	1199	10.18
1200	9.88	1201	9.58	1202	9.31	1203	9.07	1204	8.81
	8.58	1206	8.36	1207	8.13	1208	7.95	1209	7.74
	7.56	1211	7.38	1212	7.21	1213	7.05	1214	6.88
	6.72	1216	6.57	1217	6.44	1218	6.31	1219	6.17
1220	6.04	1221	5.91	1222	5.79	1223	5.70	1224	5.56
1225	5.48	1226	5.36	1227	5.27	1228	5.17	1229	5.07
1230	4.99	1231	4.89	1232	4.83	1233	4.73	1234	4.63
1235	4.57	1236	4.49	1237	4.43	1238	4.34	1239	4.26
1240	4.20	1241	4.14	1242	4.08	1243	4.00	1244	3.95
1245	3.89	1246	3.83	1247	3.76	1248	3.70	1249	3.66
1250	3.61	1251	3.56	1252	3.50	1253	3.45	1254	3.39
1255	3.36	1256	3.34	1257	3.31	1258	3.28	1259	3.26
1260	3.24	1261	3.20	1262	3.18	1263	3.16	1264	3.14
1265	3.12	1266	3.10	1267	3.07	1268	3.05	1269	3.03
1270	3.01	1271	2.98	1272	2.96	1273	2.95	1274	2.92
1275	2.91	1276	2.88	1277	2.86	1278	2.85	1279	2.83
1280	2.81	1281	2.79	1282	2.78	1283	2.76	1284	2.74
1285	2.73	1286	2.70	1287	2.70	1288	2.68	1289	2.66
1290	2.65	1291	2.63	1292	2.62	1293	2.60	1294	2.58
1295	2.57	1296	2.56	1297	2.54	1298	2.53	1299	2.51
1300	2.50	1310	2.38	1320	2.26	1330	2.17	1340	2.08
1350	2.40	1360	1.92	1370	1.85	1380	1.79	1390	1.74
1400	1.69	1420	1.59	1440	1.51	1460	0.60	1500	0.60

Total Runoff = 12.654 Acre-ft.
 Peak Q = 150.19 CFS
 Time to Peak = 1159 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY
 TOTAL HYDROGRAPH AT 1 104RT STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

TIME	Q	TIME	Q	TIME	Q	TIME	Q	TIME	Q
0	0.00	100	1.18	200	1.74	300	1.72	400	1.96
500	2.12	600	2.42	700	2.76	800	3.35	900	4.86
1000	8.52	1050	11.81	1100	19.45	1110	20.38	1120	23.00
1130	26.96	1131	27.45	1132	27.95	1133	28.46	1134	28.99
1135	29.52	1136	30.08	1137	30.67	1138	31.28	1139	31.92
1140	32.60	1141	33.33	1142	34.11	1143	34.95	1144	35.85
1145	36.32	1146	37.86	1147	39.00	1148	40.24	1149	41.61
1150	43.12	1151	44.21	1152	46.69	1153	48.79	1154	51.14
1155	53.83	1156	57.02	1157	60.95	1158	66.02	1159	74.85
1160	86.64	1161	103.67	1162	115.37	1163	123.91	1164	129.72
1165	132.90	1166	133.62	1167	132.74	1168	129.80	1169	124.94
1170	112.76	1171	107.25	1172	94.72	1173	82.88	1174	72.74
1175	64.49	1176	57.53	1177	51.82	1178	47.01	1179	42.94
1180	39.47	1181	36.49	1182	33.92	1183	31.70	1184	29.78
1185	28.02	1186	26.44	1187	25.00	1188	23.74	1189	22.58
1190	21.83	1191	20.61	1192	19.76	1193	19.00	1194	18.29
	17.63	1196	17.01	1197	16.43	1198	15.93	1199	15.57
	14.29	1201	14.43	1202	14.01	1203	13.61	1204	13.23
	12.87	1206	12.33	1207	12.22	1208	11.83	1209	11.64
	11.36	1211	11.09	1212	10.81	1213	10.55	1214	10.29
	10.02	1216	9.79	1217	9.55	1218	9.31	1219	9.10
1220	8.89	1221	8.71	1222	8.52	1223	8.35	1224	8.19
1225	7.87	1226	7.83	1227	7.67	1228	7.51	1229	7.35
1230	7.20	1231	7.05	1232	6.91	1233	6.77	1234	6.64

TOTAL HYDROGRAPH AT 1 136AV STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

Table with 10 columns: TIME, Q, TIME, Q, TIME, Q, TIME, Q, TIME, Q. Rows range from 0 to 1400.

Total Runoff = 242.376 Acra-Ft.
Peak Q = 1380.04 CFS
Time to Peak = 1170 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY

TOTAL HYDROGRAPH AT 1 136AV STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000

Table with 10 columns: TIME, Q, TIME, Q, TIME, Q, TIME, Q, TIME, Q. Rows range from 0 to 1400.

Total Runoff = 8.501 Acra-Ft.
Peak Q = 116.68 CFS
Time to Peak = 1133 Minutes

MODIFIED RATIONAL METHOD HYDROLOGY

TOTAL HYDROGRAPH AT 1 140X STORM DAY 4 STORM FREQ. 50 REDUCTION FACTOR = 1.000


Table with 10 columns: TIME, Q, TIME, Q, TIME, Q, TIME, Q, TIME, Q. Rows range from 0 to 1400.

Total Runoff = 8.473 Acre-ft.
Peak Q = 99.07 CFS
Time to Peak = 1159 Minutes


Appendix 7
HEC-RAS Existing Analysis

Lyons Canyon Plan: Plan 02 4/15/2006


Lyons Canyon 1




Lyons Canyon Plan: Plan 02 4/15/2006




Lyons Canyon Plan: Plan 02 4/15/2006




Lyons Canyon Plan: Plan 02 4/15/2006



Lyons Canyon Plan: Plan 02 4/15/2006



Lyons Canyon Plan: Plan 02 4/15/2006



HEC-RAS Version 3.1.2 April 2004
 U.S. Army Corp of Engineers
 Hydrologic Engineering Center
 609 Second Street
 Davis, California

```

X   X   XXXXXX   XXXX   XXXX   XX   XXXX
X   X   X   X   X   X   X   X   X   X
X   X   X   X   X   X   X   X   X   X
XXXXXXXX XXXX   X   XXX XXXX XXXXXX XXXX
X   X   X   X   X   X   X   X   X   X
X   X   X   X   X   X   X   X   X   X
X   X   XXXXXX   XXXX   X   X   X   X   XXXXX
    
```

PROJECT DATA
 Project Title: Lyons Canyon
 Project File : 149HYR00.prj
 Run Date and Time: 4/15/2006 2:15:32 PM
 Project in English units

PLAN DATA

Plan Title: Plan 02
 Plan File : C:\HEC Data\RAS\149HYR00.p02
 Geometry Title: Lyons Canyon
 Geometry File : C:\HEC Data\RAS\149HYR00.g01
 Flow Title : Flow 01
 Flow File : C:\HEC Data\RAS\149HYR00.f01

Plan Summary Information:
 Number of: Cross Sections = 5 Multiple Openings = 0
 Culverts = 0 Inline Structures = 0
 Bridges = 0 Lateral Structures = 0

Computational Information

Water surface calculation tolerance = 0.01
 Critical depth calculation tolerance = 0.01
 Maximum number of iterations = 20
 Maximum difference tolerance = 0.3
 Flow tolerance factor = 0.001

Computation Options

Critical depth computed only where necessary
 Conveyance Calculation Method: At breaks in n values only
 Friction Slope Method: Average Conveyance
 Computational Flow Regime: Subcritical Flow

FLOW DATA

Flow Title: Flow 01
 Flow File : C:\HEC Data\RAS\149HYR00.f01

Flow Data (cfs)

River	Reach	RS	PF 1
Lyons Canyon	1	5	1625

Boundary Conditions

River	Reach	Profile	Upstream	Downstream
Lyons Canyon	1	PF 1		Normal S = 2.5

GEOMETRY DATA

Geometry Title: Lyons Canyon
 Geometry File : C:\HEC Data\RAS\149HYR00.g01

CROSS SECTION

RIVER: Lyons Canyon
 REACH: 1 RS: 5

INPUT

Description:

Station Elevation Data num= 161

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	1361.1	1.71	1361	2.81	1360.92	3.54	1360.86
18.6	1359.3	20.41	1359	26.74	1358	32.44	1357.12
33.43	1356.98	33.52	1356.96	39.52	1356	40.97	1355.77
45.92	1355.09	47.52	1355	53.04	1354.7	55.37	1354.55
59.87	1354.17	61.25	1354	63.95	1353.8	73.52	1353
83.03	1352.2	83.92	1352.13	85.97	1352	91.71	1351.62
98.61	1351.13	100.3	1351	107.62	1350.6	109.47	1350.49
118.86	1350.14	132.05	1349.6	136.47	1349.4	146.67	1349
147.66	1348.96	154.44	1348.7	158.28	1348.46	163.2	1348.13
171.87	1347.51	174.64	1347.3	180.01	1347	182.1	1346.89
185.98	1346.7	189.7	1346.51	194.81	1346.18	200.18	1346
205.8	1345.8	208.38	1345.73	211.98	1345.61	213.06	1345.61
220.02	1345.3	220.8	1345.31	222.3	1345.29	223.38	1345.29
228.53	1345.3	230.31	1345.33	235.59	1345.41	238.15	1345.4
						242.8	1345.48

Sta	n	Val	Sta	n	Val	Sta	n	Val
0	.3	73.74	1	.3	335.91			

Bank Sta: Left Right Lengths: Left Channel Right Ccoeff Contr. Expan.
 73.74 335.91 0 0 0 1 1.3

SUMMARY OF MANNING'S N-VALUES

River: Lyons Canyon

Reach	River Sta.	n1	n2	n3
1	5	.3	.1	.3
1	4	.3	.1	.3
1	3	.3	.1	.3
1	2	.3	.1	.3
1	1	.3	.1	.3

SUMMARY OF REACH LENGTHS

River: Lyons Canyon

Reach	River Sta.	Left	Channel	Right
1	5	200	200	200
1	4	200	200	200
1	3	114.85	140	280.81
1	2	258.89	195	325.03
1	1	0	0	0

SUMMARY OF CONTRACTION AND EXPANSION COEFFICIENTS


River: Lyons Canyon

Reach	River Sta.	Contr.	Expan.
1	5	.1	.3
1	4	.1	.3
1	3	.1	.3
1	2	.1	.3
1	1	.1	.3

Profile Output Table - Standard Table 1

Reach	River Sta	Profile	Q Total	Min Ch El	W.S. Elev	Crit W.S.	E.G. Elev	E.G. Slope	Vel Chnl	Flow
Area	Top Width	Froude #	(cfs)	(ft)	(ft)	(ft)	(ft)	(ft/ft)	(ft/s)	(sq
		Chi	ft)	ft)						
1	5	PF 1	1625.00	1345.29	1347.53	1347.24	1347.89	0.070619	4.83	
336.71	249.10	0.73								
1	4	PF 1	1625.00	1340.80	1343.69	1342.42	1343.77	0.009423	2.37	
685.76	327.50	0.29								
1	3	PF 1	1625.00	1335.00	1339.39		1339.77	0.066177	4.97	
342.98	271.09	0.72								
1	2	PF 1	1625.00	1334.00	1337.62		1337.68	0.006047	1.98	
820.06	364.56	0.23								
1	1	PF 1	1625.00	1331.00	1333.76	1333.76	1334.29	0.144394	6.06	
323.41	303.88	1.01								


Appendix 7
HEC-RAS Proposed Analysis









Lyons Canyon Plan: Plan 02 4/15/2006


Lyons Canyon 1

Legend
EG PF 1
WS PF 1
Crit PF 1
Ground









HEC-RAS Version 3.1.2 April 2004
 U.S. Army Corp of Engineers
 Hydrologic Engineering Center
 609 Second Street
 Davis, California

```

X   X   XXXXXX   XXXX   XXXX   XX   XXXX
X   X   X       X   X   X   X   X   X
X   X   X       X   X   X   X   X   X
XXXXXXXX XXXX   X   XXX XXXX XXXXXX XXXX
X   X   X       X   X   X   X   X   X
X   X   X       X   X   X   X   X   X
X   X   XXXXXX   XXXX   X   X   X   X   XXXXX
    
```

PROJECT DATA
 Project Title: Lyons Canyon
 Project File : 149HYR01.prj
 Run Date and Time: 4/15/2006 9:54:41 AM

Project in English units

PLAN DATA

Plan Title: Plan 02
 Plan File : C:\HEC Data\RAS\149HYR01.p02

Geometry Title: Lyons Canyon
 Geometry File : C:\HEC Data\RAS\149HYR01.g01

Flow Title : Flow 01
 Flow File : C:\HEC Data\RAS\149HYR01.f01

Plan Summary Information:
 Number of: Cross Sections = 5 Multiple Openings = 0
 Culverts = 1 Inline Structures = 0
 Bridges = 0 Lateral Structures = 0

Computational Information
 Water surface calculation tolerance = 0.01
 Critical depth calculation tolerance = 0.01
 Maximum number of iterations = 20
 Maximum difference tolerance = 0.3
 Flow tolerance factor = 0.001

Computation Options
 Critical depth computed only where necessary
 Conveyance Calculation Method: At breaks in n values only
 Friction Slope Method: Average Conveyance
 Computational Flow Regime: Subcritical Flow

FLOW DATA

Flow Title: Flow 01
 Flow File : C:\HEC Data\RAS\149HYR01.f01

Flow Data (cfs)

River	Reach	RS	PF 1
Lyons Canyon	1	5	245

Boundary Conditions

River	Reach	Profile	Upstream	Downstream
Lyons Canyon	1	PF 1		Normal S = 2

GEOMETRY DATA

Geometry Title: Lyons Canyon
 Geometry File : C:\HEC Data\RAS\149HYR01.g01

CROSS SECTION

RIVER: Lyons Canyon
 REACH: 1 RS: 5

INPUT

Description:
 Station Elevation Data num= 161

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	1361.1	1.71	1361	2.81	1360.92	3.54	1360.86	12.9	1360
18.6	1359.3	20.41	1359	26.74	1358	32.44	1357.12	33.28	1357
33.43	1356.98	33.52	1356.96	39.52	1356	40.97	1355.77	44.71	1355.25
45.92	1355.09	47.52	1355	53.04	1354.7	55.37	1354.55	57.61	1354.38
59.87	1354.17	61.25	1354	63.95	1353.8	73.52	1353	77.52	1352.6
83.03	1352.2	83.92	1352.13	85.97	1352	91.71	1351.62	96.84	1351.26
98.61	1351.13	100.3	1351	107.62	1350.6	109.47	1350.49	116.9	1350.21
118.86	1350.14	132.05	1349.6	136.47	1349.4	146.67	1349	147.36	1348.97
147.66	1348.96	154.44	1348.7	158.28	1348.46	163.2	1348.13	164.91	1348
171.87	1347.51	174.64	1347.3	180.01	1347	182.1	1346.89	184.36	1346.8
185.98	1346.7	189.7	1346.51	194.81	1346.18	200.18	1346	204.81	1345.79
205.8	1345.8	208.38	1345.73	211.98	1345.61	213.06	1345.61	217.62	1345.43
220.02	1345.3	220.8	1345.31	222.3	1345.29	223.38	1345.29	226.23	1345.31
228.53	1345.3	230.31	1345.33	235.59	1345.41	238.15	1345.4	242.8	1345.48

248.05	1345.5	251.84	1345.48	256.63	1345.49	260.34	1345.47	265.25	1345.48
268.82	1345.5	272.52	1345.43	281.02	1345.45	284.57	1345.48	288.06	1345.56
292.88	1345.7	296.32	1345.68	305.09	1345.87	308.28	1345.88	307.36	1345.88
311.05	1346	322.21	1346.26	336.01	1346.47	337.52	1346.5	330.56	1346.45
339.07	1346.45	342.38	1346.48	345.95	1346.5	347.77	1346.5	352.73	1346.59
356.5	1346.64	362.61	1346.67	366.09	1346.7	367.8	1346.7	369.2	1346.73
371.78	1346.74	374.07	1346.74	381.23	1346.78	383.28	1346.8	383.76	1346.79
386.77	1346.76	395.78	1346.83	397.66	1346.9	404.27	1347	404.42	1347
413.7	1347.55	417.29	1347.4	423.95	1347.66	432.68	1347.97	432.93	1347.98
433.53	1348	438.27	1348.14	440.34	1348.19	442.07	1348.22	445.05	1348.24
467.48	1348.3	454.07	1348.32	457.68	1348.45	459.98	1348.48	462.47	1348.59
463.91	1348.6	467.15	1348.84	467.64	1348.87	469.29	1349	476.99	1349.63
480.85	1350	487.23	1350.88	488.11	1351	489.21	1351.14	494.56	1352
497.31	1352.5	499.22	1353	502.11	1353.67	503.17	1354	505.51	1354.69
509.18	1355.76	510.01	1356	511.4	1356.41	513.44	1357	516.24	1357.8
516.88	1358	519.25	1358.69	520.35	1359	523.32	1359.85	523.83	1360
524.38	1360.17	527.29	1361	529.76	1361.76	530.61	1362	531.43	1362.3
534.02	1363	535.11	1363.34	537.45	1364	540.03	1364.88	540.48	1365
543.18	1365.84								

Manning's n Values num= 3
Sta n Val Sta n Val Sta n Val
0 .3 96.84 .1 488.11 .3

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.
96.84 488.11 200 200 200 .1 .3

CROSS SECTION

RIVER: Lyons Canyon

REACH: 1 RS: 4

INPUT

Description:

Station	Elevation	Data	num=	137							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	1353.7	8.99	1353	10.17	1352.92	11.83	1352.79	17.7	1352.32		
21.54	1352	26.54	1351.72	29.87	1351.55	41.09	1351.14	42.28	1351.1		
44.8	1351	53.99	1350.53	62.02	1350	73.82	1349.28	78.08	1349		
83.66	1348.61	93.27	1348	93.44	1348	94	1347.93	101.65	1347.2		
104.7	1347	109.22	1346.57	115	1346	116.99	1345.82	121.68	1345.36		
124.16	1345.1	125.14	1345	131.17	1344.4	137.51	1343.81	141.14	1343.46		
144.28	1343.13	145.74	1343	156.53	1342.06	157.23	1342	157.41	1341.99		
166.54	1341.73	169.68	1341.7	175.6	1341.49	181.06	1341.38	181.88	1341.36		
182.12	1341.34	183.77	1341.3	184.47	1341.29	190.94	1341	222.89	1340.8		
223.76	1340.84	226.79	1340.85	233.71	1340.92	237.74	1341	240.99	1340.99		
262.9	1341.11	270.08	1341.1	279.08	1341.02	280.54	1341.02	291.3	1341.1		
292.03	1341.12	292.73	1341.13	296.72	1341.11	297.73	1341.11	298.39	1341.1		
313.91	1341	324.21	1341.17	325.17	1341.18	326.76	1341.2	328.68	1341.2		
337.33	1341.66	338.82	1341.68	343.68	1341.72	357.79	1341.63	362.72	1341.7		
363.7	1341.65	368.74	1341.78	369.18	1341.76	369.41	1341.76	376.84	1341.9		
376.97	1341.94	378.72	1341.99	378.82	1342	395.65	1342.35	399.78	1342.4		
399.94	1342.44	400.24	1342.44	400.51	1342.43	401.34	1342.39	412.68	1342		
418.83	1341.89	427.86	1341.68	430	1341.66	434.9	1341.7	443.77	1341.91		
445.65	1342	450.46	1342.44	466.5	1343.7	470.66	1344	474.2	1344.39		
479.29	1345	486.19	1345.85	487.35	1346	488.4	1346.15	494.13	1347		
497.61	1347.96	497.75	1348	501.27	1349	502	1349.21	504.79	1350		
505.56	1350.22	508.34	1351	509.47	1351.32	511.81	1352	515.01	1352.89		
515.37	1353	517.6	1354	517.7	1354	517.92	1354.1	519.82	1355		
521.86	1355.9	522.07	1356	522.25	1356.08	524.27	1357	525.61	1357.59		
528.07	1358.7	528.79	1359	529.84	1359.46	531.04	1360	532.64	1360.69		
533.33	1361	533.93	1361.32	535.36	1362	536.65	1362.7	537.24	1363		
537.85	1363.3	539.12	1364	540.62	1364.85	540.89	1365	541.26	1365.21		
542.72	1366	543.18	1366.25								

Manning's n Values num= 3
Sta n Val Sta n Val Sta n Val
0 .3 141.14 .1 488.4 .3

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.
141.14 488.4 200 200 200 .1 .3

CROSS SECTION

RIVER: Lyons Canyon

REACH: 1 RS: 3

INPUT

Description:

Station	Elevation	Data	num=	173							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	1349.1	.78	1349	4.25	1348.55	7.99	1348	13.43	1347.1		
14.04	1347	14.56	1346.91	19.99	1346	22.17	1345.76	29.63	1345		
31.3	1344.66	32.78	1344	34.53	1343.35	35.53	1343	38.41	1342.58		
42.12	1342	47.33	1341.8	52.69	1341.63	54.64	1341.55	59.31	1341.54		
55.65	1341.5	55.74	1341.53	56.17	1341.51	56.44	1341.5	56.85	1341.53		
57.3	1341.55	62.59	1341.74	64.2	1341.78	67.26	1341.8	71.55	1341.94		
74.57	1341.97	75.73	1341.97	75.79	1341.98	75.87	1341.98	76.08	1342		
76.31	1341.97	76.41	1341.97	76.9	1341.92	82.62	1341.9	88.05	1341		
88.61	1340.88	93	1340	103.6	1339.6	104.78	1339.6	111.89	1339.31		
113.51	1339.27	114.21	1339.25	115.57	1339.24	117.67	1339.2	119.06	1339.2		
127.51	1339.02	128.37	1339	137.78	1338.9	154.65	1338.92	158.04	1339		
162.82	1339.37	165.47	1340	165.67	1340.1	176.15	1340.08	176.73	1340.08		
181.81	1340.07	185.25	1340.1	190.94	1340.03	198.39	1340	199.84	1339.94		
200.21	1339.83	200.67	1339.9	203.86	1339.8	206.45	1339.77	232.35	1339.64		
238.25	1337.87	240.23	1337.6	243.66	1337.32	246.46	1337	247.26	1336.86		
255.49	1336	261.01	1335	262.48	1335	266.78	1335.93	267.32	1336.06		
272.29	1337	274.12	1337.06	274.65	1337.06	275	1337.1	275.66	1337.07		
283.89	1337.25	285.77	1337.28	288.99	1337.32	292.73	1337.4	294.57	1337.45		
296.85	1337.54	297.67	1337.56	297.99	1337.56	299.43	1337.5	303.68	1337.53		
305.24	1337.53	307.99	1337.55	308.85	1337.55	311.7	1337.5	317.46	1337.56		
323.27	1337.58	325.6	1337.61	328.57	1337.7	331.8	1337.73	338.19	1337.89		
339.49	1337.91	341.2	1337.94	341.84	1338	346.07	1338	359.58	1338.11		
360.51	1338.1	360.77	1338.11	361.97	1338.14	370.82	1338.25	373.37	1338.3		
377.59	1338.4	385.69	1338.52	395.34	1338.7	396	1338.71	400.08	1338.7		
410.56	1338.89	411.53	1338.9	417.87	1339	419.45	1339.03	419.8	1339		
428.16	1339.24	430.7	1339.32	436.24	1339.48	437.19	1339.5	438.25	1339.5		

450.85	1339.76	452.02	1339.75	452.9	1339.74	455.54	1339.73	456.49	1339.7
457.53	1339.75	456.22	1339.81	458.62	1339.83	462.89	1340	464.28	1340
473.67	1340.45	482.77	1341	485.79	1341.97	495.03	1342	490.7	1342.1
496.19	1343	496.82	1343.19	500.6	1344	501.17	1344.2	505.43	1345
505.9	1345.1	510.35	1346	512.92	1346.67	516	1347	519.02	1347.64
520.37	1348	522.06	1346.49	523.55	1349	526.44	1349.9	526.77	1350
527.54	1350.22	529.9	1351	531.39	1351.85	533.14	1352	535.7	1352.76
536.46	1353	536.70	1353.1	539.76	1354	539.84	1354	540.54	1354.24
542.67	1354.91	542.97	1355	545.18	1355.06				

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.3	203.86	.1	490.7	.3

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.

203.86	490.7	114.85	140	280.81	.1	.3
--------	-------	--------	-----	--------	----	----

CROSS SECTION

RIVER: Lyons Canyon
REACH: 1

RS: 2

INPUT

Description:

Station Elevation Data num= 186

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	1361	2.31	1360.57	6.37	1360	9.06	1359.59	11.99	1359
13.58	1358.6	16.25	1358	19.21	1357.24	20.18	1357	21.89	1356.58
24.36	1356	28.08	1355.08	28.41	1355	28.93	1354.87	29.78	1354.68
32.46	1354.2	33.59	1354.02	34.08	1354	36.1	1353.93	40.22	1353.84
41.66	1353.7	42.66	1353.67	45.13	1353.47	54.57	1352.59	60.75	1352
70.63	1351	71.73	1350.86	74.92	1350.49	77.81	1350.1	79.03	1350
81.61	1349.69	87.23	1349	92.3	1348.42	95.1	1348	101.73	1347.2
103.28	1347	106.34	1346.65	111.6	1346	116.53	1345.1	116.96	1345
117.17	1344.92	120.06	1344	121.61	1343.43	123.06	1343	124.3	1342.92
127.64	1342.76	130.52	1342.6	136.68	1342.23	140.32	1342	140.62	1341.99
140.68	1341.93	143.2	1341.82	143.4	1341.8	144.66	1341.8	146.76	1341.93
148.81	1341.97	149.96	1342	154.59	1342.26	155.97	1342.3	157.52	1342.25
158.14	1342.24	167.48	1342	169.09	1342	170.93	1341.73	174.66	1341
176.49	1340.68	180.16	1340	187.26	1339.7	192.65	1339.59	205.51	1339
223.27	1338.34	224.41	1338.3	227.93	1338.21	237.57	1338	241.32	1337.87
240.33	1337.65	255.67	1337.3	263.15	1337	270.84	1336.86	273.87	1336.81
278.55	1336.75	286.43	1336.7	291.53	1336.59	294.02	1336.56	316.27	1336
317.11	1335.98	322.93	1335.89	327.64	1335.84	338.2	1335.8	340.72	1335.81
346.72	1335.91	357.63	1335.9	390.79	1335.1	391.89	1335.12	396.29	1335.01
396.64	1335	401.9	1334.13	402.51	1334	406.56	1334	410.94	1334.76
412.3	1335	413.89	1335	420.4	1335.15	422.69	1335.22	423.32	1335.22
437.14	1335.1	445.41	1335.01	446.16	1335	453.94	1334.96	454.38	1335
462.43	1334.92	463.37	1334.92	465.1	1334.9	474.23	1334.85	475.89	1334.83
483.87	1334.77	486.88	1334.74	495.15	1334.7	497.11	1334.64	512.51	1334.5
517.29	1334.48	521.99	1334.47	526.95	1334.44	529.83	1334.44	538.78	1334.38
542.54	1334.38	546.28	1334.4	550.2	1334.44	559.11	1334.57	562.4	1334.59
566.49	1334.58	571.78	1334.69	574.47	1334.7	580.81	1334.86	584.74	1334.99
584.95	1335	593.94	1335.41	603.47	1335.71	610.04	1336	611.87	1336.85
612.2	1337	612.45	1337.12	614.4	1338	615.36	1338.45	616.57	1339
617.67	1339.5	618.93	1340	620.51	1340.69	621.24	1341	622.64	1343.61
623.61	1342	623.96	1342.15	626.06	1343	627.85	1343.81	628.33	1344
630.2	1344.6	630.7	1345	631.45	1345.31	633.2	1346	634.15	1346.46
635.5	1347	636.86	1347.37	638.65	1348	641.09	1348.69	642.06	1349
645.09	1349.8	645.65	1350	646.01	1350.11	648.14	1350.75	648.99	1351
649.17	1351.1	652.68	1352	655.67	1352.95	655.93	1353	656.21	1353.05
656.56	1353	661.99	1352.32	664.38	1352.01	664.44	1352	664.53	1351.98
669.28	1351	671.03	1350.73	674.37	1350	676.28	1349.69	680.33	1349
681.14	1348.9								

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.3	205.51	.1	616.57	.3

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.

205.51	616.57	258.89	195	325.03	.1	.3
--------	--------	--------	-----	--------	----	----

Ineffective Flow num= 2

Sta L	Sta R	Elev	Permanent
0	390.79		F
411.82	681.14		F

CULVERT

RIVER: Lyons Canyon
REACH: 1

RS: 1.9

INPUT

Description:

Distance from Upstream XS = 35
Deck/Roadway Width = 70
Weir Coefficient = 2.6

Upstream Deck/Roadway Coordinates num= 2

Sta	Hi Cord	Lo Cord	Sta	Hi Cord	Lo Cord
11.99	1370	1370	655.67	1355	1355

Upstream Bridge Cross Section Data

Station Elevation Data num= 186

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	1361	2.31	1360.57	6.37	1360	9.06	1359.59	11.99	1359
13.58	1358.6	16.25	1358	19.21	1357.24	20.18	1357	21.89	1356.58
24.36	1356	28.08	1355.08	28.41	1355	28.93	1354.87	29.78	1354.68
32.46	1354.2	33.59	1354.02	34.08	1354	36.1	1353.93	40.22	1353.84
41.66	1353.7	42.66	1353.67	45.13	1353.47	54.57	1352.59	60.75	1352
70.63	1351	71.73	1350.86	74.92	1350.49	77.81	1350.1	79.03	1350
81.61	1349.69	87.23	1349	92.3	1348.42	95.1	1348	101.73	1347.2
103.28	1347	106.34	1346.65	111.6	1346	116.53	1345.1	116.96	1345
117.17	1344.92	120.06	1344	121.61	1343.43	123.06	1343	124.3	1342.92
127.64	1342.76	130.52	1342.6	136.68	1342.23	140.32	1342	140.62	1341.99
140.68	1341.93	143.2	1341.82	143.4	1341.8	144.66	1341.8	146.76	1341.93
148.81	1341.97	149.96	1342	154.59	1342.26	155.97	1342.3	157.52	1342.25
158.14	1342.24	167.48	1342	169.09	1342	170.93	1341.73	174.66	1341

176.49	1340.60	189.16	1340	187.26	1339.7	192.65	1339.59	205.51	1339
223.27	1338.34	224.41	1338.3	227.93	1338.21	237.57	1338	241.32	1337.87
248.33	1337.65	255.67	1337.3	263.15	1337	270.84	1336.86	273.87	1336.81
278.55	1336.75	286.43	1336.7	291.53	1336.59	294.02	1336.56	316.27	1336
317.11	1335.98	322.93	1335.89	327.64	1335.84	338.2	1335.8	340.72	1335.81
346.72	1335.91	357.63	1335.9	390.79	1335.1	391.89	1335.12	396.29	1335.01
396.64	1335	401.9	1334.13	402.51	1334	406.56	1334	410.94	1334.76
412.3	1335	413.69	1335	420.4	1335.15	422.69	1335.22	423.32	1335.22
437.14	1335.1	445.41	1335.01	446.16	1335	453.94	1334.96	454.38	1335
462.43	1334.92	463.37	1334.92	465.1	1334.9	474.23	1334.85	475.89	1334.83
483.87	1334.77	486.88	1334.74	495.15	1334.7	497.11	1334.64	512.51	1334.5
517.29	1334.48	521.99	1334.47	526.95	1334.44	529.83	1334.44	538.78	1334.38
542.54	1334.38	546.28	1334.4	550.2	1334.44	559.11	1334.57	562.4	1334.59
566.49	1334.58	571.78	1334.69	574.47	1334.7	580.81	1334.86	584.74	1334.99
584.95	1335	593.94	1335.41	603.47	1335.71	610.04	1336	611.87	1336.85
612.2	1337	612.45	1337.12	614.4	1338	615.36	1339.45	616.57	1339
617.67	1339.5	618.93	1340	620.31	1340.69	621.24	1341	622.64	1341.61
623.61	1342	623.96	1342.15	626.06	1343	627.85	1343.01	628.33	1344
630.2	1344.8	630.7	1345	631.45	1345.31	633.2	1346	634.15	1346.46
635.5	1347	636.86	1347.37	638.65	1348	641.09	1348.69	642.06	1349
645.09	1349.8	645.65	1350	646.01	1350.11	648.14	1350.75	648.99	1351
649.17	1351.1	652.68	1352	655.67	1352.95	655.93	1353	656.21	1353.05
656.56	1353	661.99	1352.32	664.38	1352.01	664.44	1352	664.53	1351.98
669.28	1351	671.03	1350.73	674.37	1350	676.28	1349.69	680.33	1349
681.14	1348.9								

Manning's n Values num= 3
 Sta n Val Sta n Val Sta n Val
 0 .3 205.51 .1 616.57 .3

Bank Sta: Left Right Coeff Contr. Expan.
 205.51 616.57 .1 .3

Ineffective Flow num= 2
 Sta L Sta R Elev Permanent
 0 390.79 F
 411.82 681.14 F

Downstream Deck/Roadway Coordinates
 num= 2
 Sta Hi Cord Lo Cord Sta Hi Cord Lo Cord
 6.38 1370 1370 420.01 1355 1355

Downstream Bridge Cross Section Data
 Station Elevation Data num= 118

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	1353.1	.08	1353.11	.31	1353	.74	1352.79	2.38	1352
6.38	1350	10.28	1348.07	10.56	1347.93	12.55	1347	13.51	1346.5
14.78	1346	16.57	1345.18	17.13	1345	17.65	1344.83	19.85	1344
22.25	1343.25	23.14	1343	27.52	1342	32.04	1341	35.62	1340.17
36.36	1340	38.72	1339.91	40.7	1339	41.52	1338.78	44.75	1338
47.92	1337.2	48.68	1337	49.65	1336.8	56.08	1336	60.44	1335.76
71.95	1335.09	73.41	1335.01	73.55	1335	73.74	1334.99	73.87	1334.89
81.17	1334.72	84.99	1334.59	88	1334.5	94.78	1334.34	105.12	1334
117.02	1333.74	122.5	1333.6	126.21	1333.52	133.95	1333.39	136.02	1333.32
139.63	1333.26	149.73	1333	149.83	1333	154.53	1332.85	161.82	1332.56
169.59	1332.27	175.04	1332	177.22	1331.87	185.13	1331.85	186.71	1331.81
190.33	1332	194.24	1332.2	196.78	1332.21	206.82	1332.52	211.75	1332.54
212.22	1332.56	216.35	1332.6	222.45	1332.63	225.83	1332.68	231.78	1332.68
234.38	1332.71	234.85	1332.7	236.44	1332.75	237.6	1332.79	237.82	1332.79
239.02	1332.75	240.67	1332.7	243.05	1332.61	247.2	1332.47	251.42	1332.46
257.27	1332.13	257.67	1332.1	257.9	1332.13	259.7	1332	260.48	1331.7
262.06	1331	262.71	1331	264.76	1331.77	265.39	1332	266.79	1332.3
267.81	1332.5	268.27	1332.47	272.26	1332.53	273.32	1332.53	274.14	1332.5
274.91	1332.49	277.9	1332.32	278.97	1332.29	280.21	1332.28	281.3	1332.3
282.28	1332.25	286.14	1332.28	289.76	1332.28	291.88	1332.3	293.68	1332.26
296.29	1332.46	307.45	1333	315.63	1333	323.17	1333.21	335.91	1333.4
340.71	1333.35	343.39	1333.37	343.69	1333.36	345.55	1333.36	349.11	1333.3
353.6	1333.26	370.76	1333.02	371.8	1333	385.79	1332.7	390.43	1332.65
400.46	1332.46	413.74	1332.15	420.01	1332.11				

Manning's n Values num= 3
 Sta n Val Sta n Val Sta n Val
 0 .3 73.74 .1 335.91 .3

Bank Sta: Left Right Coeff Contr. Expan.
 73.74 335.91 .1 .3

Upstream Embankment side slope = 2 horiz. to 1.0 vertical
 Downstream Embankment side slope = 2 horiz. to 1.0 vertical
 Maximum allowable submergence for weir flow = .95
 Elevation at which weir flow begins = 1355
 Energy head used in spillway design =
 Spillway height used in design =
 Weir crest shape = Broad Crested

Number of Culverts = 1

Culvert Name	Shape	Rise	Span
Culvert #1	Circular	4	
FHWA Chart # 1 - Concrete Pipe Culvert			
FHWA Score # 1 - Square edge entrance with headwall			
Solution Criteria = Highest U.S. EG			
Culvert Upstrm Dist	Length	Top n	Bottom n
20	150	.013	.013
Depth Blocked	Entrance Loss Coef	Exit Loss Coef	
0	.5	.1	

Number of Barrels = 3

Upstream Elevation = 1334

Centerline Stations

Sta.	Sta.	Sta.
394	400	406.56

Downstream Elevation = 1331

Centerline Stations

Sta.	Sta.	Sta.
239	245	262.06

CULVERT OUTPUT Profile WPF 1 Culv Group: Culvert #1

Q Culv Group (cfs)	245.00	Culv Full Len (ft)	
# Barrels	3	Culv Vel US (ft/s)	8.91
Q Barrel (cfs)	81.67	Culv Vel DS (ft/s)	14.32

4/15/2008

4/15/2006

21 Up (ft) 1334.00
 21 Ls (ft) 1331.00
 21 (ft) 1.93
 21 (ft) 3.06
 21 S (ft) 0.62
 fs)
 Lft (ft)
 Rgt (ft)
 srg
 Depth (ft)
 Depth (ft)
 Area (sq ft)
 Air Flow (ft) 1361.18

supercritical.

Stn	Sta	Elev	Sta	Elev
53	.74	1352.79	2.38	1352
33	12.55	1347	13.51	1346.5
45	17.65	1344.83	19.85	1344
42	32.04	1341	35.62	1340.17
39	41.52	1338.78	44.75	1338
38	56.08	1336	60.44	1335.76
35	73.74	1334.99	73.87	1334.99
35	94.78	1334.36	105.12	1334
52	133.95	1333.39	136.02	1333.32
33	154.53	1332.85	161.82	1332.56
87	185.13	1331.85	186.71	1331.91
21	206.82	1332.52	211.75	1332.54
63	225.83	1332.68	231.78	1332.68
75	237.6	1332.79	237.82	1332.79
61	247.2	1332.47	251.42	1332.46
13	259.7	1332	260.48	1331.7
77	265.39	1332	266.79	1332.3
53	273.32	1332.53	274.14	1332.5
29	280.21	1332.28	281.3	1332.3
28	291.88	1332.3	293.68	1332.26
33	323.17	1333.21	335.91	1333.4
36	345.55	1333.36	349.11	1333.3
33	385.79	1332.7	390.43	1332.65

n1 Right 0
 Coeff Contr. .1
 Expan. .3

n2 n3
 .1 .3
 .1 .3
 .1 .3
 .1 .3
 .1 .3

Channel Right
 200 200
 200 200
 140 280.81
 195 325.03
 0 0

EWTS

Expan.
 .3
 .3
 .3
 7
 .3

Stn	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow
31	0.009749	1.33	
58	0.185338	3.70	
14	0.002574	0.91	
58	0.006712	3.00	
98	0.209580	3.81	

EXISTING HYDROLOGY STUDY
TRACT 53653
 for
Lyons Canyon Ranch
 Western Pacific Housing

HYDROLOGY INFORMATION


RAINFALL: ISOHYETAL METHOD
SOIL TYPE: 001, 003, 007
DESIGN FLOW: 210 CFS (UNDER 84 AC)
DESIGN PRODUCTION (P): 210 CFS (UNDER 84 AC)
DESIGN FLOW (Q): 1.50 (UNDER 84 AC)
FREQUENCY: 50 YR, 25 YR (DEVELOPED AND CONTIGUOUS DRAINAGE)
HYDROLOGY: 45K (RESIDENTIAL) 15K (DEVELOPED)

RAINFALL INTENSITY (I) = 5.500 IN/HR (30 YR), 4.500 IN/HR (25 YR)
RUNOFF FACTOR (C) = 0.550
 $C_u = (0.8 \times 0.42) + (1.0 - 0.42) \times 0.550 = 0.665$
 $C_d = (0.85) \times (5.500) \times A = 4.625 \text{ A (DEVELOPED)}$
 $C_e = 1.0 - 0.500 (1.0 - 0.549) = 0.724$
 $C_f = (0.800 \times 0.500) \times A = 0.400 \text{ A (DEVELOPED)}$
 $C_g = 1.02 \text{ C}_d \text{ (DEVELOPED \& BRACKED) (UNDER 84 AC)}$

FOR SOIL TYPE 001:
50 YR:
RUNOFF COEFFICIENT (C) = 0.640
 $C_u = (0.8 \times 0.42) + (1.0 - 0.42) \times 0.640 = 0.800$
 $C_d = (0.85) \times (5.500) \times A = 4.625 \text{ A (DEVELOPED)}$
 $C_e = 1.0 - 0.500 (1.0 - 0.549) = 0.724$
 $C_f = (0.800 \times 0.500) \times A = 0.400 \text{ A (DEVELOPED)}$
 $C_g = 1.02 \text{ C}_d \text{ (DEVELOPED \& BRACKED) (UNDER 84 AC)}$

25 YR:
RUNOFF COEFFICIENT (C) = 0.633
 $C_u = (0.8 \times 0.42) + (1.0 - 0.42) \times 0.633 = 0.791$
 $C_d = (0.85) \times (4.944) \times A = 4.204 \text{ A (DEVELOPED)}$

FOR SOIL TYPE 003:
50 YR:
RUNOFF COEFFICIENT (C) = 0.812
 $C_u = 1.0 - 0.500 (1.0 - 0.812) = 0.806$
 $C_d = (0.800 \times 0.500) \times A = 0.400 \text{ A (DEVELOPED)}$
 $C_g = 1.02 \text{ C}_d \text{ (DEVELOPED \& BRACKED) (UNDER 84 AC)}$




NOT TO SCALE
 Source: TO Outline P. 4840
 TENTATIVE TRACT NO. 53653

SEE (EXHIBIT A) OFFSITE
 HYDROLOGY MAP
 FOR EXISTING CONDITIONS

LEGEND

- 34 AREA (Ac)
- 32 SUBAREA NUMBER
- 12 Tc (min.)
- 63K NODE
- ZONE A0 --- EXIST. DRAINAGE BOUNDARY



DIAMOND WEST
 Engineering & Survey Services
 1000 West Broadway, Suite 300
 Anaheim, California 92801
 Tel: 714-771-1111
 Fax: 714-771-1112
 E-mail: info@diamondwest.com

Western Pacific Housing
 1000 West Broadway, Suite 300
 Anaheim, California 92801
 Tel: 714-771-1111
 Fax: 714-771-1112
 E-mail: info@westernpacific.com



PREPARED BY OR UNDER THE DIRECTION OF:

 David A. L. L.
 Civil Engineer

EXISTING HYDROLOGY STUDY
TRACT 53653
Lyons Canyon Ranch
 Western Pacific Housing

DESCRIPTION:	BY:
DESIGNED:	D.W.E.L.
DRAWN:	D.W.E.L.
CHECKED:	L.S.A.
SUPERVISED:	L.S.A.
PROJ. ENGINEER:	D.A.L.

GRAPHIC SCALE: 1" = 100'
 SHEET NO.
1
 OF 2 SHEETS



VACANT

S.U.S.M.P. AND DRAINAGE CONCEPT PLAN

TRACT 53653
for
Lyons Canyon Ranch
Western Pacific Housing

HYDROLOGY INFORMATION


GENERAL METHOD
 RAINFALL: 091, 091, 097
 SOIL TYPE: 091, 091, 097
 DESIGN FLOW: 091-3
 DESIGN PRODUCTION (DP): 0.18 CFS/AC (UNDER 64 AC)
 BUILDING RATE: 1.82 (UNDER 64 AC)
 FREQUENCY: 30 YR, 25 YR (DEVELOPED AND CONTIGUOUS URBAN)
 100 YR (UNDEVELOPED)
 1X (UNDEVELOPED)

RAINFALL INTENSITY (I) = 5.500 IN/HR (30 YR), 4.944 IN/HR (25 YR)
 RURNED FACTOR (R) = 0.500
 $C_u = (0.9 \times R) + (1.0 - R) \times 0.500$
 $C_u = (0.9 \times 0.500) + (1.0 - 0.9) \times 0.500 = 0.475$
 $C_u = 1.0 - 0.500(1.0 - 0.475) = 0.737$
 $C_u = 0.14$ (DEVELOPED)
 $C_u = 1.02$ (UNDEVELOPED)

FOR SOIL TYPE 091:
 30 YR: $C_u = 0.14$
 $C_u = (0.9 \times 0.14) + (1.0 - 0.9) \times 0.500 = 0.126$
 $C_u = (0.9 \times 0.14) + (1.0 - 0.9) \times 0.500 = 0.126$
 $C_u = 1.0 - 0.500(1.0 - 0.126) = 0.363$
 25 YR: $C_u = 0.14$
 $C_u = (0.9 \times 0.14) + (1.0 - 0.9) \times 0.500 = 0.126$
 $C_u = (0.9 \times 0.14) + (1.0 - 0.9) \times 0.500 = 0.126$
 $C_u = 1.0 - 0.500(1.0 - 0.126) = 0.363$

FOR SOIL TYPE 092:
 30 YR: $C_u = 0.14$
 $C_u = (0.9 \times 0.14) + (1.0 - 0.9) \times 0.500 = 0.126$
 $C_u = (0.9 \times 0.14) + (1.0 - 0.9) \times 0.500 = 0.126$
 $C_u = 1.0 - 0.500(1.0 - 0.126) = 0.363$
 25 YR: $C_u = 0.14$
 $C_u = (0.9 \times 0.14) + (1.0 - 0.9) \times 0.500 = 0.126$
 $C_u = (0.9 \times 0.14) + (1.0 - 0.9) \times 0.500 = 0.126$
 $C_u = 1.0 - 0.500(1.0 - 0.126) = 0.363$


FOR SOIL TYPE 093:
 30 YR: $C_u = 0.14$
 $C_u = (0.9 \times 0.14) + (1.0 - 0.9) \times 0.500 = 0.126$
 $C_u = (0.9 \times 0.14) + (1.0 - 0.9) \times 0.500 = 0.126$
 $C_u = 1.0 - 0.500(1.0 - 0.126) = 0.363$
 25 YR: $C_u = 0.14$
 $C_u = (0.9 \times 0.14) + (1.0 - 0.9) \times 0.500 = 0.126$
 $C_u = (0.9 \times 0.14) + (1.0 - 0.9) \times 0.500 = 0.126$
 $C_u = 1.0 - 0.500(1.0 - 0.126) = 0.363$



Location Map

NOT TO SCALE
 Source: TB Guide P. 4640
 TENTATIVE TRACT No. 53653

SEE (EXHIBIT A) OFFSITE
 HYDROLOGY MAP
 FOR EXISTING CONDITIONS



DESILTING INLET NO. 8
 $\Sigma A = 6.0$ AC
 $Q_{50yr} = 20.5$ cfs
 Desilt Inlet No. 8
 Volume = 1,315 c.y.

**ZONE A0
 DESILTING INLET NO. 7**
 $\Sigma A = 3.5$ AC
 $Q_{50yr} = 14.6$ cfs
 Desilt Inlet No. 7
 Volume = 875 c.y.

DESILTING INLET NO. 6
 $\Sigma A = 6.7$ AC
 $Q_{50yr} = 26.6$ cfs
 Desilt Inlet No. 6
 Volume = 1,635 c.y.

DEBRIS BASIN NO. 1
 $\Sigma A = 449.0$ AC
 $Q_{50yr} = 349.7$ cfs
 Volume = 22,000 c.y.

DEBRIS BASIN NO. 2
 $\Sigma A = 185.2$ AC
 $Q_{50yr} = 400.0$ cfs
 D.P. = 26,535 C.Y.

- LEGEND**
- 34 AREA (Ac)
 - 33 SUBAREA NUMBER
 - 12 Tc (min.)
 - 52E2 NODE DESIGNATION
 - 5 CENTRALIZED OFF-LINE DEVICE
 - PROP. DRAINAGE BOUNDARY
 - CONCRETE FACING AND SLOPE ARMORING LIMITS TO BE DETERMINED DURING IMPROVEMENT STAGE. (TYP.)


DIAMOND WEST	ENGINEERING & SURVEYING
1400 W. BAYVIEW AVENUE	SAN JOSE, CALIFORNIA 95128
TEL: 408-298-1100	FAX: 408-298-1101



S.U.S.M.P. AND
 DRAINAGE CONCEPT PLAN
 TRACT 53653
 Lyons Canyon Ranch
 Western Pacific Housing

DESIGNED BY	D.W.E.L.
DRAWN BY	D.W.E.L.
CHECKED BY	L.S.A.
SUPERVISED BY	L.S.A.
PROJ. ENGINEER	D.A.L.
DRAWING SCALE	1"=100'
SHEET NO.	1

S.U.S.M.P. AND DRAINAGE CONCEPT PLAN
TRACT 53653
for
Lyons Canyon Ranch
Western Pacific Housing








DRAINAGE CONCEPT NOTES

1. HYDROLOGY INFORMATION AND STORM DRAIN ALIGNMENTS SHOWN ARE NOT NECESSARILY APPROVED.
2. COMPLIANCE OF ALL STREET DRAINAGE REQUIREMENTS WILL BE MET TO THE SATISFACTION OF THE DEPARTMENT OF PUBLIC WORKS.
3. NECESSARY EASEMENTS WILL BE SECURED FOR THE STORM DRAIN SYSTEM TO THE SATISFACTION OF THE DEPARTMENT OF PUBLIC WORKS.
4. REGULAR ACCESS WILL BE PROVIDED TO ALL INLETS AND OUTLETS TO THE SATISFACTION OF THE DEPARTMENT OF PUBLIC WORKS.
5. APPROVAL OF THE DRAINAGE CONCEPT DOES NOT CONSTITUTE DETERMINATION THAT THE OPPOSITE APPROVED ARE REQUIRED WITHIN THE MEANING OF GOVERNMENT CODE SECTION 86424.4 (EXCEPT AS NOTED).
6. AN OPPOSITE DRAINAGE CONCEPT FOR ACCEPTANCE OF DRAINAGE (AND DRAINAGE FACILITIES) MAY BE REQUIRED WHERE INDICATED.
7. A NOTE OF FLOOD HAZARD WILL BE REQUIRED WHERE INDICATED OF THIS PLAN.
8. LAID TO MAINTAIN ALL DEBRIS BASINS AND DESILTING INLETS. CAUTIONS TO MAINTAIN PUBLIC RIGHT-OF-WAY FACILITIES LOCATED IN THE OLD ROAD. HOA TO MAINTAIN ALL OTHER ON-SITE DRAINAGE FACILITIES.
9. HOA TO MAINTAIN ALL OTHER ON-SITE DRAINAGE FACILITIES.
10. A SOIL REPORT WILL BE REQUIRED TO VERIFY THAT A 7-DAY PERCOLATION RATE CAN BE OBTAINED.
11. OPEN DRAINAGE LOTS TO MAINTAIN NATURAL CONTOURS.
12. ALL OPEN SIMILES TO BE DESIGNED TO AVOID SHARP BENDS AND BE SELF-CLEANING.
13. ALL MANUFACTURED SLOPES TO BE LANDSCAPED AND MAINTAINED BY THE HOA.
14. ANY DEVELOPMENT IN A STATE A DESIGNATION REQUIRES A CONDITIONAL LETTER OF MAP REVISION FROM FEMA PRIOR TO ISSUANCE OF GRADING PERMITS. A LETTER OF MAP REVISION WILL BE REQUIRED PRIOR TO BUILDING OCCUPANCY.
15. ALL DRAINAGE PLANS AND DETAILS TO BE REVIEWED AND APPROVED AT IMPROVEMENT PLAN CHECK.

BEST MANAGEMENT PRACTICES (BMP'S) LIST

1. LOT RAINOFF TO BE INFILTRATED FROM THE GRADED PAD AREAS THROUGH ON-SITE PERVIOUS SOLES.
2. SLOPE PROTECTION - CONCRETE RAINOFF FROM THE TOPS OF SLOPES AND STABILIZE DISTURBED SLOPES WITH LANDSCAPING PER COUNTY STANDARD.
3. VEGETATE SLOPES WITH NATIVE OR DROUGHT TOLERANT VEGETATION TO MANAGE EROSION.
4. ALL CATCH BASINS AND INLETS SHALL BE STOCKED WITH "SHRUBBY COVER" NOTES & STABILIZERS FOR IMPROVED BMP STANDARDS OR AS APPROVED BY DWP.
5. RAINOFF FROM STREETS SHALL BE COLLECTED INTO CATCH BASINS WITH FINE SCREENS TO THE PROPOSED CENTRALIZED OFF-LINE DEVICE. SCREENS SHALL BE MAINTAINED BY THE HOA.
6. BMP MAP AT THE OUTLETS OF STORM DRAINS, COLLECTS, CONDUITS TO MANAGE EROSION.
7. SOFT SYSTEM DRAINAGE - REDUCE THE IMPACT FROM DEVELOPED AREAS THROUGH FINE BED.
8. STREET RAINOFF IS COLLECTED INTO CATCH BASINS AND STORM DRAIN PIPES OUTLET ONTO NATURAL ALLUVIAL CHANNELS AND/OR CANYON WASH ALLOWING SCOURING AS INFILTRATION SURFACES.
9. EXISTING CANYON WASH - MAINTAIN THE RAINOFF FROM DEVELOPED AREAS THROUGH FINE BED.
10. CONCRETE LEVET TO STABILIZE PERMANENT RIVER BANK.



LEGEND

- 34 AREA (Ac)
- 12 SUBAREA NUMBER
- Tc (min.)
- 52E2 NODE DESIGNATION
- CENTRALIZED OFF-LINE DEVICE
- PROP. DRAINAGE BOUNDARY
- CONCRETE FACING AND SLOPE ARMORING LIMITS TO BE DETERMINED DURING IMPROVEMENT STAGE. (TYP.)

DIAMOND WEST
Engineering & Design Corporation
1414 West Broadway, Suite 100
Cost Mesa, California 92626
Tel: 949-441-1111
Fax: 949-441-1112

Western Pacific Housing
1111 West Broadway, Suite 100
Cost Mesa, California 92626
Tel: 949-441-1111
Fax: 949-441-1112

PREPARED BY OR UNDER THE DIRECTION OF:

S.U.S.M.P. AND DRAINAGE CONCEPT PLAN
TRACT 53653
Lyons Canyon Ranch
Western Pacific Housing

SHEET NO.
2
OF 2 SHEETS