

Plants of Horn Canyon, Nordhoff Ridge, Ventura County, California

By David L. Magney ©2007

Botanical Name	Common Name	Habit	Family
<i>Acer macrophyllum</i> var. <i>macrophyllum</i>	Bigleaf Maple	T	Aceraceae
<i>Achnatherum coronatum</i>	Giant Needlegrass	PG	Poaceae
<i>Acourtia microcephala</i>	Sacapellote	PH	Asteraceae
<i>Adenostoma fasciculatum</i>	Chamise	S	Rosaceae
<i>Allophyllum divericatum</i>	Divaricate Allophyllum	AH	Polemoniaceae
<i>Allophyllum gilioides</i> ssp. <i>violaceum</i>	Violet Phlox	AH	Polemoniaceae
<i>Alnus rhombifolia</i>	White Alder	T	Betulaceae
<i>Ambrosia psilostachya</i> var. <i>californica</i>	Western Ragweed	PH	Asteraceae
<i>Anagallis arvensis</i> *	Scarlet Pimpernel	AH	Primulaceae
<i>Antirrhinum multiflorum</i>	Sticky Snapdragon	S	Veronicaceae
<i>Apiastrum angustifolium</i>	Wild Celery	PH	Apiaceae
<i>Arabis</i> cf. <i>sparsiflora</i> var. <i>arcuata</i>	Few-flowered Rock Cress	PH	Brassicaceae
<i>Arctostaphylos glauca</i>	Bigberry Manzanita	S	Ericaceae
<i>Artemisia californica</i>	California Sagebrush	S	Asteraceae
<i>Artemisia douglasiana</i>	Mugwort	PH	Asteraceae
<i>Arundo donax</i> *	Giant Reed	PH	Poaceae
<i>Avena barbata</i> *	Slender Wild Oat	AG	Poaceae
<i>Avena fatua</i> *	Wild Oats	AG	Poaceae
<i>Baccharis salicifolia</i>	Mulefat	S	Asteraceae
<i>Brickellia californica</i>	California Brickellbush	S	Asteraceae
<i>Brickellia nevini</i>	Nevin's Brickellbush	S	Asteraceae
<i>Bromus diandrus</i> *	Ripgut Grass	AG	Poaceae
<i>Bromus hordeaceus</i> *	Soft Chess	AG	Poaceae
<i>Bromus madritensis</i> ssp. <i>madritensis</i> *	Madrid Brome	AG	Poaceae
<i>Bromus madritensis</i> ssp. <i>rubens</i> *	Red Brome	AG	Poaceae
<i>Calochortus clavatus</i> var. <i>clavatus</i>	Club-haired Mariposa Lily	PG	Liliaceae
<i>Calochortus venustus</i>	Butterfly Mariposa Lily	PG	Liliaceae
<i>Calystegia purpurata</i> ssp. <i>purpurata</i>	Climbing Morning-glory	PV	Convolvulaceae
<i>Camissonia californica</i>	Mustard Primrose	AH	Onagraceae
<i>Camissonia ignota</i>	Small Primrose	AH	Onagraceae
<i>Castilleja foliolosa</i>	Woolly Indian Paintbrush	PH	Orobanchaceae
<i>Castilleja subinclusa</i> ssp. <i>franciscana</i>	San Francisco Long-leaved Paintbrush	PH	Orobanchaceae
<i>Ceanothus crassifolius</i> var. <i>crassifolius</i>	Snowball	S	Rhamnaceae
<i>Ceanothus crassifolius</i> var. <i>planus</i>	Flatleaf Snowball	S	Rhamnaceae
<i>Ceanothus cuneatus</i>	Buck Brush	S	Rhamnaceae
<i>Ceanothus leucodermis</i>	Chaparral Whitethorn	S	Rhamnaceae
<i>Ceanothus oliganthus</i> var. <i>oliganthus</i>	Hoary Ceanothus	S	Rhamnaceae
<i>Centaurea melitensis</i> *	Tocalote	AH	Asteraceae
<i>Cercocarpus betuloides</i> var. <i>betuloides</i>	Birchleaf Mountain Mahogany	S	Rosaceae
<i>Chaenactis glabriuscula</i> var. <i>glabriuscula</i>	Common Yellow Pincushion	AH	Asteraceae
<i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i>	Soap Lily	PG	Agavaceae
<i>Chorizanthe xantii</i> var. <i>xantii</i>	Xantus Spineflower	AH	Polygonaceae
<i>Cirsium occidentale</i> var. ?	Western Thistle	BH	Asteraceae
<i>Clarkia unguiculata</i>	Farewell-to-Spring	AH	Onagraceae
<i>Claytonia perfoliata</i> ssp. <i>mexicana</i>	Mexican Miner's Lettuce	AH	Portulacaceae
<i>Clematis lasiantha</i>	Pipestem Clematis	PV	Ranunculaceae
<i>Clematis ligusticifolia</i>	Virgin's Bower	PV	Ranunculaceae
<i>Collinsia heterophylla</i> var. <i>heterophylla</i>	Chinese Houses	AH	Veronicaceae
<i>Cryptantha intermedia</i>	Forget-Me-Not	AH	Boraginaceae
<i>Cuscuta</i> sp.? on <i>Eriogonum</i>	Dodder	AV	Cuscutaceae

This checklist may be reproduced for educational purposes provided full credit is given to the author.

Plants of Horn Canyon, Nordhoff Ridge, Ventura County, California

By David L. Magney ©2007

Botanical Name	Common Name	Habit	Family
<i>Cuscuta californica</i>	California Dodder	AV	Cuscutaceae
<i>Deinandra fasciculata</i>	Fascicled Tarplant	AH	Asteraceae
<i>Delphinium cardinale</i>	Scarlet Larkspur	PH	Ranunculaceae
<i>Dendromecon rigida</i> ssp. <i>rigida</i>	Bush Poppy	S	Papaveraceae
<i>Dicentra chrysantha</i>	Golden Eardrops	PH	Fumariaceae
<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	Blue Dicks	PG	Amaryllidaceae
<i>Dudleya lanceolata</i>	Lanceleaf Live-forever	PH	Crassulaceae
<i>Elymus glaucus</i> ssp. <i>glaucus</i>	Blue Wildrye	PG	Poaceae
<i>Emmenanthe penduliflora</i> var. <i>penduliflora</i>	Whispering Bells	AH	Hydrophyllaceae
<i>Epilobium canum</i> ssp. <i>canum</i> [<i>Zauschneria californica</i>]	California Fuchsia	PH	Onagraceae
<i>Ericameria arborescens</i>	Golden-fleece	S	Asteraceae
<i>Erigeron foliosus</i> var. <i>foliosus</i>	Leafy Fleabane	PH	Asteraceae
<i>Eriodictyon crassifolium</i> var. <i>nigrescens</i>	Thickleaf Yerba Santa	S	Hydrophyllaceae
<i>Eriogonum elongatum</i> var. <i>elongatum</i>	Long-stemmed Buckwheat	PH	Polygonaceae
<i>Eriogonum fasciculatum</i> var. <i>foliolosum</i>	Leafy California Buckwheat	S	Polygonaceae
<i>Eriogonum</i> sp. (annual)	an annual Buckwheat	AH	Polygonaceae
<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	Golden Yarrow	S	Asteraceae
<i>Erodium cicutarium</i> *	Redstem Filaree	AH	Geraniaceae
<i>Erucastrum</i> [<i>Hirschfeldia</i>] <i>incana</i> *	Summer Mustard	BH	Brassicaceae
<i>Eucrypta chrysanthemifolia</i> var. <i>chrysanthemifolia</i>	Common Eucrypta	AH	Hydrophyllaceae
<i>Filago californica</i>	California Filago	AH	Asteraceae
<i>Fritillaria ojaiensis</i>	Ojai Fritillary	PG	Liliaceae
<i>Galium angustifolium</i> ssp. <i>angustifolium</i>	Chaparral Bedstraw	PH	Rubiaceae
<i>Galium aparine</i>	Goose Grass	AH	Rubiaceae
<i>Galium nuttallii</i> ssp. <i>nuttallii</i>	Climbing Bedstraw	PH	Rubiaceae
<i>Gilia capitata</i> ssp. <i>abrotanifolia</i>	Blue Field Gilia	AH	Polemoniaceae
<i>Hazardia squarrosa</i> var. <i>grinelioides</i>	Sawtooth Goldenbush	S	Asteraceae
<i>Hazardia squarrosa</i> var. <i>obtusata</i>	Prickly Sawtooth Goldenbush	S	Asteraceae
<i>Hesperoyucca whipplei</i> ssp. <i>whipplei</i>	Our Lord's Candle	S	Agavaceae
<i>Heteromeles</i> [<i>arbutifolia</i>] <i>salicifolia</i>	Toyon	S	Rosaceae
<i>Hoita macrostachya</i>	Leather Root	PH	Fabaceae
<i>Hordeum murinum</i> ssp. <i>leporinum</i> *	Hare Barley	AG	Poaceae
<i>Juglans californica</i> var. <i>californica</i>	Southern California Black Walnut	T	Juglandaceae
<i>Keckiella cordifolia</i>	Heart-leaved Bush Penstemon	S	Veronicaceae
<i>Lactuca serriola</i> *	Prickly Lettuce	AH	Asteraceae
<i>Lamarckia aurea</i> *	Goldentop	AH	Poaceae
<i>Lathyrus vestitus</i> ssp. <i>vestitus</i>	Pacific Peavine	PV	Fabaceae
<i>Leptodactylon californicum</i> ssp. <i>californicum</i>	Prickly Phlox	S	Polemoniaceae
<i>Leymus condensatus</i>	Giant Ryegrass	PG	Poaceae
<i>Lobelia dunnii</i> var. <i>serrata</i>	Rothrock [Ojai] Lobelia	PH	Lobeliaceae
<i>Lonicera interrupta</i>	Interrupted Honeysuckle	S	Caprifoliaceae
<i>Lonicera japonica</i> *	Japanese Honeysuckle	S	Caprifoliaceae
<i>Lotus purshianus</i> var. <i>purshianus</i>	Spanish Clover	AH	Fabaceae
<i>Lotus salsuginosus</i> var. <i>salsuginosus</i>	Coastal Lotus	AH	Fabaceae
<i>Lotus scoparius</i> var. <i>scoparius</i>	Deerweed	S	Fabaceae
<i>Lotus strigosus</i> var. <i>strigosus</i>	Strigose Lotus	AH	Fabaceae
<i>Lupinus formosus</i> var. <i>robustus</i>	Summer Bush Lupine	S	Fabaceae
<i>Lupinus hirsutissimus</i>	Nettle Lupine	AH	Fabaceae
<i>Lupinus latifolius</i> var. <i>latifolius</i>	Broadleaf Lupine	PH	Fabaceae
<i>Lupinus succulentus</i>	Fleshy Lupine	AH	Fabaceae

This checklist may be reproduced for educational purposes provided full credit is given to the author.

Plants of Horn Canyon, Nordhoff Ridge, Ventura County, California

By David L. Magney ©2007

Botanical Name	Common Name	Habit	Family
<i>Lupinus truncatus</i>	Truncate-leaved Lupine	AH	Fabaceae
<i>Madia gracilis</i>	Slender Tarplant	AH	Asteraceae
<i>Malosma laurina</i>	Laurelleaf Sumac	S	Fabaceae
<i>Marah fabaceus</i> var. <i>agrestis</i>	California Man-root	PV	Cucurbitaceae
<i>Marrubium vulgare</i> *	White Horehound	PH	Lamiaceae
<i>Medicago polymorpha</i> *	Bur-clover	AH	Fabaceae
<i>Melica imperfecta</i>	Coast Melic Grass	PG	Poaceae
<i>Melilotus indica</i> *	Sourclover	AH	Fabaceae
<i>Mimulus aurantiacus</i> var. <i>aurantiacus</i>	Bush Monkeyflower	S	Phrymaceae
<i>Mimulus cardinalis</i>	Scarlet Monkeyflower	PH	Phrymaceae
<i>Mimulus longiflorus</i> var. <i>longiflorus</i>	Sticky Bush Monkeyflower	S	Phrymaceae
<i>Mirabilis laevis</i> var. <i>crassifolia</i>	California Wishbone Bush	S	Nyctaginaceae
<i>Monardella hypoleuca</i> ssp. <i>hypoleuca</i>	White-veined Coyote Mint	PH	Lamiaceae
<i>Nassella lepida</i>	Foothill Needlegrass	PG	Poaceae
<i>Nassella pulchra</i>	Purple Needlegrass	PG	Poaceae
<i>Opuntia littoralis</i>	Coastal Prickly Pear	S	Cactaceae
<i>Orobanche bulbosa</i>	Chamise Broomrape	PH	Orobanchaceae
<i>Oxalis albicans</i> ssp. <i>pilosa</i>	Hairy White Wood Sorrel	PH	Oxalidaceae
<i>Paeonia californica</i>	California Peony	PH	Paeoniaceae
<i>Pellaea andromedifolia</i>	Coffee Fern	PF	Pteridiaceae
<i>Phacelia cicutaria</i> var. <i>hispida</i>	Hispid Caterpillar Phacelia	AH	Hydrophyllaceae
<i>Phacelia ciliata</i> var. <i>ciliata</i>	Ciliate Phacelia	AH	Hydrophyllaceae
<i>Phacelia distans</i>	Wild Heliotrope	AH	Hydrophyllaceae
<i>Phacelia parryi</i>	Parry Phacelia	AH	Hydrophyllaceae
<i>Phacelia viscida</i> var. <i>viscida</i>	Sticky Phacelia	AH	Hydrophyllaceae
<i>Pinus coulteri</i> +	Coulter Pine	T	Pinaceae
<i>Piptatherum miliaceum</i> *	Smilo Grass	PG	Poaceae
<i>Platanus racemosa</i> var. <i>racemosa</i>	Western Sycamore	T	Platanaceae
<i>Polygala cornuta</i> var. <i>fishiae</i>	Fish's Milkwort	S	Polygalaceae
<i>Polypodium californicum</i>	California Polypody	PF	Polypodiaceae
<i>Populus balsamifera</i> ssp. <i>trichocarpa</i>	Black Cottonwood	T	Salicaceae
<i>Prunus ilicifolia</i> ssp. <i>ilicifolia</i>	Hollyleaf Cherry	S	Rosaceae
<i>Pseudognaphalium californicum</i>	Green Everlasting	PH	Asteraceae
<i>Pseudognaphalium leucocephalum</i>	Whiteleaf Everlasting	PH	Asteraceae
<i>Pseudognaphalium microcephalum</i>	White Everlasting	PH	Asteraceae
<i>Pseudotsuga macrocarpa</i>	Bigcone Spruce	T	Pinaceae
<i>Pteridium aquilinum</i> var. <i>pubescens</i>	Western Bracken Fern	PF	Dennstaedtiaceae
<i>Pterostegia drymarioides</i>	Fairy Mist	AH	Polygonaceae
<i>Quercus agrifolia</i> var. <i>agrifolia</i>	Coast Live Oak	T	Fagaceae
<i>Quercus berberidifolia</i>	Chaparral Scrub Oak	S	Fagaceae
<i>Rafinesquia californica</i>	California Chicory	AH	Asteraceae
<i>Rhamnus californica</i> ssp. <i>californica</i>	California Coffeeberry	S	Rhamnaceae
<i>Rhamnus ilicifolia</i>	Hollyleaf Redberry	S	Rhamnaceae
<i>Rhamnus tomentella</i> ssp. <i>tomentella</i>	Hoary Coffeeberry	S	Rhamnaceae
<i>Rhus trilobata</i> var. ?	Skunkbrush	S	Anacardiaceae
<i>Ribes speciosum</i>	Fuchsia-flowered Gooseberry	S	Grossulariaceae
<i>Ribes malvaceum</i> var. <i>malvaceum</i>	Chaparral Currant	S	Grossulariaceae
<i>Rosa californica</i>	California Wild Rose	S	Rosaceae
<i>Rubus ursinus</i>	California Blackberry	PV	Rosaceae
<i>Salix lasiolepis</i> var. <i>lasiolepis</i>	Arroyo Willow	T	Salicaceae

This checklist may be reproduced for educational purposes provided full credit is given to the author.

Plants of Horn Canyon, Nordhoff Ridge, Ventura County, California

By David L. Magney ©2007

Botanical Name	Common Name	Habit	Family
<i>Salix lucida</i> ssp. <i>lasiandra</i>	Shining Willow	T	Salicaceae
<i>Salvia apiana</i>	White Sage	S	Lamiaceae
<i>Salvia columbariae</i>	Chia	AH	Lamiaceae
<i>Salvia leucophylla</i>	Purple Sage	S	Lamiaceae
<i>Salvia mellifera</i>	Black Sage	S	Lamiaceae
<i>Sambucus mexicana</i>	Blue Elderberry	S	Caprifoliaceae
<i>Sanicula crassicaulis</i> var. <i>crassicaulis</i>	Pacific Sanicle	PH	Apiaceae
<i>Senecio flaccidus</i> var. <i>douglasii</i>	Shrubby Butterweed	S	Asteraceae
<i>Senecio vulgaris</i> *	Common Groundsel	AH	Asteraceae
<i>Sisymbrium officinale</i> *	Hedge Mustard	AH	Brassicaceae
<i>Solanum douglasii</i>	Douglas Nightshade	PH	Solanaceae
<i>Solanum umbelliferum</i>	Blue Witch	PH	Solanaceae
<i>Solanum xanti</i> var. <i>xanti</i>	Chaparral Nightshade	S	Solanaceae
<i>Sonchus oleraceus</i> *	Common Sow-thistle	AH	Asteraceae
<i>Spartium junceum</i> *	Spanish Broom	S	Fabaceae
<i>Stachys albens</i>	Woolly Hedge Nettle	PH	Lamiaceae
<i>Stachys bullata</i>	Pink Hedge Nettle	PH	Lamiaceae
<i>Stephanomeria cichoriacea</i>	Fort Tejon Milk-aster	S	Asteraceae
<i>Stephanomeria virgata</i> ssp. <i>virgata</i>	Twiggy Wreath Plant	AH	Asteraceae
<i>Thysanocarpus laciniatus</i>	Lace Pod	AH	Brassicaceae
<i>Toxicodendron diversilobum</i>	Western Poison Oak	PV	Anacardiaceae
<i>Turricula parryi</i>	Poodle-dog-bush	S	Hydrophyllaceae
<i>Typha domingensis</i>	Southern Cattail	PG	Typhaceae
<i>Umbellularia californica</i> var. <i>californica</i>	California Bay	T	Lauraceae
<i>Uropappus lindleyi</i>	Silver Puffs	AH	Asteraceae
<i>Vulpia myuros</i> forma <i>megalura</i>	Foxtail Fescue	AG	Poaceae

Notes: Scientific nomenclature follows Flora of North America Committee (1998-2007 - *Flora of North America*). Common names follow Abrams and Ferris (1960 - *Illustrated Flora of the Pacific States*), Niehaus and Ripper (1976 - *A Field Guide to Pacific States Wildflowers*) and DeGarmo (1980 - *California List of Scientific and Common Plant Names*).

Plants in **bold** are rare or uncommon in California (CNPS 2001 - *Inventory of Rare and Endangered Plants of California*) and/or Ventura County (Magney 2007 - *Checklist of Ventura County Rare Plants*).

An "*" indicates non-native species which have become naturalized or persist without cultivation.

A "+" indicates ornamental or agricultural plant species that are actively cultivated.

Growth habit definitions:

AF = annual fern or fern ally.

AG = annual grass or graminoid.

AH = annual herb.

AV = annual vine.

BH = biennial herb.

PG = perennial grass or graminoid.

PF = perennial fern or fern ally.

PH = perennial herb.

PV = perennial vine.

S = shrub.

T = tree.

This checklist may be reproduced for educational purposes provided full credit is given to the author.