

# Checklist of Vascular Plants of Frazier Mountain, Ventura County

By David L. Magney ©2010

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Abies concolor</i>	<b>California White Fir</b>	T	.		Pinaceae
<i>Achillea millefolium</i> var. <i>occidentale</i>	Woolly White Yarrow	PH	FACU		Asteraceae
<i>Achnatherum hymenoides</i>	Indian Ricegrass	PG	.		Poaceae
<i>Achnatherum speciosum</i>	Desert Needlegrass	PG	.		Poaceae
<i>Adenostoma fasciculatum</i>	Chamise	S	.		Rosaceae
<i>Agoseris heterophylla</i> var. <i>cryptopleura</i>	<b>Mountain Dandelion</b>	AH	.		Asteraceae
<i>Agoseris heterophylla</i> var. <i>heterophylla</i>	Mountain Dandelion	AH	.		Asteraceae
<i>Agoseris retrorsa</i>	Retrorse Mountain Dandelion	PH	.		Asteraceae
<i>Agrostis exarata</i>	<b>Western or Spike Bentgrass</b>	PG	FACW		Poaceae
<i>Allium burlewii</i>	Burlew's Onion	PG	.		Alliaceae
<i>Allium campanulatum</i>	Sierra Onion	PG	.		Alliaceae
<i>Allium cratericola</i>	<b>Cratered Onion</b>	PG	.		Alliaceae
<i>Allium fimbriatum</i> var. <i>fimbriatum</i>	Fringed Onion	PG	.		Alliaceae
<i>Allium lacunosum</i> var. <i>lacunosum</i>	<b>Pitted Onion</b>	PG	.		Alliaceae
<i>Allium parvum</i>	<b>Small Onion</b>	PG	.		Alliaceae
<i>Allophyllum gilioides</i> ssp. <i>gilioides</i>	Stragglng Gilia	AH	FACU*		Polemoniaceae
<i>Allophyllum gilioides</i> ssp. <i>violaceum</i>	Violet Allophyllum	AH	.		Polemoniaceae
<i>Amelanchier utahensis</i>	<b>Utah Serviceberry</b>	S	.		Rosaceae
<i>Aquilegia formosa</i> var. <i>truncata</i>	<b>Truncate Crimson Columbine</b>	PH	FAC		Ranunculaceae
<i>Arabis pulchra</i> var. <i>pulchra</i>	Desert Rock Cress	PH	.		Brassicaceae
<i>Boechea repanda</i>	<b>Yosemite Rock Cress</b>	PH	.		Brassicaceae
<i>Arceuthobium abietinum</i> forma <i>concoloris</i>	<b>Dwarf Fir Mistletoe</b>	PH	.		Viscaceae
<i>Arceuthobium californicum</i>	<b>Sugar Pine Dwarf Mistletoe</b>	PH	.		Viscaceae
<i>Arceuthobium campylopodum</i>	<b>Western Dwarf Mistletoe</b>	PH	.		Viscaceae
<i>Arceuthobium divaricatum</i>	<b>Pinyon Dwarf Mistletoe</b>	PH	.		Viscaceae
<i>Arctostaphylos glandulosa</i> ssp. <i>glandulosa</i>	Eastwood Manzanita	S	.		Ericaceae
<i>Arctostaphylos parryana</i> ssp. <i>parryana</i>	Parry's Manzanita	S	.		Ericaceae
<i>Argemone munita</i> ssp. <i>rotundata</i>	Prickly Poppy	PH	.		Papaveraceae
<i>Artemisia douglasiana</i>	Mugwort	PH	FACW		Asteraceae
<i>Artemisia dracunculus</i>	Tarragon, Dragon Tarragon	PH	(FACW)		Asteraceae
<i>Artemisia tridentata</i> ssp. <i>tridentata</i>	Great Basin Sagebrush	S	.		Asteraceae
<i>Artemisia tridentata</i> ssp. <i>vaseyana</i>	<b>Vasey's Great Basin Sagebrush</b>	S	.		Asteraceae
<i>Asclepias californica</i> ssp. <i>californica</i>	California Milkweed	AH	.		Ascepiadaceae
<i>Asclepias eriocarpa</i>	Kotolo, Indian Milkweed	PH	.		Ascepiadaceae
<i>Aster chilensis</i>	<b>Common California Aster</b>	AH	FAC		Asteraceae
<i>Astragalus douglasii</i> var. <i>douglasii</i>	Douglas' Locoweed	PH	.		Fabaceae
<i>Astragalus filipes</i>	<b>Thread-leaved Locoweed</b>	PH	.		Fabaceae
<i>Astragalus lentiginosus</i> var. <i>fremontii</i>	<b>Fremont Freckled Locoweed</b>	PH	.		Fabaceae
<i>Astragalus lentiginosus</i> var. <i>idriensis</i>	Spotted Locoweed	PH	.		Fabaceae
<i>Astragalus lentiginosus</i> var. <i>nigricalycis</i>	<b>Black-sepaled Freckled Locoweed</b>	PH	NI		Fabaceae
<i>Astragalus lentiginosus</i> var. <i>sierrae</i>	<b>Big Bear Valley Milkvetch</b>	PH	.		Fabaceae
<i>Astragalus leucolobus</i>	<b>Big Bear Valley Woollypod</b>	PH	.		Fabaceae
<i>Astragalus pachypus</i> var. <i>pachypus</i>	Milkvetch	PH	.		Fabaceae
<i>Astragalus purshii</i> var. <i>purshii</i>	<b>Pursh's Woolly Pod</b>	PH	.		Fabaceae
<i>Astragalus purshii</i> var. <i>tinctus</i>	Woollypod Milkvetch	PH	.		Fabaceae
<i>Balsamorhiza deltoidea</i>	Balsam Root, Chuchupate	PH	.		Asteraceae
<i>Berula erecta</i>	<b>Cutleaf Water-parsnip</b>	PH	OBL		Apiaceae
<i>Bloomeria crocea</i> var. <i>crocea</i>	Goldenstars	PG	.		Amarylidiaceae
<i>Bloomeria crocea</i> var. <i>montana</i>	<b>Mountain Goldenstars</b>	PH	.		Amarylidiaceae
<i>Brickellia californica</i>	California Brickellbush	S	FACU		Asteraceae
<i>Bromus carinatus</i> var. <i>carinatus</i>	California Brome	PG	.		Poaceae

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

# Checklist of Vascular Plants of Frazier Mountain, Ventura County

By David L. Magney ©2010

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Bromus madritensis</i> ssp. <i>rubens</i> *	Red Brome	AG	NI		Poaceae
<i>Bromus tectorum</i> var. <i>tectorum</i> *	Downy Brome, Cheat Grass	AG	.		Poaceae
<i>Calochortus invenustus</i>	Plain Mariposa Lily	PH	.		Liliaceae
<i>Calochortus kennedyi</i> var. <i>kennedyi</i>	Red Mariposa Lily	PH	.		Liliaceae
<i>Calochortus venustus</i>	Butterfly Mariposa Lily	PH	.		Liliaceae
<i>Calyptridium monandrum</i>	Common Calyptridium, Sand Cress	AH	.		Portulacaceae
<b><i>Calyptridium parryi</i> var. <i>parryi</i></b>	<b>Parry's Pussypaws</b>	AH	.		Portulacaceae
<b><i>Calyptridium umbellatum</i></b>	<b>Pussypaws</b>	AH	.		Portulacaceae
<i>Calystegia malacophylla</i> ssp. <i>pedicellata</i>	Sierra Morning-glory	PV	.		Convolvulaceae
<i>Carex alma</i>	Sturdy Sedge	PH	FACW*		Cyperaceae
<b><i>Carex douglasii</i></b>	<b>Douglas' Sedge</b>	PH	FACU		Cyperaceae
<i>Carex praegracilis</i>	Clustered Field Sedge	PH	FACW-		Cyperaceae
<i>Castilleja applegatei</i> ssp. <i>martinii</i>	Martin's Indian Paintbrush	PH	.		Orobanchaceae
<i>Castilleja subinclusa</i> ssp. <i>subinclusa</i>	Long-leaved Indian Paintbrush	PH	.		Orobanchaceae
<i>Ceanothus cordulatus</i>	Mountain Whitethorn, Snow Bush	S	.		Rhamnaceae
<i>Ceanothus cuneatus</i> var. <i>cuneatus</i>	Buck Brush, Wedgeleaf Ceanothus	S	.		Rhamnaceae
<i>Ceanothus greggii</i> ssp. <i>vestitus</i>	Mojave Ceanothus	S	.		Rhamnaceae
<i>Ceanothus integerrimus</i>	Deer Brush	S	.		Rhamnaceae
<i>Ceanothus leucodermis</i>	Chaparral Whitethorn	S	.		Rhamnaceae
<b><i>Ceanothus palmeri</i></b>	<b>Palmer Ceanothus</b>	S	.		Rhamnaceae
<i>Centrostephia thurberi</i> var. <i>thurberi</i>	Thurber's Spineflower	AH	.		Polygonaceae
<i>Cercocarpus betuloides</i> var. <i>betuloides</i>	Birchleaf Mountain Mahogany	S	.		Rosaceae
<i>Chaenactis glabriuscula</i> var. <i>glabriuscula</i>	Yellow Pincushion	AH	.		Asteraceae
<i>Chaenactis santolinoides</i>	Perennial Pincushion	PH	.		Asteraceae
<b><i>Chaenactis stevioides</i></b>	<b>Desert Pincushion</b>	AH	.		Asteraceae
<b><i>Chaenactis xantiana</i></b>	<b>Xantus' Pincushion</b>	AH	.		Asteraceae
<i>Chamaesyce albomarginata</i>	Rattlesnake Spurge	AH	.		Euphorbiaceae
<i>Chenopodium album</i> *	Lamb's Quarters, White Goosefoot	AH	FAC		Chenopodiaceae
<b><i>Chorizanthe watsonii</i></b>	<b>Watson's Spineflower</b>	AH	.		Polygonaceae
<i>Chorizanthe xantii</i> var. <i>xantii</i>	Xantus' Spineflower	AH	.		Polygonaceae
<i>Cirsium occidentale</i> var. <i>californicum</i>	California Thistle	BH	.		Asteraceae
<i>Cirsium occidentale</i> var. <i>venustum</i>	Red or Venus Thistle	BH	.		Asteraceae
<i>Cirsium vulgare</i> *	Bull Thistle	BH	FACU		Asteraceae
<i>Clarkia heterandra</i>	California Gaura	AH	.		Onagraceae
<b><i>Clarkia rhomboidea</i></b>	<b>Rhomboid Clarkia</b>	AH	.		Onagraceae
<b><i>Clarkia xantiana</i> ssp. <i>xantiana</i></b>	<b>Xantus Clarkia</b>	AH	.		Onagraceae
<i>Claytonia parviflora</i> ssp. <i>parviflora</i>	Small-flowered Miner's Lettuce	AH	FAC		Portulacaceae
<i>Claytonia perfoliata</i> ssp. <i>perfoliata</i>	Miner's Lettuce	AH	FAC		Portulacaceae
<b><i>Claytonia rubra</i> ssp. <i>rubra</i></b>	<b>Red Miner's Lettuce</b>	AH	FAC		Portulacaceae
<i>Collinsia callosa</i>	Large-fruited Blue-eyed Mary	AH	.		Veronicaceae
<b><i>Collinsia torreyi</i> var. <i>wrightii</i></b>	<b>Wright's Blue-eyed Mary</b>	AH	.		Veronicaceae
<i>Cordylanthus rigidus</i> ssp. <i>rigidus</i>	Rigid Bird's Beak	AH	.		Orobanchaceae
<b><i>Crepis acuminata</i></b>	<b>Long-leaved Hawksbeard</b>	PH	.		Asteraceae
<b><i>Crepis occidentalis</i> ssp. <i>occidentalis</i></b>	<b>Western Hawksbeard</b>	PH	.		Asteraceae
<i>Cryptantha circumscissa</i>	Greenocharis	AH	.		Boraginaceae
<i>Cryptantha intermedia</i>	Common Forget-Me-Not	AH	.		Boraginaceae
<b><i>Cryptantha mohavensis</i></b>	<b>Mojave Forget-Me-Not</b>	AH	.		Boraginaceae
<i>Cuscuta subinclusa</i>	Canyon Dodder	AV	.		Cuscutaceae
<b><i>Cystopteris fragilis</i></b>	<b>Brittle Fern</b>	PF	FACU		Dryopteridaceae
<i>Delphinium parishii</i> ssp. <i>pallidum</i>	Pale-flowered Larkspur	PH	.		Ranunculaceae
<i>Delphinium parryi</i> ssp. <i>parryi</i>	Parry's Larkspur	PH	.		Ranunculaceae

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

# Checklist of Vascular Plants of Frazier Mountain, Ventura County

By David L. Magney ©2010

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Delphinium patens</i> ssp. <i>montanum</i>	<b>Mountain Spreading Larkspur</b>	PH	.		Ranunculaceae
<i>Descurainia pinnata</i> ssp. <i>glabra</i>	<b>Naked Western Tansy Mustard</b>	AH	.		Brassicaceae
<i>Descurainia pinnata</i> ssp. <i>halicotorum</i>	<b>Western Tansy Mustard</b>	AH	.		Brassicaceae
<i>Descurainia pinnata</i> ssp. <i>menziesii</i>	<b>Menzies' Tansy Mustard</b>	AH	.		Brassicaceae
<i>Descurainia sophia</i> *	Tansy Mustard	AH	.		Brassicaceae
<i>Dicentra chrysantha</i>	Golden Ear-drops	PH	.		Fumariaceae
<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	Blue Dicks	PH	.		Amaryllidaceae
<i>Dieteria canescens</i> var. <i>canescens</i>	<b>Hoary Aster</b>	BH	.		Asteraceae
<i>Eleocharis macrostachya</i>	Common Spike-rush	PH	OBL		Cyperaceae
<i>Elymus elymoides</i> ssp. <i>elymoides</i>	Bottlebrush Squirreltail	PG	FACU-		Poaceae
<i>Elymus glaucus</i> ssp. <i>glaucus</i>	Blue or Woodland Wildrye	PG	FACU		Poaceae
<i>Ephedra viridis</i> var. <i>viridis</i>	Green Mormon Tea	S	.		Ephedraceae
<i>Epilobium canum</i> ssp. <i>canum</i>	California Fuchsia	PH	.		Onagraceae
<b><i>Epilobium canum</i> ssp. <i>latifolium</i></b>	<b>Broadleaved California Fuchsia</b>	PH	.		Onagraceae
<i>Epilobium ciliatum</i> ssp. <i>ciliatum</i>	Northern Willow-herb	AH	FACW		Onagraceae
<b><i>Epilobium densiflorum</i></b>	<b>Dense-flowered Spike-primrose</b>	AH	.		Onagraceae
<i>Equisetum laevigatum</i>	Smooth Scouring-rush	PF	FACW		Equisetaceae
<i>Eriastrum densifolium</i> ssp. <i>austromontanum</i>	Mountain Woolly Star	PH	.		Polemoniaceae
<i>Eriastrum densifolium</i> ssp. <i>elongatum</i>	Elongate Woolly Star	PH	.		Polemoniaceae
<b><i>Eriastrum filifolium</i></b>	<b>Narrowleaf Woolly Star</b>	AH	.		Polemoniaceae
<i>Eriastrum signatum</i>	Maroon-spotted Woolly Star	AH	.		Polemoniaceae
<i>Eriastrum sparsiflorum</i>	Few-flowered Woolly Star	AH	.		Polemoniaceae
<i>Ericameria linearifolia</i>	Interior or Narrowleaf Goldenbush	S	.		Asteraceae
<i>Ericameria</i> [ <i>Chrysothamnus</i> ] <i>nauseosa</i> var. <i>hololeuca</i>	White Rubber Rabbitbrush	S	.		Asteraceae
<i>Ericameria nauseosa</i> var. <i>mohavensis</i>	Mojave Rubber Rabbitbrush	S	.		Asteraceae
<i>Ericameria nauseosa</i> var. <i>oreophila</i>	Common Rubber Rabbitbrush	S	.		Asteraceae
<b><i>Ericameria parryi</i> var. <i>aspera</i></b>	<b>Parry's Rabbitbrush</b>	S	.		Asteraceae
<i>Ericameria</i> [ <i>Chrysothamnus</i> ] <i>teretifolia</i>	<b>Round-leaved Rabbitbrush</b>	S	.		Asteraceae
<i>Erigeron foliosus</i> var. <i>foliosus</i>	Leafy Fleabane	PH	.		Asteraceae
<i>Eriodictyon crassifolium</i> var. <i>nigrescens</i>	Thickleaf Yerba Santa	S	.		Boraginaceae
<i>Eriogonum angulosum</i>	Angle-stemmed Buckwheat	AH	.		Polygonaceae
<i>Eriogonum baileyi</i> var. <i>baileyi</i>	Bailey's Buckwheat	AH	.		Polygonaceae
<i>Eriogonum cithariforme</i>	Cithara Buckwheat	AH	.		Polygonaceae
<i>Eriogonum davidsonii</i>	Davidson's Buckwheat	AH	.		Polygonaceae
<b><i>Eriogonum deflexum</i> var. <i>baratum</i></b>	<b>Flat-crown Buckwheat</b>	AH	.		Polygonaceae
<i>Eriogonum fasciculatum</i> var. <i>polifolium</i>	Hoary California Buckwheat	S	.		Polygonaceae
<i>Eriogonum gracile</i> var. <i>gracile</i>	Slender Woolly Buckwheat	AH	.		Polygonaceae
<b><i>Eriogonum heermanni</i> var. <i>heermanni</i></b>	<b>Heermann's Buckwheat</b>	S	.		Polygonaceae
<b><i>Eriogonum hooveri</i></b>	<b>Hoover's Little Trumpet</b>	AH	.		Polygonaceae
<b><i>Eriogonum kennedyi</i> ssp. <i>alpigenum</i></b>	<b>Alpine Kennedy Buckwheat</b>	PH	.		Polygonaceae
<b><i>Eriogonum kennedyi</i> var. <i>austromontanum</i></b>	<b>Southern Mountain Buckwheat</b>	PH	.		Polygonaceae
<i>Eriogonum kennedyi</i> var. <i>kennedyi</i>	Kennedy Buckwheat	PH	.		Polygonaceae
<i>Eriogonum nudum</i> var. <i>pauciflorum</i>	Tibinagua	PH	.		Polygonaceae
<b><i>Eriogonum nudum</i> var. <i>pubiflorum</i></b>	<b>Hairy-fl'd Barestem Buckwheat</b>	PH	.		Polygonaceae
<i>Eriogonum umbellatum</i> var. <i>munzii</i>	Munz Yellow Buckwheat	S	.		Polygonaceae
<b><i>Eriogonum umbellatum</i> var. <i>subaridum</i></b>	<b>Sulphur Buckwheat</b>	S	.		Polygonaceae
<i>Eriogonum wrightii</i> var. <i>subscaposum</i>	No-scape Wright's Buckwheat	S	.		Polygonaceae
<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	Golden Yarrow	PH	.		Asteraceae
<i>Erodium cicutarium</i> *	Redstem Filaree	AH	.		Geraniaceae
<i>Erucastrum</i> [ <i>Hirschfeldia</i> ] <i>incana</i> *	Summer Mustard	PH	.		Brassicaceae
<i>Erysimum capitatum</i> var. <i>capitatum</i>	Western Wallflower	AH	.		Brassicaceae

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

# Checklist of Vascular Plants of Frazier Mountain, Ventura County

By David L. Magney ©2010

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Eschscholzia caespitosa</i>	Tufted Poppy	BH	.		Papaveraceae
<i>Eschscholzia californica</i>	California Poppy	AH	.		Papaveraceae
<i>Euthamia occidentalis</i>	Western Goldenrod	PH	OBL		Asteraceae
<i>Fremontodendron californicum</i> ssp. <i>californicum</i>	California Flannel Bush	S	.		Sterculiaceae
<b><i>Fritillaria agrestis</i></b>	<b>Stink Bells</b>	PG	.		Liliaceae
<b><i>Fritillaria pinetorum</i></b>	<b>Pine Fritillary</b>	PG	.		Liliaceae
<i>Galium andrewsii</i> ssp. <i>intermedium</i>	Pine Mat	PH	.		Rubiaceae
<i>Galium angustifolium</i> ssp. <i>angustifolium</i>	Chaparral Bedstraw	S	.		Rubiaceae
<i>Galium aparine</i>	Goosegrass, Catchweed Bedstraw	AH	FACU		Rubiaceae
<b><i>Galium bifolium</i></b>	<b>Low Mountain Bedstraw</b>	AH	.		Rubiaceae
<i>Galium hallii</i>	Nodding Bedstraw	PH	.		Rubiaceae
<i>Garrya veatchii</i>	Veatch's Silk-tassel	S	.		Garryaceae
<b><i>Gayophytum diffusum</i> ssp. <i>parviflorum</i></b>	<b>Diffuse Gayophytum</b>	AH	.		Onagraceae
<b><i>Geranium californicum</i></b>	<b>California Geranium</b>	AH	.		Geraniaceae
<b><i>Geranium viscosissimum</i></b>	<b>Sticky Cranesbill</b>	PH	.		Geraniaceae
<b><i>Gilia brecciarum</i> ssp. <i>brecciarum</i></b>	<b>Breccia Gilia</b>	AH	.		Polemoniaceae
<b><i>Gilia capillaris</i></b>	<b>Miniature or Smooth-leaved Gilia</b>	AH	.		Polemoniaceae
<i>Gilia ochroleuca</i> ssp. <i>bizonata</i>	Desert Gilia	AH	.		Polemoniaceae
<b><i>Gilia tetrabreccia</i></b>	<b>Mount Pinos Gilia</b>	AH	.		Polemoniaceae
<i>Glycyrrhiza lepidota</i>	American Licorace	PH	FAC+		Fabaceae
<i>Gnaphalium palustre</i>	Lowland Cudweed	AH	FACW-		Asteraceae
<i>Gutierrezia californica</i>	California Matchweed	S	.		Asteraceae
<i>Helianthus annuus</i>	Western Sunflower	AH	FAC-		Asteraceae
<b><i>Hemizonella minima</i></b>	<b>Hemizonella</b>	AH	.		Asteraceae
<i>Hesperoyucca whipplei</i> ssp. <i>cespitosa</i>	Clumping Our Lord's Candle	S	.		Agavaceae
<b><i>Horkelia rydbergii</i></b>	<b>Rydberg's Horkelia</b>	PH	.		Rosaceae
<b><i>Hulsea vestita</i> ssp. <i>gabrielensis</i></b>	<b>San Gabriel Hulsea</b>	PH	.		Asteraceae
<b><i>Iris missouriensis</i></b>	<b>Western Blue Flag [Iris]</b>	PH	OBL		Iridaceae
<i>Iva axillaris</i> ssp. <i>robustior</i>	Poverty Weed	PH	FAC		Asteraceae
<b><i>Ivesia saxosa</i></b>	<b>Five-finger Silverweed</b>	PH	.		Rosaceae
<i>Juncus balticus</i> ssp. <i>mexicanus</i>	Mexican Rush	PH	FACW		Juncaceae
<b><i>Juncus effusus</i> var. <i>pacificus</i></b>	<b>Pacific Rush</b>	PH	OBL		Juncaceae
<i>Juncus xiphioides</i>	Iris-leaved Rush	PH	OBL		Juncaceae
<i>Juniperus californica</i>	California Juniper	S	.		Cupressaceae
<i>Keckiella breviflora</i> var. <i>breviflora</i>	Stubflower Penstemon	S	.		Veronicaceae
<b><i>Lagophylla ramosissima</i> ssp. <i>ramosissima</i></b>	<b>Branched Lagophylla</b>	AH	.		Asteraceae
<i>Lasthenia gracilis</i>	Southern California Goldfields	AH	FACU*		Asteraceae
<i>Layia glandulosa</i> ssp. <i>glandulosa</i>	White Layia	AH	.		Asteraceae
<i>Lepidospartum squamatum</i>	Scalebroom	S	(FACW)		Asteraceae
<i>Leptosiphon aureus</i> ssp. <i>aureus</i>	Desert Gold	AH	.		Polemoniaceae
<i>Lessingia filaginifolia</i> var. <i>filaginifolia</i>	Cudweed-aster	PH	.		Asteraceae
<i>Lessingia glandulifera</i> var. <i>glandulifera</i>	Lemmon's Lessingia	AH	.		Asteraceae
<i>Lessingia lemmonii</i> var. <i>lemmonii</i>	Lemmon's Lessingia	AH	.		Asteraceae
<b><i>Lessingia tenuis</i></b>	<b>Spring Lessingia</b>	AH	.		Asteraceae
<b><i>Lewisia rediviva</i> ssp. <i>minor</i></b>	<b>Small Bitterroot</b>	PH	.		Portulacaceae
<i>Leymus condensatus</i>	Giant Wildrye	PG	FACU		Poaceae
<i>Leymus triticoides</i>	Creeping Wildrye	PG	FAC+		Poaceae
<i>Linanthus bicolor</i>	Bicolored Linanthus	AH	.		Polemoniaceae
<b><i>Lithophragma bolanderi</i></b>	<b>Bolander's Star</b>	PH	.		Saxifragaceae
<b><i>Lomatium californicum</i></b>	<b>California Lomatium</b>	PH	.		Apiaceae
<i>Lomatium ciliolatum</i> var. <i>ciliolatum</i>	Yollo Bolly Lomatium	PH	.		Apiaceae

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

# Checklist of Vascular Plants of Frazier Mountain, Ventura County

By David L. Magney ©2010

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Lomatium macrocarpum</i>	<b>Large-fruited Lomatium</b>	PH	.		Apiaceae
<i>Lonicera interrupta</i>	<b>Chaparral Honeysuckle</b>	S	.		Caprifoliaceae
<i>Lonicera subspicata</i> var. <i>denudata</i>	Southern Honeysuckle	S	.		Caprifoliaceae
<i>Lotus crassifolius</i> var. <i>crassifolius</i>	<b>Broad-leaved Hosackia</b>	PH	.		Fabaceae
<i>Lotus nevadensis</i> var. <i>nevadensis</i>	<b>Sierra Nevada Hosackia</b>	PH	.		Fabaceae
<i>Lotus procumbens</i> var. <i>procumbens</i>	Silky California Broom	PH	.		Fabaceae
<i>Lotus purshianus</i> var. <i>purshianus</i>	Pursh's Lotus	AH	.		Fabaceae
<i>Lotus scoparius</i> var. <i>scoparius</i>	Deerweed, California Broom	PH	.		Fabaceae
<i>Lupinus adsurgens</i> var. <i>adsurgens</i>	<b>Drew's Silky Lupine</b>	PH	.		Fabaceae
<i>Lupinus adsurgens</i> var. <i>undulatus</i>	<b>Drew's Silky Lupine</b>	PH	.		Fabaceae
<i>Lupinus andersonii</i>	<b>Anderson's Lupine</b>	PH	.		Fabaceae
<i>Lupinus breweri</i> var. <i>breweri</i>	<b>Brewer's Mat Lupine</b>	PH	.		Fabaceae
<i>Lupinus elatus</i>	Johnston's Silky Lupine	PH	.		Fabaceae
<i>Lupinus excubitus</i> var. <i>excubitus</i>	Grape Soda Lupine	S	.		Fabaceae
<i>Lupinus excubitus</i> var. <i>hallii</i>	Hall's Bush Lupine	S	.		Fabaceae
<i>Lupinus luteolus</i>	<b>Butter Lupine</b>	AH	.		Fabaceae
<i>Lupinus microcarpus</i> var. <i>microcarpus</i>	Red-flowered Lupine	AH	.		Fabaceae
<i>Lupinus polyphyllus</i> ssp. <i>burkei</i>	<b>Burke's Large-leaved Lupine</b>	PH	FACW		Fabaceae
<i>Madia elegans</i> ssp. <i>elegans</i>	Common Tarplant or Madia	AH	.		Asteraceae
<i>Malacothamnus fasciculatus</i> var. <i>fasciculatus</i>	Chaparral Bushmallow	S	.		Malvaceae
<i>Malacothamnus fremontii</i>	<b>Fremont Bushmallow</b>	S	.		Malvaceae
<i>Malacothamnus marruboides</i>	<b>Pink-flowered Bushmallow</b>	S	.		Malvaceae
<i>Melica imperfecta</i>	Coast Melic Grass	PG	.		Poaceae
<i>Melica stricta</i> var. <i>albicaulis</i>	<b>Nodding Melic Grass</b>	PG	.		Poaceae
<i>Melica stricta</i> var. <i>stricta</i>	<b>Nodding Melic Grass</b>	PG	.		Poaceae
<i>Mentzelia albicaulis</i>	<b>Whitestem Stickleaf</b>	AH	.		Loasaceae
<i>Mentzelia congesta</i> var. <i>congesta</i>	<b>Congested Stickleaf</b>	AH	.		Loasaceae
<i>Mentzelia dispersa</i>	<b>Scattered Stickleaf</b>	AH	.		Loasaceae
<i>Mentzelia montana</i> ssp. <i>montana</i>	Mountain Stickleaf	AH	.		Loasaceae
<i>Mentzelia veatchiana</i>	<b>Veatch's stickleaf</b>	AH	.		Loasaceae
<i>Mimulus aurantiacus</i> var. <i>pubescens</i>	Fuzzy Bush Monkeyflower	S	.		Phrymaceae
<i>Mimulus bigelovii</i> var. <i>bigelovii</i>	<b>Bigelow's Monkeyflower</b>	AH	.		Phrymaceae
<i>Mimulus constrictus</i>	<b>Narrow-throated Monkeyflower</b>	AH	.		Phrymaceae
<i>Mimulus guttatus</i>	Common Streamside Monkeyflower	A/PH	OBL		Phrymaceae
<i>Mimulus johnstonii</i>	<b>Johnston Monkeyflower</b>	AH	.		Phrymaceae
<i>Mimulus suksdorfii</i>	<b>Suksdorf's Monkeyflower</b>	AH	FACW*		Phrymaceae
<i>Monardella breweri</i>	<b>Brewer's Coyote Mint</b>	AH	.		Lamiaceae
<i>Monardella lanceolata</i>	Mustang Mint	AH	.		Lamiaceae
<i>Monardella linooides</i> ssp. <i>oblonga</i>	<b>Flax-leaved Horsemint</b>	PH	.		Lamiaceae
<i>Muhlenbergia rigens</i>	Deer Grass	PG	FACW		Poaceae
<i>Muilla maritima</i>	<b>Common Muilla</b>	PH	.		Alliaceae
<i>Nama californicum</i>	<b>Lemmon California Waterleaf</b>	AH	.		Boraginaceae
<i>Navarretia peninsularis</i>	<b>Southern California Navarretia</b>	AH	.		Campanulaceae
<i>Nemacladus ramosissimus</i>	<b>Nuttall's Nemacladus</b>	AH	.		Campanulaceae
<i>Nemacladus sigmoideus</i>	<b>Thread Stem</b>	AH	.		Campanulaceae
<i>Nemophila parviflora</i> var. <i>parviflora</i>	<b>Smallflower Nemophila</b>	AH	.		Boraginaceae
<i>Nemophila pedunculata</i>	Little-foot Baby Blue-eyes	AH	.		Boraginaceae
<i>Nicotiana attenuata</i>	<b>Coyote Tobacco</b>	AH	FAC		Solanaceae
<i>Oenothera californica</i> ssp. <i>californica</i>	California Evening Primrose	PH	.		Onagraceae
<i>Oenothera elata</i> ssp. <i>hookeri</i>	<b>Hooker's Coast Evening Primrose</b>	BH	FACW		Onagraceae

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

# Checklist of Vascular Plants of Frazier Mountain, Ventura County

By David L. Magney ©2010

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Opuntia basilaris</i> var. <i>basilaris</i>	<b>Beavertail Cactus</b>	S	.		Cactaceae
<i>Orobanche fasciculata</i>	<b>Clustered Broom-rape</b>	PH	.		Orobanchaceae
<i>Orobanche parishii</i> ssp. <i>parishii</i>	<b>Parish's Broom-rape</b>	PH	.		Orobanchaceae
<i>Pectocarya setosa</i>	Setose Pectocarya	AH	.		Boraginaceae
<i>Pedicularis semibarbata</i>	<b>Pine-woods Lousewort</b>	PH	.		Orobanchaceae
<i>Pediomelum californicum</i>	California Indian Breadroot	PH	.		Fabaceae
<i>Pellaea mucronata</i> var. <i>californica</i>	<b>California Birdsfoot Cliffbrake</b>	PF	.		Pteridaceae
<i>Penstemon centranthifolius</i>	Scarlet Bugler	PH	.		Veronicaceae
<i>Penstemon grinnellii</i> var. <i>scrophularioides</i>	Figwort Beardtongue	PH	.		Veronicaceae
<i>Penstemon labrosus</i>	San Gabriel Penstemon	PH	.		Veronicaceae
<i>Penstemon laetus</i> var. <i>laetus</i>	<b>Gay Penstemon</b>	PH	.		Veronicaceae
<i>Penstemon rostriflorus</i>	Bridges Penstemon	PH	.		Veronicaceae
<i>Penstemon speciosus</i>	<b>Showy Beardtongue</b>	PH	.		Veronicaceae
<i>Perideridia pringlei</i>	<b>Adobe Yampah</b>	PH	FACW		Apiaceae
<i>Phacelia brachyloba</i>	Lobed Phacelia	AH	.		Boraginaceae
<i>Phacelia cicutaria</i> var. <i>cicutaria</i>	<b>Caterpillar Phacelia</b>	AH	.		Boraginaceae
<i>Phacelia cicutaria</i> var. <i>hispidula</i>	Hispid Caterpillar Phacelia	AH	.		Boraginaceae
<i>Phacelia curvipes</i> var. <i>curvipes</i>	Washoe Phacelia	AH	.		Boraginaceae
<i>Phacelia davidsonii</i>	Davidson's Phacelia	AH	.		Boraginaceae
<i>Phacelia douglasii</i> var. <i>douglasii</i>	Douglas Phacelia	AH	.		Boraginaceae
<i>Phacelia egena</i>	Rock Phacelia	PH	.		Boraginaceae
<i>Phacelia fremontii</i>	Fremont's Phacelia	AH	.		Boraginaceae
<i>Phacelia imbricata</i> ssp. <i>imbricata</i>	Imbricate Phacelia	PH	.		Boraginaceae
<i>Phacelia mohavensis</i>	<b>Mojave Phacelia</b>	AH	.		Boraginaceae
<i>Phacelia ramosissima</i> var. <i>latifolia</i>	<b>Branching Phacelia</b>	PH	.		Boraginaceae
<i>Phacelia tanacetifolia</i>	Tansy Phacelia	AH	.		Boraginaceae
<i>Phacelia viscida</i> var. <i>viscida</i>	Viscid Phacelia	AH	.		Boraginaceae
<i>Phlox austromontana</i>	<b>Spreading Phlox</b>	PH	.		Polemoniaceae
<i>Phlox gracilis</i>	Slender Phlox	AH	FACU*		Polemoniaceae
<i>Phlox hoodii</i> ssp. <i>canescens</i>	<b>Fuzzy Hood Phlox</b>	PH	.		Polemoniaceae
<i>Phoradendron densum</i>	Dense Mistletoe	PH	.		Viscaceae
<i>Phoradendron libocedri</i>	Incense-cedar Mistletoe	PH	.		Viscaceae
<i>Phoradendron pauciflorum</i>	<b>Few-flowered Mistletoe</b>	PH	.		Viscaceae
<i>Phoradendron villosum</i>	Oak or Hairy Mistletoe	PH	.		Viscaceae
<i>Pinus jeffreyi</i>	Jeffrey Pine	T	.		Pinaceae
<i>Pinus lambertiana</i>	Sugar Pine	T	.		Pinaceae
<i>Pinus monophylla</i>	Singleleaf Pinyon Pine	T	.		Pinaceae
<i>Pinus ponderosa</i> var. <i>ponderosa</i>	Pacific Ponderosa Pine	T	.		Pinaceae
<i>Piptatherum miliaceum</i> *	Smilo Grass	PG	(FACU-)		Poaceae
<i>Plagiobothrys hispidulus</i>	<b>Hispid Popcornflower</b>	AH	.		Boraginaceae
<i>Poa pratensis</i> ssp. <i>pratensis</i> *	Kentucky Bluegrass	PG	FACU		Poaceae
<i>Poa secunda</i> ssp. <i>juncifolia</i>	<b>Rush Bluegrass</b>	PG	.		Poaceae
<i>Poa secunda</i> ssp. <i>secunda</i>	One-sided Bluegrass	PG	.		Poaceae
<i>Polypogon monspeliensis</i> *	Rabbitsfoot or Annual Beardgrass	AG	FACW+		Poaceae
<i>Populus fremontii</i> ssp. <i>fremontii</i>	Fremont cottonwood	T	FACW		Salicaceae
<i>Potentilla biennis</i>	<b>Biennial Cinquifol</b>	BH	FACW		Rosaceae
<i>Potentilla gracilis</i> var. <i>elmeri</i>	<b>Elmer's Slender Cinquifol</b>	PH	FACW		Rosaceae
<i>Prunus emarginata</i>	<b>Bitter Cherry</b>	S	.		Rosaceae
<i>Prunus virginiana</i> var. <i>demissa</i>	Western Choke Cherry	S	.		Rosaceae
<i>Pseudognaphalium stramineum</i>	Western Everlasting	BH	.		Asteraceae
<i>Pseudostellaria jamesiana</i>	<b>False Chickweed</b>	PH	.		Caryophyllaceae

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

# Checklist of Vascular Plants of Frazier Mountain, Ventura County

By David L. Magney ©2010

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Purshia tridentata</i> var. <i>glandulosa</i>	<b>Antelope Bush</b>	S	.		Rosaceae
<i>Quercus chrysolepis</i>	Canyon Live or Golden-cup Oak	T	.		Fagaceae
<i>Quercus cornelius-mulleri</i>	Muller oak	S	.		Fagaceae
<i>Quercus john-tuckeri</i>	Tucker's Oak	S	.		Fagaceae
<i>Quercus kelloggii</i>	Black Oak	T	.		Fagaceae
<i>Quercus lobata</i>	Valley Oak	T	FAC*		Fagaceae
<i>Quercus wislizenii</i> var. <i>frutescens</i>	Shrubby Interior Live oak	S	.		Fagaceae
<i>Quercus wislizenii</i> var. <i>wislizenii</i>	Interior Live Oak	T	.		Fagaceae
<i>Ranunculus canus</i> var. <i>lubovicianus</i>	Transverse Ranges Buttercup	PH	FAC*		Ranunculaceae
<i>Ranunculus cymbalaria</i>	Desert Buttercup	PH	OBL		Ranunculaceae
<i>Rhamnus californica</i> ssp. <i>californica</i>	California Coffeeberry	S	.		Rhamnaceae
<i>Rhamnus ilicifolia</i>	Hollyleaf Redberry	S	.		Rhamnaceae
<i>Ribes nevadense</i>	<b>Sierra Pink Currant</b>	S	.		Grossulariaceae
<i>Ribes quercetorum</i>	<b>Oak Gooseberry</b>	S	.		Grossulariaceae
<i>Ribes roezlii</i> var. <i>roezlii</i>	<b>Sierra Gooseberry</b>	S	.		Grossulariaceae
<i>Ribes velutinum</i>	<b>Plateau Gooseberry</b>	S	.		Grossulariaceae
<i>Rigiopappus leptocladus</i>	<b>Rigiopappus</b>	AH	.		Asteraceae
<i>Rosa californica</i>	California Wild Rose	S	FAC+		Rosaceae
<i>Rumex salicifolius</i> var. <i>salicifolius</i>	Willow Dock	PH	OBL		Polygonaceae
<i>Salix exigua</i>	Narrow-leaved Willow	S	OBL		Salicaceae
<i>Salix lasiolepis</i> var. <i>lasiolepis</i>	Arroyo Willow	T	FACW		Salicaceae
<i>Salix lucida</i> ssp. <i>lasiandra</i>	Shining [Yellow] Willow	T	OBL		Salicaceae
<i>Salvia azurea</i> var. <i>grandiflora</i> *	Prairie Blue Sage	PH	.		Lamiaceae
<i>Salvia columbariae</i>	Chia	AH	.		Lamiaceae
<i>Sambucus mexicana</i>	Blue Elderberry	S	FAC		Caprifoliaceae
<i>Sanicula graveolens</i>	<b>Sanicle</b>	PH	.		Apiaceae
<i>Sarcodes sanguinea</i>	Snow Plant	PH	.		Monotropaceae
<i>Scutellaria siphocamploides</i>	<b>Skullcap</b>	PH	.		Lamiaceae
<i>Selaginella bigelovii</i>	Bigelow's Spike Moss	PF	.		Selaginellaceae
<i>Senecio flaccidus</i> var. <i>douglasii</i>	Shrubby Butterweed	S	.		Asteraceae
<i>Sidalcea malviflora</i> ssp. <i>sparsifolia</i>	Few-leaved Globemallow	S	.		Malvaceae
<i>Silene verecunda</i> ssp. <i>platyota</i>	Cuyamaca Champion	PH	.		Caryophyllaceae
<i>Sisymbrium altissimum</i> *	Tumble Mustard	AH	FACU		Brassicaceae
<i>Sisymbrium irio</i> *	London Rocket	AH	.		Brassicaceae
<i>Sisyrinchium bellum</i>	Blue-eyed Grass	PH	FAC		Iridaceae
<i>Solanum xanti</i> var. <i>xanti</i>	Chaparral Nightshade	S	.		Solanaceae
<i>Solidago californica</i>	California Goldenrod	PH	.		Asteraceae
<i>Stachys albens</i>	Whitestem Hedge Nettle	PH	OBL		Lamiaceae
<i>Stephanomeria virgata</i> ssp. <i>virgata</i>	Twiggy Wreath Plant	AH	.		Asteraceae
<i>Symphoricarpos rotundifolius</i> var. <i>parishii</i>	Parish's Snowberry	S	.		Caprifoliaceae
<i>Tauschia parishii</i>	Parish's Tauschia	PH	.		Apiaceae
<i>Tetradymia canescens</i>	<b>Cottonthorn</b>	S	.		Asteraceae
<i>Thermopsis californica</i> var. <i>argentata</i>	Silvery False-lupine	PH	.		Fabaceae
<i>Trifolium variegatum</i>	Whitetip Clover	AH	FACW-		Fabaceae
<i>Typha latifolia</i>	<b>Broad-leaved Cattail, Soft Flag</b>	PH	OBL		Typhaceae
<i>Urtica dioica</i> ssp. <i>holosericea</i>	Hoary or Giant Creek Nettle	PH	FACW		Urticaceae
<i>Veratrum californicum</i> var. <i>californicum</i>	<b>California False Hellebore</b>	PH	OBL		Liliaceae
<i>Veronica americana</i>	American Brooklime	PH	OBL		Veronicaceae
<i>Veronica peregrina</i> ssp. <i>xalapensis</i>	<b>Purslane Speedwell</b>	AH	OBL		Veronicaceae
<i>Viola purpurea</i> ssp. <i>mohavensis</i>	<b>Mojave Yellow Violet</b>	PH	.		Violaceae
<i>Viola purpurea</i> ssp. <i>purpurea</i>	<b>Purple Violet</b>	PH	.		Violaceae

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

# Checklist of Vascular Plants of Frazier Mountain, Ventura County

## By David L. Magney ©2010

Scientific Name	Common Name	Wetland Indicator		Family
		Habit	Status	
<i>Viola purpurea</i> ssp. <i>quercetorum</i>	<b>Oak Violet</b>	PH	.	Violaceae

Notes: Scientific nomenclature follows Hickman (1993) and Flora of North America Committee (1993-2010).  
 Common names follow Abrams & Ferris (1960), Niehaus & Ripper (1976), DeGarmo (1980), and Weeden (1986).  
 An "\*" indicates non-native species which have become naturalized or persist without cultivation.  
 Names in **bold typeface** indicate species rare in Ventura County (Magney 2010).

**Habit definitions:**

AF = annual fern or fern ally.	PG = perennial grass or graminoid
AG = annual grass or graminoid	PH = perennial herb.
AH = annual herb.	PV = perennial vine.
BH = biennial herb.	S = shrub.
PF = perennial fern or fern ally.	T = tree.

**Wetland indicator status (Reed 1988):**

OBL = obligate wetland species, occurs almost always in wetlands (>99% probability)  
 FACW = facultative wetland species, usually found in wetlands (67-99% probability).  
 FAC = facultative species, equally likely to occur in wetlands or nonwetlands (34-67% probability).  
 FACU = facultative upland species, usually occur in nonwetlands (67-99% probability).  
 + or - symbols are modifiers that indicate greater or lesser affinity for wetland habitats.  
 NI = no indicator has been assigned due to a lack of information to determine indicator status.  
 \* = a tentative assignment to that indicator status by Reed (1988).  
 A period "." indicates that no wetland indicator status has been given in Reed (1988).  
 Parentheses around an indicator status indicates the wetland status as suggested by David Magney.

**References Cited:**

Abrams, L., and R. S. Ferris. 1960. *Illustrated Flora of the Pacific States*. Volumes I-IV. Stanford University Press, Stanford, California.

DeGarmo, H.C. 1980. California List of Scientific and Common Plant Names. U.S. Soil Conservation Service. University of California, Davis, California.

Flora of North America Editorial Committee, eds. 1993-2010. *Flora of North America North of Mexico*. 14+ vols. New York.

Hickman, J., ed. 1993. *The Jepson Manual: Higher Plants of California*. University of California Press, Berkeley, California.

Magney, D.L. 2010. Checklist of Ventura County Rare Plants. 9 October 2010, Eighteenth edition. California Native Plant Society, Channel Islands Chapter, Ojai, California. Published at [www.cnpsci.org](http://www.cnpsci.org).

Niehaus, T.F., and C.L. Ripper. 1976. *A Field Guide to Pacific States Wildflowers*. Houghton Mifflin Company. Boston, MA.

Reed, P.B., Jr. 1988. National List of Plant Species that Occur in Wetlands: California (Region 0). (Biological Report 88[26.10].) U.S. Fish and Wildlife Service, Ft. Collins, Colorado.

Weeden, N.F. 1986. *A Sierra Nevada Flora*. Third Edition. Wilderness Press, Berkeley, California.