

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

By David L. Magney

Botanical Name	Common Name	Habit	Family
<i>Abies concolor</i>	California White Fir	T	Pinaceae
<i>Acanthoscyphus parishii</i> var. <i>abramsii</i>	Abrams Spineflower	AH	Polygonaceae
<i>Acanthoscyphus parishii</i> var. <i>parishii</i>	Parish's Oxytheca	AH	Polygonaceae
<i>Achillea millefolium</i> var. <i>occidentale</i>	Woolly White Yarrow	PH	Asteraceae
<i>Achillea millefolium</i> var. <i>pacifica</i>	Pacific Woolly White Yarrow	PH	Asteraceae
<i>Achyrrachaena mollis</i>	Blow Wives	AH	Asteraceae
<i>Acmispon americanus</i> var. <i>americanus</i>	Spanish Clover	AH	Fabaceae
<i>Acmispon argophyllum</i> ssp. <i>argophyllum</i>	Silver Deervetch	PH	Fabaceae
<i>Acmispon brachycarpus</i>	Hill Lotus	AH	Fabaceae
<i>Acmispon glaber</i> var. <i>glaber</i>	Deerweed	S	Fabaceae
<i>Acmispon grandiflorus</i> var. <i>grandiflorus</i>	Large-flowered Lotus	PH	Fabaceae
<i>Acmispon nevadensis</i> var. <i>davidsonii</i>	Sulphur-flowered Lotus	PH	Fabaceae
<i>Acmispon oblongifolia</i> var. <i>oblongifolia</i>	Narrow-leaved Hosackia	PH	Fabaceae
<i>Acmispon parviflorus</i>	Tiny Lotus	AH	Fabaceae
<i>Acmispon strigosus</i> var. <i>strigosus</i>	Strigose Lotus	AH	Fabaceae
<i>Acmispon wrangelianus</i>	Chile Lotus	AH	Fabaceae
<i>Acourtia microcephala</i>	Sacapellote	PH	Asteraceae
<i>Adenostoma fasciculatum</i> var. <i>fasciculatum</i>	Chamise	S	Rosaceae
<i>Agoseris grandiflora</i>	Bigflower Mountain Dandelion	AH	Asteraceae
<i>Agoseris heterophylla</i> var. <i>heterophylla</i>	Annual Mountain Dandelion	AH	Asteraceae
<i>Agoseris retrorsa</i>	Mountain Dandelion	AH	Asteraceae
<i>Agrostis exarata</i>	Western Spike Bentgrass	PG	Poaceae
<i>Allium burlewii</i>	Burlew Onion	PG	Alliaceae
<i>Allium diabloense</i>	Diablo Onion	PG	Alliaceae
<i>Allium fimbriatum</i> var. <i>fimbriatum</i>	Fringed Onion	PG	Alliaceae
<i>Allium howellii</i> var. <i>clokeyi</i>	Mount Pinos Onion	PG	Alliaceae
<i>Allium vineale</i> ssp. <i>vineale</i> *	Wild Garlic	PG	Alliaceae
<i>Allophyllum gilioides</i> ssp. <i>gilioides</i>	Stragglng Gilia	AH	Polemoniaceae
<i>Allophyllum gilioides</i> ssp. <i>violaceum</i>	Violet Phlox	AH	Polemoniaceae
<i>Allophyllum glutinosum</i>	Sticky Allophyllum	AH	Polemoniaceae
<i>Alnus incana</i> ssp. <i>tenuifolia</i>	Mountain Alder	S	Betulaceae
<i>Alnus rhombifolia</i>	White Alder	T	Betulaceae
<i>Amaranthus blitoides</i>	Prostrate Amaranth	AH	Amaranthaceae
<i>Ambrosia psilostachya</i> var. <i>californica</i>	Western Ragweed	PH	Asteraceae
<i>Amorpha californica</i> var. <i>californica</i>	False Indigo	S	Fabaceae
<i>Amsinckia douglasiana</i>	Douglas Fiddleneck	AH	Boraginaceae
<i>Amsinckia intermedia</i>	Rancher's Fire	AH	Boraginaceae
<i>Amsinckia tessellata</i> var. <i>tessellata</i>	Devil's Lettuce	AH	Boraginaceae
<i>Ancistrocarphus filagineus</i>	Woolly Fishhooks	AH	Asteraceae
<i>Andropogon glomeratus</i> var. <i>scabriglumis</i>	Southwestern Bushy Bluestem	PG	Poaceae
<i>Anthemis cotula</i> *	Mayweed	AH	Asteraceae
<i>Antirrhinum multiflorum</i>	Sticky Snapdragon	S	Veronicaceae
<i>Apocynum androsaemifolium</i>	Bitter Dogbane	PH	Apocynaceae
<i>Apocynum cannabinum</i>	Indian Hemp	PH	Apocynaceae

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

By David L. Magney

Botanical Name	Common Name	Habit	Family
<i>Apocynum Xmedium</i>	<b>Bitter Dogbane</b>	PH	Apocynaceae
<i>Aquilegia eximia</i>	<b>Van Houtte Columbine</b>	PH	Ranunculaceae
<i>Aquilegia formosa</i> var. <i>truncata</i>	<b>Truncate Crimson Columbine</b>	PH	Ranunculaceae
<i>Arceuthobium campylopodium</i>	Western Dwarf Mistletoe	PH	Viscaceae
<i>Arctostaphylos glandulosa</i> ssp. <i>cushingiana</i>	Cushing's Eastwood Manzanita	S	Ericaceae
<i>Arctostaphylos glandulosa</i> ssp. <i>glandulosa</i>	Eastwood Manzanita	S	Ericaceae
<i>Arctostaphylos glandulosa</i> ssp. <i>mollis</i>	Santa Ynez Mountains Manzanita	S	Ericaceae
<i>Arctostaphylos glandulosa</i> X <i>A. glauca</i>	Eastwood-Bigberry Manzanita hybrid	S	Ericaceae
<i>Arctostaphylos glauca</i>	Bigberry Manzanita	S	Ericaceae
<i>Arctostaphylos parryana</i> ssp. <i>parryana</i>	Parry Manzanita	S	Ericaceae
<i>Arctostaphylos pungens</i>	Pungent Manzanita	S	Ericaceae
<i>Argemone corymbosa</i> ssp. <i>corymbosa</i>	<b>Desert Prickly Poppy</b>	PH	Papaveraceae
<i>Artemisia californica</i>	California Sagebrush	S	Asteraceae
<i>Artemisia douglasiana</i>	Mugwort	PH	Asteraceae
<i>Artemisia dracuncululus</i>	Tarragon	PH	Asteraceae
<i>Artemisia tridentata</i> ssp. <i>tridentata</i>	Great Basin Sagebrush	S	Asteraceae
<i>Artemisia tridentata</i> ssp. <i>vaseyana</i>	<b>Vasey's Great Basin Sagebrush</b>	S	Asteraceae
<i>Asclepias californica</i> ssp. <i>californica</i>	California Milkweed	PH	Apocynaceae
<i>Asclepias eriocarpa</i>	Indian Milkweed	PH	Apocynaceae
<i>Aster subulatus</i> var. <i>ligulatus</i>	Annual Saltmarsh Aster	PH	Asteraceae
<i>Astragalus didymocarpus</i> var. <i>didymocarpus</i>	<b>Two-seeded Milkvetch</b>	AH	Fabaceae
<i>Astragalus douglasii</i> var. <i>douglasii</i>	Douglas Milkvetch	PH	Fabaceae
<i>Astragalus lentiginosus</i> var. <i>fremontii</i>	<b>Fremont Spotted Locoweed</b>	PH	Fabaceae
<i>Astragalus lentiginosus</i> var. <i>idriensis</i>	Spotted Locoweed	PH	Fabaceae
<i>Astragalus lentiginosus</i> var. <i>sierrae</i>	<b>Big Bear Valley Milkvetch</b>	PH	Fabaceae
<i>Astragalus pachypus</i> var. <i>pachypus</i>	Milkvetch	PH	Fabaceae
<i>Astragalus purshii</i> var. <i>tinctus</i>	Woollypod Milkvetch	PH	Fabaceae
<i>Atriplex canescens</i> var. <i>canescens</i>	Fourwing Saltbush	S	Chenopodiaceae
<i>Atriplex polycarpa</i>	<b>Allscale</b>	S	Chenopodiaceae
<i>Atriplex rosea</i> *	Tumbling Oracle	AH	Chenopodiaceae
<i>Avena barbata</i> *	Slender Wild Oat	AG	Poaceae
<i>Baccharis pilularis</i> ssp. <i>consanguinea</i>	Coyote Brush	S	Asteraceae
<i>Baccharis salicifolia</i>	Mulefat	S	Asteraceae
<i>Balsamorhiza deltoidea</i>	Balsamroot	PH	Asteraceae
<i>Barbarea orthoceras</i>	American Wintercress	AH	Brassicaceae
<i>Bloomeria crocea</i> var. <i>montana</i>	Mountain Goldenstars	PG	Themidaceae
<i>Boechera pulchra</i>	Desert Rock Cress	PH	Brassicaceae
<i>Boechera repanda</i>	<b>Yosemite Rock Cress</b>	PH	Brassicaceae
<i>Boechera retrofracta</i>	<b>Holboell Rock Cress</b>	PH	Brassicaceae
<i>Boechera sparsiflora</i>	Few-flowered Rock Cress	PH	Brassicaceae
<i>Boschniakia strobilacea</i>	<b>California Ground Cone</b>	PH	Orobanchaceae
<i>Brassica nigra</i> *	Black Mustard	AH	Brassicaceae
<i>Brickellia californica</i>	California Brickellbush	S	Asteraceae
<i>Brickellia nevinii</i>	Nevin Brickellbush	S	Asteraceae

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

By David L. Magney

Botanical Name	Common Name	Habit	Family
<i>Bromus carinatus</i> var. <i>carinatus</i>	California Brome	PG	Poaceae
<i>Bromus diandrus</i> ssp. <i>diandrus</i> *	Ripgut Grass	AG	Poaceae
<i>Bromus grandis</i>	Tall Brome	AG	Poaceae
<i>Bromus hordeaceus</i> ssp. <i>hordeaceus</i> *	Soft Chess	AG	Poaceae
<i>Bromus madritensis</i> ssp. <i>madritensis</i> *	Madrid Brome	AG	Poaceae
<i>Bromus madritensis</i> ssp. <i>rubens</i> *	Red Brome	AG	Poaceae
<b><i>Bromus orcuttianus</i></b>	<b>Orcutt Brome</b>	PG	Poaceae
<i>Bromus tectorum</i> var. <i>tectorum</i> *	Downy Chess	AG	Poaceae
<i>Bromus trinii</i> *	Chilean Chess	AG	Poaceae
<i>Calocedrus decurrens</i>	Incense-cedar	T	Cupressaceae
<i>Calochortus invenustus</i>	Plain Mariposa Lily	PG	Liliaceae
<i>Calochortus splendens</i>	Spendid Mariposa Lily	PG	Liliaceae
<i>Calochortus venustus</i>	Butterfly Mariposa Lily	PG	Liliaceae
<b><i>Calyptridium monospermum</i></b>	<b>One-seeded Pussypaws</b>	AH	Montiaceae
<b><i>Calyptridium parryi</i> var. <i>parryi</i></b>	<b>Parry Calyptridium</b>	AH	Montiaceae
<b><i>Calyptridium umbellatum</i></b>	<b>Pussypaws</b>	AH	Montiaceae
<i>Calystegia malacophylla</i> ssp. <i>pedicellata</i>	Pediceled Woolly Morning-glory	PV	Convolvulaceae
<i>Camissonia campestris</i> ssp. <i>campestris</i>	Mojave Sun-cup	AH	Onagraceae
<i>Camissonia strigulosa</i>	Strigose Primrose	AH	Onagraceae
<b><i>Camissoniopsis confusa</i></b>	<b>Confusing Primrose</b>	AH	Onagraceae
<i>Camissoniopsis hirtella</i>	Small-haired Primrose	AH	Onagraceae
<b><i>Cardamine breweri</i> var. <i>breweri</i></b>	<b>Brewer's Bitter-cress</b>	AH	Brassicaceae
<b><i>Cardamine pachystigma</i> var. <i>pachystigma</i></b>	<b>Toothwort</b>	AH	Brassicaceae
<b><i>Carex fracta</i></b>	<b>Fragile-sheathed Sedge</b>	PG	Cyperaceae
<i>Carex senta</i>	Rough Sedge	PG	Cyperaceae
<b><i>Carex subfusca</i></b>	<b>Brown Sedge</b>	PG	Cyperaceae
<i>Castilleja affinis</i> ssp. <i>affinis</i>	Lay-and-Collie's Indian Paintbrush	PH	Orobanchaceae
<i>Castilleja applegatei</i> ssp. <i>martinii</i>	Martin Indian Paintbrush	PH	Orobanchaceae
<i>Castilleja exserta</i> ssp. <i>exserta</i>	Purple Owl's Clover	AH	Orobanchaceae
<b><i>Castilleja miniata</i> ssp. <i>miniata</i></b>	<b>Great Red Indian Paintbrush</b>	PH	Orobanchaceae
<i>Castilleja subinclusa</i> ssp. <i>subinclusa</i>	Jepson Indian Paintbrush	PH	Orobanchaceae
<i>Caulanthus coulteri</i> var. <i>coulteri</i>	Coulter Jewelflower	AH	Brassicaceae
<b><i>Caulanthus inflatus</i></b>	<b>Desert Candle</b>	AH	Brassicaceae
<i>Caulanthus lasiophyllus</i> [ <i>Thelypodium</i> l.]	California Mustard	AH	Brassicaceae
<i>Ceanothus cordulatus</i>	Snowbush	S	Rhamnaceae
<i>Ceanothus crassifolius</i> var. <i>crassifolius</i>	Snowball	S	Rhamnaceae
<i>Ceanothus crassifolius</i> var. <i>planus</i>	Flatleaf Snowball	S	Rhamnaceae
<i>Ceanothus cuneatus</i> var. <i>cuneatus</i>	Buck Brush	S	Rhamnaceae
<i>Ceanothus integerrimus</i>	Deer Brush	S	Rhamnaceae
<i>Ceanothus leucodermis</i>	Whitethorn Ceanothus	S	Rhamnaceae
<b><i>Ceanothus palmeri</i></b>	<b>Palmer Ceanothus</b>	S	Rhamnaceae
<i>Ceanothus pauciflorus</i>	Few-flowered Ceanothus	S	Rhamnaceae
<i>Centaurea solstitialis</i> *	Yellow Star-thistle	AH	Asteraceae
<b><i>Centaureum exaltatum</i></b>	<b>Great Basin Centaury</b>	AH	Gentianaceae

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

By David L. Magney

Botanical Name	Common Name	Habit	Family
<i>Cercocarpus betuloides</i> var. <i>betuloides</i>	Birchleaf Mountain Mahogany	S	Rosaceae
<b><i>Chaenactis artemisiifolia</i></b>	<b>White Pincushion</b>	AH	Asteraceae
<i>Chaenactis glabriuscula</i> var. <i>glabriuscula</i>	Common Yellow Pincushion	AH	Asteraceae
<b><i>Chaenactis glabriuscula</i> var. <i>heterocarpha</i></b>	<b>Different-seeded Yellow Pincushion</b>	AH	Asteraceae
<i>Chaenactis santlinoides</i>	Curlyleaf Pincushion	AH	Asteraceae
<b><i>Chaenactis stevioides</i></b>	<b>Desert Pincushion</b>	AH	Asteraceae
<b><i>Chaenactis xantiana</i></b>	<b>Xantus Pincushion</b>	AH	Asteraceae
<b><i>Chamaesyce ocellata</i> ssp. <i>ocellata</i></b>	<b>Littleeye Spurge</b>	AH	Euphorbiaceae
<i>Cheilanthes covillei</i>	Coville Lip-fern	PF	Pteridaceae
<i>Chenopodium album</i> *	Lamb's Quarters	AH	Chenopodiaceae
<b><i>Chenopodium atrovirens</i></b>	<b>Dark-green or Forest Goosefoot</b>	AH	Chenopodiaceae
<i>Chenopodium californicum</i>	California Goosefoot	PH	Chenopodiaceae
<b><i>Chenopodium fremontii</i></b>	<b>Fremont Soap Plant or Goosefoot</b>	AH	Chenopodiaceae
<b><i>Chenopodium pratericola</i></b>	<b>Narrow-leaved Goosefoot</b>	AH	Chenopodiaceae
<i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i>	Soap Lily	PG	Agavaceae
<b><i>Chorizanthe blakleyi</i></b>	<b>Blakley's Spineflower</b>	AH	Polygonaceae
<i>Chorizanthe thurberi</i> var. <i>thurberi</i>	Thurber Spineflower	AH	Polygonaceae
<b><i>Chorizanthe watsonii</i></b>	<b>Watson Spineflower</b>	AH	Polygonaceae
<i>Chorizanthe xantii</i> var. <i>xantii</i>	Xantus Spineflower	AH	Polygonaceae
<i>Cirsium occidentale</i> var. <i>californicum</i>	California Thistle	BH	Asteraceae
<i>Cirsium occidentale</i> var. <i>venustum</i>	Red or Venus Thistle	BH	Asteraceae
<i>Clarkia botta</i>	Punchbowl Godetia	AH	Onagraceae
<b><i>Clarkia dudleyana</i></b>	<b>Dudley Godetia</b>	AH	Onagraceae
<b><i>Clarkia modesta</i></b>	<b>Modest Clarkia</b>	AH	Onagraceae
<i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i>	Four-spotted Purple Clarkia	AH	Onagraceae
<b><i>Clarkia rhomboidea</i></b>	<b>Diamond Farewell-to-Spring</b>	AH	Onagraceae
<b><i>Claytonia exigua</i> ssp. <i>exigua</i></b>	<b>Small Miner's Lettuce</b>	AH	Montiaceae
<i>Claytonia parviflora</i> ssp. <i>parviflora</i>	Small-flowered Miner's Lettuce	AH	Montiaceae
<i>Claytonia perfoliata</i> var. <i>depressa</i>	Miner's Lettuce	AH	Montiaceae
<b><i>Claytonia rubra</i> ssp. <i>rubra</i></b>	<b>Red Miner's Lettuce</b>	AH	Montiaceae
<i>Claytonia spathulata</i> var. <i>viridis</i>	Green Spoon Miner's Lettuce	AH	Montiaceae
<i>Clematis lasiantha</i>	Pipstem Clematis	PV	Ranunculaceae
<i>Clematis ligusticifolia</i>	Virgin's Bower	PV	Ranunculaceae
<i>Cnicus benedictus</i> *	Blessed Thistle	AH	Asteraceae
<i>Collinsia callosa</i>	Large-fruited Blue-eyed Mary	AH	Plantaginaceae
<b><i>Collinsia childii</i></b>	<b>Child's Blue-eyed Mary</b>	AH	Plantaginaceae
<b><i>Collinsia torryi</i> var. <i>wrightii</i></b>	<b>Wright Blue-eyed Mary</b>	AH	Plantaginaceae
<b><i>Collomia grandiflora</i></b>	<b>Bride's Bouquet</b>	AH	Polemoniaceae
<b><i>Collomia tinctoria</i></b>	<b>Yellow-staining Collomia</b>	AH	Polemoniaceae
<i>Cordylanthus nevinii</i>	Nevin Bird's Beak	AH	Orobanchaceae
<i>Cordylanthus rigidus</i> var. <i>rigidus</i>	Rigid Birds-beak	AH	Orobanchaceae
<i>Corethrogyne filaginifolia</i> var. <i>filaginifolia</i>	California Cudweed-aster	PH	Asteraceae
<b><i>Crepis occidentalis</i> ssp. <i>occidentalis</i></b>	<b>Western Hawksbeard</b>	PH	Asteraceae
<b><i>Cryptantha barbiger</i></b>	<b>Bearded Forget-Me-Not</b>	AH	Boraginaceae

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

By David L. Magney

Botanical Name	Common Name	Habit	Family
<i>Cryptantha clevelandii</i>	Cleveland Forget-Me-Not	AH	Boraginaceae
<i>Cryptantha decipiens</i>	Gravel Forget-Me-Not	AH	Boraginaceae
<b><i>Cryptantha flaccida</i></b>	<b>Flaccid Forget-Me-Not</b>	AH	Boraginaceae
<i>Cryptantha intermedia</i> var. <i>intermedia</i>	Common Forget-Me-Not	AH	Boraginaceae
<i>Cryptantha muricata</i> var. <i>jonesii</i>	Jones' Forget-Me-Not	AH	Boraginaceae
<i>Cryptantha muricata</i> var. <i>muricata</i>	Showy Prickly-nut Forget-Me-Not	AH	Boraginaceae
<i>Cryptantha nemaclada</i>	Colusa Forget-Me-Not	AH	Boraginaceae
<i>Cryptantha oxygona</i>	Sharp-not Forget-Me-Not	AH	Boraginaceae
<i>Cryptantha simulans</i>	Pine Forget-Me-Not	AH	Boraginaceae
<b><i>Cryptantha torreyana</i> var. <i>torreyana</i></b>	<b>Torrey Forget-Me-Not</b>	AH	Boraginaceae
<i>Cuscuta californica</i> var. <i>californica</i>	California Dodder	AV	Cuscutaceae
<i>Cuscuta subinclusa</i>	Canyon Dodder	AV	Cuscutaceae
<i>Cynodon dactylon</i> *	Bermuda Grass	PG	Poaceae
<i>Datisca glomerata</i>	Durango Root	PH	Datisceae
<i>Datura wrightii</i>	Jimson Weed	AH	Solanaceae
<i>Daucus pusillus</i>	Southwestern Carrot	AH	Apiaceae
<b><i>Delphinium parryi</i> ssp. <i>purpureum</i></b>	<b>Mount Pinos Larkspur</b>	PH	Ranunculaceae
<i>Delphinium patens</i> var. <i>montanum</i>	Mountain Spreading Larkspur	PH	Ranunculaceae
<b><i>Delphinium umbracolorum</i></b>	<b>Umbrella Larkspur</b>	PH	Ranunculaceae
<b><i>Descurainia pinnata</i> ssp. <i>halictorum</i></b>	<b>Western Tansy Mustard</b>	PH	Brassicaceae
<i>Descurainia sophia</i> *	Tansy Mustard	AH	Brassicaceae
<i>Dicentra chrysantha</i>	Golden Eardrops	PH	Fumariaceae
<b><i>Dicentra pauciflora</i></b>	<b>Few-flowered Bleeding Heart</b>	PH	Fumariaceae
<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	Blue Dicks	PG	Themidaceae
<i>Diplacus brevipes</i>	Short or Lemon Monkeyflower	AH	Phrymaceae
<i>Diplacus calycinus</i>	Fuzzy Bush Monkeyflower	S	Phrymaceae
<i>Diplacus johnstonii</i>	Johnston Monkeyflower	AH	Phrymaceae
<i>Diplacus longiflorus</i>	Sticky Bush Monkeyflower	S	Phrymaceae
<i>Distichlis spicata</i>	Saltgrass	PG	Poaceae
<b><i>Drymocallis lactea</i> var. <i>lactea</i></b>	<b>Sierra Nevada Sticky Cinquefoil</b>	PH	Rosaceae
<i>Dudleya lanceolata</i>	Lanceleaf Live-forever	PH	Crassulaceae
<i>Eleocharis parishii</i>	Parish Spike-rush	PG	Cyperaceae
<i>Elymus condensatus</i>	Giant Wildrye	PG	Poaceae
<i>Elymus elymoides</i> var. <i>elymoides</i>	Bottlebrush Squirreltail	PG	Poaceae
<i>Elymus glaucus</i> ssp. <i>glaucus</i>	Blue Wildrye	PG	Poaceae
<b><i>Elymus glaucus</i> ssp. <i>jepsonii</i></b>	<b>Jepson Blue Wildrye</b>	PG	Poaceae
<b><i>Elymus stebbinsi</i></b>	<b>Wheatgrass</b>	PG	Poaceae
<i>Elymus triticoides</i> ssp. <i>triticoides</i>	Creeping Wildrye	PG	Poaceae
<i>Ephedra viridis</i>	Green Mormon Tea	S	Ephedraceae
<i>Epilobium brachycarpum</i>	Panicled Willow-herb	AH	Onagraceae
<i>Epilobium canum</i> ssp. <i>canum</i>	California Fuchsia	PH	Onagraceae
<i>Epilobium canum</i> ssp. <i>latifolium</i>	Broad-leaved California Fuchsia	PH	Onagraceae
<b><i>Epilobium glaberrinum</i> ssp. <i>glaberrinum</i></b>	<b>Waxy Willow-herb</b>	AH	Onagraceae
<i>Epipactis gigantea</i>	Stream Orchid	PG	Orchidaceae

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

By David L. Magney

Botanical Name	Common Name	Habit	Family
<i>Equisetum arvense</i>	<b>Field Horsetail</b>	PF	Equisetaceae
<i>Equisetum hyemale</i> var. <i>affine</i>	<b>Common Scouring Rush</b>	PF	Equisetaceae
<i>Equisetum laevigatum</i>	Smooth Scouring Rush	PF	Equisetaceae
<i>Equisetum telmateia</i> ssp. <i>braunii</i>	<b>Giant Horsetail</b>	PF	Equisetaceae
<i>Eremocarpus setigerus</i>	Dove Weed	AH	Euphorbiaceae
<i>Eremothera boothii</i> ssp. <i>decorticans</i>	Booth Shredding Primrose	AH	Onagraceae
<i>Eriastrum densifolium</i> var. <i>austromontanum</i>	Mountain Woolly Star	AH	Polemoniaceae
<i>Eriastrum densifolium</i> var. <i>elongatum</i>	Elongated Woolly Star	AH	Polemoniaceae
<i>Eriastrum signatum</i>	Maroon-spotted Woolly Star	AH	Polemoniaceae
<i>Ericameria linearifolia</i>	Narrowleaf Goldenbush	S	Asteraceae
<i>Ericameria nauseosa</i> var. <i>hololeuca</i>	White Rabbitbrush	S	Asteraceae
<i>Ericameria nauseosa</i> var. <i>mohavensis</i>	Mojave Rubber Rabbitbrush	S	Asteraceae
<i>Erigeron foliosus</i> var. <i>foliosus</i>	Leafy Fleabane	PH	Asteraceae
<i>Eriodictyon</i> [ <i>Turricula</i> ] <i>parryi</i>	Poodle-dog Bush	S	Boraginaceae
<i>Eriodictyon crassifolium</i> var. <i>nigrescens</i>	Thickleaf Yerba Santa	S	Boraginaceae
<i>Eriodictyon trichocalyx</i> var. <i>trichocalyx</i>	<b>Yerba Santa</b>	S	Boraginaceae
<i>Eriogonum angulosum</i>	Angle-stemmed Buckwheat	AH	Polygonaceae
<i>Eriogonum baileyi</i> var. <i>baileyi</i>	Bailey Buckwheat	AH	Polygonaceae
<i>Eriogonum cithariforme</i>	Cithara Buckwheat	AH	Polygonaceae
<i>Eriogonum davidsonii</i>	Davidson Buckwheat	AH	Polygonaceae
<i>Eriogonum elegans</i>	<b>Elegant Buckwheat</b>	AH	Polygonaceae
<i>Eriogonum fasciculatum</i> ssp. <i>foliolosum</i>	Leafy California Buckwheat	S	Polygonaceae
<i>Eriogonum fasciculatum</i> ssp. <i>polifolium</i>	Hoary California Buckwheat	S	Polygonaceae
<i>Eriogonum gracile</i> var. <i>gracile</i>	Slender Woolly Buckwheat	AH	Polygonaceae
<i>Eriogonum hirtiflorum</i>	<b>Hairy-flowered Buckwheat</b>	AH	Polygonaceae
<i>Eriogonum inerme</i>	<b>Unarmed Buckwheat</b>	AH	Polygonaceae
<i>Eriogonum kennedyi</i> var. <i>kennedyi</i>	Kennedy Buckwheat	S	Polygonaceae
<i>Eriogonum maculatum</i>	Spotted Buckwheat	AH	Polygonaceae
<i>Eriogonum molestum</i>	<b>Pine Buckwheat</b>	AH	Polygonaceae
<i>Eriogonum nudum</i> var. <i>pauciflorum</i>	Tibinagua	PH	Polygonaceae
<i>Eriogonum nudum</i> var. <i>pubiflorum</i>	Hairy-flowered Barestem Buckwheat	PH	Polygonaceae
<i>Eriogonum nudum</i> var. <i>westonii</i>	Weston Barestem Buckwheat	PH	Polygonaceae
<i>Eriogonum saxatile</i>	Rock Buckwheat	AH	Polygonaceae
<i>Eriogonum viridescens</i>	<b>Green Buckwheat</b>	AH	Polygonaceae
<i>Eriogonum wrightii</i> var. <i>subscaposum</i>	Short-scape Wright Buckwheat	S	Polygonaceae
<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	Golden Yarrow	S	Asteraceae
<i>Erodium cicutarium</i> *	Redstem Filaree	AH	Geraniaceae
<i>Erysimum capitatum</i> var. <i>capitatum</i>	Western Wallflower	BH	Brassicaceae
<i>Erythranthe guttata</i>	Common Streamside Monkeyflower	PH	Phrymaceae
<i>Eschscholzia californica</i> var. <i>californica</i>	California Poppy	AH	Papaveraceae
<i>Euthamia occidentalis</i>	Western Goldenrod	PH	Asteraceae
<i>Forestiera pubescens</i>	<b>Desert Olive</b>	S	Oleaceae
<i>Frangula californica</i> ssp. <i>californica</i>	California Coffeeberry	S	Rhamnaceae
<i>Frangula californica</i> ssp. <i>tomentella</i>	Hoary Coffeeberry	S	Rhamnaceae

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

By David L. Magney

Botanical Name	Common Name	Habit	Family
<i>Fraxinus dipetala</i>	California Flowering Ash	S	Oleaceae
<i>Fremontodendron californicum</i> ssp. <i>californicum</i>	California Flannel Bush	S	Malvaceae
<b><i>Fritillaria pinetorum</i></b>	<b>Pine Fritillary</b>	PH	Liliaceae
<i>Galium andrewsii</i> ssp. <i>andrewsii</i>	Pine Mat	PH	Rubiaceae
<i>Galium andrewsii</i> ssp. <i>intermedium</i>	Pine Mat	PH	Rubiaceae
<i>Galium angustifolium</i> ssp. <i>angustifolium</i>	Chaparral Bedstraw	S	Rubiaceae
<i>Galium hallii</i>	Nodding Bedstraw	PH	Rubiaceae
<i>Garrya flavescens</i> var. <i>pallida</i>	Pallid Silk-tassel Bush	S	Garryaceae
<i>Garrya veatchii</i>	Veatch's Silk-tassel Bush	S	Garryaceae
<i>Gayophytum diffusum</i> ssp. <i>parviflorum</i>	Diffuse Gayophytum	AH	Onagraceae
<b><i>Gilia brecciarum</i> ssp. <i>brecciarum</i></b>	<b>Breccia Gilia</b>	AH	Polemoniaceae
<i>Gilia capitata</i> ssp. <i>abrotanifolia</i>	Blue Field Gilia	AH	Polemoniaceae
<b><i>Gilia latiflora</i> ssp. <i>cuyamensis</i></b>	<b>Cuyama Gilia</b>	AH	Polemoniaceae
<b><i>Gilia modocensis</i></b>	<b>Modoc Gilia</b>	AH	Polemoniaceae
<i>Gilia ochroleuca</i> ssp. <i>bizonata</i>	Desert Gilia	AH	Polemoniaceae
<b><i>Gilia tetrabreccia</i></b>	<b>Mount Pinos Gilia</b>	AH	Polemoniaceae
<i>Gnaphalium palustre</i>	Western Marsh Cudweed	BH	Asteraceae
<i>Greenocharis circumscissa</i> var. <i>circumscissa</i>	Greenocheris	AH	Boraginaceae
<i>Gutierrezia californica</i>	California Matchweed	S	Asteraceae
<i>Gutierrezia sarothrae</i>	Kindlingweed	S	Asteraceae
<i>Hazardia squarrosa</i> var. <i>obtusata</i>	Prickly Sawtooth Goldenbush	S	Asteraceae
<i>Hemizonella minima</i>	Hemizonella	AH	Asteraceae
<b><i>Hesperovax acaulis</i> var. <i>robustior</i></b>	<b>Robust Dwarf Evax</b>	AH	Asteraceae
<i>Hesperoyucca whipplei</i> ssp. <i>cespitosa</i>	Clumping Our Lord's Candle	S	Agavaceae
<b><i>Hesperoyucca whipplei</i> ssp. <i>percursa</i></b>	<b>Our Lord's Candle</b>	S	Agavaceae
<i>Heteromeles arbutifolia</i>	Toyon	S	Rosaceae
<i>Heterotheca sessiliflora</i> ssp. <i>echioides</i>	Hairy Golden-aster	PH	Asteraceae
<b><i>Hieracium horridum</i></b>	<b>Shaggy Hawkweed</b>	PH	Asteraceae
<i>Hirschfeldia incana</i> *	Summer Mustard	PH	Brassicaceae
<b><i>Hosackia crassifolia</i> var. <i>crassifolia</i></b>	<b>Buck Lotus</b>	PH	Fabaceae
<b><i>Hypericum formosum</i> var. <i>scouleri</i></b>	<b>St. John's Wort</b>	PH	Clusiaceae
<b><i>Juncus acutus</i> ssp. <i>leopoldii</i></b>	<b>Spiny Rush</b>	PG	Juncaceae
<i>Juncus balticus</i> ssp. <i>balticus</i>	Baltic Rush	PG	Juncaceae
<b><i>Juncus bufonius</i> var. <i>occidentalis</i></b>	<b>Western Toad Rush</b>	AG	Juncaceae
<b><i>Juncus effusus</i> var. <i>austrocalifornicus</i></b>	<b>Pacific Rush</b>	PG	Juncaceae
<i>Juncus mexicanus</i>	Mexican Rush	PG	Juncaceae
<b><i>Juncus rugulosus</i></b>	<b>Wrinkled Rush</b>	PG	Juncaceae
<i>Juniperus californica</i>	California Juniper	S	Cupressaceae
<i>Keckiella breviflora</i> var. <i>breviflora</i>	Stubflower Penstemon	S	Plantaginaceae
<i>Keckiella ternata</i> var. <i>septentrionalis</i>	Bluestem Bush Penstemon	S	Plantaginaceae
<i>Koeleria macrantha</i>	Junegrass	PG	Poaceae
<i>Lathyrus vestitus</i> ssp. <i>vestitus</i>	Pacific Peavine	PV	Fabaceae
<i>Layia glandulosa</i> ssp. <i>glandulosa</i>	White Layia	AH	Asteraceae
<b><i>Layia glandulosa</i> ssp. <i>lutea</i></b>	<b>Yellow Layia</b>	AH	Asteraceae

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

By David L. Magney

Botanical Name	Common Name	Habit	Family
<i>Layia heterotricha</i>	<b>Pale-yellow Layia</b>	AH	Asteraceae
<i>Lepidospartum squamatum</i>	Scalebroom	S	Asteraceae
<i>Leptodactylon pungens</i> ssp. <i>pulchriflorum</i>	<b>Granite Prickly Phlox</b>	S	Polemoniaceae
<i>Leptosiphon androsaceus</i>	<b>Baby Tears</b>	AH	Polemoniaceae
<i>Leptosiphon aureus</i> ssp. <i>aureus</i>	Desert Gold	AH	Polemoniaceae
<i>Leptosiphon bicolor</i>	<b>Bicolored Linanthus</b>	AH	Polemoniaceae
<i>Leptosiphon ciliatus</i>	<b>Whisker Brush</b>	AH	Polemoniaceae
<i>Leptosiphon liniflorus</i>	<b>Narrow Flaxflower</b>	AH	Polemoniaceae
<i>Leptosiphon parviflorus</i>	Linanthus	AH	Polemoniaceae
<i>Leptosyne bigelovii</i>	Bigelow Coreopsis	AH	Asteraceae
<i>Lessingia glandulifera</i> var. <i>glandulifera</i>	Lemmon's Lessingia	AH	Asteraceae
<i>Lessingia tenuis</i>	<b>Spring Lessingia</b>	AH	Asteraceae
<i>Lilium humboldtii</i> ssp. <i>ocellatum</i>	<b>Ocellated Humboldt Lily</b>	PG	Liliaceae
<i>Linum lewisii</i>	<b>Western Blue Flax</b>	AH	Linaceae
<i>Lithophragma cymbalaria</i>	<b>Mission Star</b>	PH	Saxifragaceae
<i>Lithophragma parviflorum</i> var. <i>parviflorum</i>	<b>Prairie Star</b>	PH	Saxifragaceae
<i>Lolium multiflorum</i> *	Italian Ryegrass	PG	Poaceae
<i>Lomatium dasycarpum</i> ssp. <i>dasycarpum</i>	Hairy Wing-fruit	PH	Apiaceae
<i>Lomatium parvifolium</i>	<b>Small-leaved Lomatium</b>	PH	Apiaceae
<i>Lonicera interrupta</i>	Chaparral Honeysuckle	S	Caprifoliaceae
<i>Lonicera subspicata</i> var. <i>denudata</i>	Southern Honeysuckle	S	Caprifoliaceae
<i>Lupinus albicaulis</i>	<b>Whitestem Lupine</b>	PH	Fabaceae
<i>Lupinus albifrons</i> var. <i>albifrons</i>	Silver Bush Lupine	S	Fabaceae
<i>Lupinus andersonii</i>	<b>Anderson Lupine</b>	PH	Fabaceae
<i>Lupinus bicolor</i>	Bicolored Lupine	AH	Fabaceae
<i>Lupinus breweri</i> var. <i>breweri</i>	<b>Brewer Mat Lupine</b>	PH	Fabaceae
<i>Lupinus concinnus</i> var. <i>concinnus</i>	Bajada Lupine	AH	Fabaceae
<i>Lupinus concinnus</i> var. <i>optatus</i>	<b>Bajada Lupine</b>	AH	Fabaceae
<i>Lupinus concinnus</i> var. <i>orcuttii</i>	<b>Orcutt Bajada Lupine</b>	AH	Fabaceae
<i>Lupinus elatus</i>	<b>Johnston Silky Lupine</b>	PH	Fabaceae
<i>Lupinus excubitus</i> var. <i>austromontanus</i>	<b>Southern Mountain Lupine</b>	S	Fabaceae
<i>Lupinus excubitus</i> var. <i>hallii</i>	Hall's Grape Soda Lupine	S	Fabaceae
<i>Lupinus excubitus</i> var. <i>johnstonii</i>	<b>Johnston Bush Lupine</b>	S	Fabaceae
<i>Lupinus formosus</i> var. <i>formosus</i>	Summer Bush Lupine	S	Fabaceae
<i>Lupinus hirsutissimus</i>	Nettle Lupine	AH	Fabaceae
<i>Lupinus latifolius</i> var. <i>parishii</i>	<b>Parish Broadleaf Lupine</b>	PH	Fabaceae
<i>Lupinus lepidus</i> var. <i>confertus</i>	<b>Prairie Lupine</b>	PH	Fabaceae
<i>Lupinus luteolus</i>	<b>Butter Lupine</b>	AH	Fabaceae
<i>Lupinus microcarpus</i> var. <i>densiflorus</i>	<b>Densely Red-flowered Lupine</b>	AH	Fabaceae
<i>Lupinus microcarpus</i> var. <i>horizontalis</i>	<b>Prostrate Red-flowered Lupine</b>	AH	Fabaceae
<i>Lupinus microcarpus</i> var. <i>microcarpus</i>	Red-flowered Lupine	AH	Fabaceae
<i>Lythrum californicum</i>	California Loosestrife	AH	Lythraceae
<i>Madia elegans</i> ssp. <i>vernalis</i>	<b>Vernal Tarplant</b>	AH	Asteraceae
<i>Madia elegans</i> ssp. <i>wheeleri</i>	<b>Wheeler Tarplant</b>	AH	Asteraceae



# Vascular Plants of Pine Mountain Ridge, Ventura County, California

By David L. Magney

Botanical Name	Common Name	Habit	Family
<i>Malacothrix californica</i> var. <i>californica</i>	California Cliff-aster	AH	Asteraceae
<b><i>Malacothrix clevelandii</i></b>	<b>Cleveland Cliff-aster</b>	AH	Asteraceae
<i>Malacothrix floccifera</i>	Flocced Cliff-aster	PH	Asteraceae
<b><i>Malacothrix saxatilis</i> var. <i>altissima</i></b>	<b>Montane Cliff Desertdandelion</b>	PH	Asteraceae
<b><i>Malacothrix saxatilis</i> var. <i>commutata</i></b>	<b>Cliff Desertdandelion</b>	PH	Asteraceae
<i>Marah fabaceus</i> var. <i>agrestis</i>	California Man-root	PV	Cucurbitaceae
<i>Marrubium vulgare</i> *	White Horehound	PH	Lamiaceae
<i>Medicago sativa</i> *	Alfalfa	BH	Fabaceae
<b><i>Melica californica</i> var. <i>californica</i></b>	<b>California Melic Grass</b>	PG	Poaceae
<b><i>Melica frutescens</i></b>	<b>Woody Melic Grass</b>	PG	Poaceae
<i>Melica imperfecta</i>	Coast Melic Grass	PG	Poaceae
<i>Melilotus alba</i> *	White Sweetclover	AH	Fabaceae
<b><i>Mentzelia congesta</i> var. <i>congesta</i></b>	<b>Congested Stickleaf</b>	AH	Loasaceae
<b><i>Mentzelia congesta</i> var. <i> davidsoniana</i></b>	<b>Ventana Stickleaf</b>	AH	Loasaceae
<b><i>Mentzelia dispersa</i></b>	<b>Dispersed Stickleaf</b>	AH	Loasaceae
<b><i>Mentzelia gracilentia</i></b>	<b>Slender Stickleaf</b>	AH	Loasaceae
<i>Mentzelia laevicaulis</i>	Blazing Star	AH	Loasaceae
<b><i>Mentzelia micrantha</i></b>	<b>Tiny-flowered Stickleaf</b>	AH	Loasaceae
<i>Mentzelia montana</i> ssp. <i>montana</i>	Mountain Stickleaf	AH	Loasaceae
<b><i>Mentzelia veatchiana</i></b>	<b>Veatch's Stickleaf</b>	AH	Loasaceae
<i>Mimulus cardinalis</i>	Scarlet Monkeyflower	PH	Phrymaceae
<b><i>Mimulus moschatus</i> var. <i>longiflorus</i></b>	<b>Musk Monkeyflower</b>	AH	Phrymaceae
<i>Mimulus pilosus</i>	Downy Monkeyflower	AH	Phrymaceae
<b><i>Mimulus rubellus</i></b>	<b>Little Redstem Monkeyflower</b>	AH	Phrymaceae
<b><i>Mimulus suksdorfii</i></b>	<b>Suksdorf Monkeyflower</b>	AH	Phrymaceae
<b><i>Minuartia douglasii</i></b>	<b>Douglas Sandwort</b>	AH	Caryophyllaceae
<b><i>Monardella australis</i></b>	<b>Southern Coyote Mint</b>	AH	Lamiaceae
<i>Monardella breweri</i> var. <i>breweri</i>	Brewer Coyote Mint	AH	Lamiaceae
<i>Monardella breweri</i> var. <i> lanceolata</i>	Mustang Mint	AH	Lamiaceae
<b><i>Monardella linoides</i> ssp. <i>oblonga</i></b>	<b>Flax-leaved Horsemint</b>	PH	Lamiaceae
<b><i>Morella</i> [ <i>Myrica</i> ] <i>californica</i></b>	<b>California Wax-myrtle</b>	S	Myricaceae
<b><i>Mucronea perfoliata</i> var. <i>perfoliata</i></b>	<b>Perfoliate Spineflower</b>	AH	Polygonaceae
<b><i>Muhlenbergia andina</i></b>	<b>Foxtail Muhly</b>	AG	Poaceae
<b><i>Muhlenbergia asperifolia</i></b>	<b>Scratchgrass</b>	AG	Poaceae
<i>Muhlenbergia rigens</i>	Deer Grass	PG	Poaceae
<b><i>Muilla maritima</i></b>	<b>Common Muilla</b>	PG	Alliaceae
<i>Nemophila pedunculata</i>	Little-foot Baby Blue-eyes	AH	Boraginaceae
<b><i>Nemophila pulchella</i> var. <i>fremontii</i></b>	<b>Fremont Baby Blue-eyes</b>	AH	Boraginaceae
<b><i>Nicotiana attenuata</i></b>	<b>Coyote Tobacco</b>	AH	Solanaceae
<b><i>Nicotiana quadrivalvis</i> var. <i>quadrivalvis</i></b>	<b>Indian Tobacco</b>	AH	Solanaceae
<b><i>Notholithocarpus densiflorus</i> var. <i>densiflorus</i></b>	<b>Tanbark Oak</b>	S	Fagaceae
<i>Oenothera californica</i> ssp. <i>californica</i>	California Evening-primrose	AH	Onagraceae
<b><i>Oenothera longissima</i> ssp. <i>clutei</i></b>	<b>Longstem Evening-primrose</b>	AH	Onagraceae
<i>Orobanche bulbosa</i>	Chamise Broomrape	PH	Orobanchaceae

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

By David L. Magney

Botanical Name	Common Name	Habit	Family
<i>Orobanche californica</i> ssp. <i>feudgei</i>	<b>California Sagebrush Broomrape</b>	PH	Orobanchaceae
<i>Oxytheca trilobata</i>	<b>Three-lobed Spineflower</b>	AH	Polygonaceae
<i>Panicum capillare</i> ssp. <i>capillare</i>	Witchgrass	PG	Poaceae
<i>Pectocarya setosa</i>	Comb-bur	AH	Boraginaceae
<i>Pedicularis semibarbata</i>	<b>Pine-woods Lousewort</b>	PH	Orobanchaceae
<i>Pellaea mucronata</i> var. <i>mucronata</i>	Birdsfoot Cliffbrake Fern	PF	Pteridaceae
<i>Penstemon centranthifolius</i>	Scarlet Bugler	PH	Plantaginaceae
<i>Penstemon grinnellii</i> var. <i>grinnellii</i>	Grinnell Beardtongue	PH	Plantaginaceae
<i>Penstemon heterophyllus</i> var. <i>heterophyllus</i>	Foothill Penstemon	PH	Plantaginaceae
<i>Penstemon labrosus</i>	San Gabriel Penstemon	PH	Plantaginaceae
<i>Penstemon rostriflorus</i>	Bridges' Penstemon	PH	Plantaginaceae
<i>Penstemon speciosus</i>	Showy Beardtongue	PH	Plantaginaceae
<i>Penstemon Xspeciosus</i>	Hybrid Showy Beardtongue	PH	Plantaginaceae
<i>Pentachaeta fragilis</i>	<b>Fragile Pentachaeta</b>	AH	Asteraceae
<i>Perideridia pringlei</i>	<b>Adobe Yampah</b>	PH	Apiaceae
<i>Peritoma arborea</i> var. <i>globosa</i>	<b>Bladderpod</b>	S	Cleomaceae
<i>Phacelia austromontana</i>	<b>Southern Mountain Phacelia</b>	AH	Boraginaceae
<i>Phacelia brachyloba</i>	Short-lobed Phacelia	AH	Boraginaceae
<i>Phacelia cicutaria</i> var. <i>cicutaria</i>	<b>Caterpillar Phacelia</b>	AH	Boraginaceae
<i>Phacelia cicutaria</i> var. <i>hispida</i>	Hispid Caterpillar Phacelia	AH	Boraginaceae
<i>Phacelia curvipes</i> var. <i>curvipes</i>	Washoe Phacelia	AH	Boraginaceae
<i>Phacelia davidsonii</i>	Davidson Phacelia	AH	Boraginaceae
<i>Phacelia distans</i>	Wild Heliotrope	AH	Boraginaceae
<i>Phacelia douglasii</i> var. <i>douglasii</i>	Douglas Phacelia	AH	Boraginaceae
<i>Phacelia egena</i>	Rock Phacelia	PH	Boraginaceae
<i>Phacelia fremontii</i>	Fremont Phacelia	AH	Boraginaceae
<i>Phacelia imbricata</i> ssp. <i>imbricata</i>	Imbricate Mountain Phacelia	PH	Boraginaceae
<i>Phacelia longipes</i>	Long-stalked Phacelia	AH	Boraginaceae
<i>Phacelia ramosissima</i> var. <i>ramosissima</i>	Branching Phacelia	PH	Boraginaceae
<i>Phlox gracilis</i>	Slender Phlox	AH	Polemoniaceae
<i>Phoradendron densum</i>	Fir Mistletoe	PH	Viscaceae
<i>Phoradendron macrophyllum</i>	Bigleaf Mistletoe	PH	Viscaceae
<i>Phoradendron pauciflorum</i>	<b>Few-flowered Mistletoe</b>	PH	Viscaceae
<i>Phoradendron villosum</i>	Oak Mistletoe	PH	Viscaceae
<i>Pinus flexilis</i>	<b>Limber Pine</b>	T	Pinaceae
<i>Pinus jeffreyi</i>	Jeffrey Pine	T	Pinaceae
<i>Pinus lambertiana</i>	Sugar Pine	T	Pinaceae
<i>Pinus monophylla</i>	Singleleaf Pinyon Pine	T	Pinaceae
<i>Pinus ponderosa</i> var. <i>ponderosa</i>	Pacific Ponderosa Pine	T	Pinaceae
<i>Platanus racemosa</i> var. <i>racemosa</i>	California Sycamore	T	Platanaceae
<i>Platystemon californicus</i>	Cream Cups	AH	Papaveraceae
<i>Poa bulbosa</i> *	Bulbose Bluegrass	AG	Poaceae
<i>Poa howellii</i>	<b>Howell's Bluegrass</b>	AG	Poaceae
<i>Poa secunda</i> ssp. <i>secunda</i>	One-slided Bluegrass	PG	Poaceae

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

By David L. Magney

Botanical Name	Common Name	Habit	Family
<i>Polemonium micranthum</i>	<b>Tiny Phlox</b>	AH	Polemoniaceae
<i>Polypodium hesperium</i>	<b>Western Polypody</b>	PF	Polypodiaceae
<i>Polypogon monspeliensis</i> *	Rabbitsfoot Beardgrass	AG	Poaceae
<i>Populus fremontii</i> ssp. <i>fremontii</i>	Fremont Cottonwood	T	Salicaceae
<i>Populus trichocarpa</i>	Black Cottonwood	T	Salicaceae
<i>Potentilla gracilis</i> var. <i>elmeri</i>	<b>Elmer Slender Cinquefoil</b>	PH	Rosaceae
<i>Prunus ilicifolia</i> ssp. <i>ilicifolia</i>	Hollyleaf Cherry	S	Rosaceae
<i>Prunus virginiana</i> var. <i>demissa</i>	Western Choke Cherry	S	Rosaceae
<i>Pseudognaphalium beneolens</i>	<b>Coastal Everlasting</b>	BH	Asteraceae
<i>Pseudognaphalium californicum</i>	Green Everlasting	AH	Asteraceae
<i>Pseudognaphalium leucocephalum</i>	<b>Whiteleaf Everlasting</b>	PH	Asteraceae
<i>Pseudognaphalium microcephalum</i>	White Everlasting	PH	Asteraceae
<i>Pseudognaphalium stramineum</i>	Western Everlasting	PH	Asteraceae
<i>Pseudotsuga macrocarpa</i>	Bigcone Spruce	T	Pinaceae
<i>Pteridium aquilinum</i> var. <i>pubescens</i>	Western Bracken Fern	PF	Dennstaedtiaceae
<i>Pyrola picta</i>	<b>White-veined Wintergreen</b>	PH	Pyrolaceae
<i>Quercus agrifolia</i> var. <i>agrifolia</i>	Coast Live Oak	T	Fagaceae
<i>Quercus berberidifolia</i>	Chaparral Scrub Oak	S	Fagaceae
<i>Quercus chrysolepis</i>	Canyon Live Oak	T	Fagaceae
<i>Quercus john-tuckeri</i>	John Tucker Scrub Oak	S	Fagaceae
<i>Quercus kelloggii</i>	Black Oak	T	Fagaceae
<i>Quercus wislizenii</i> var. <i>frutescens</i>	Shrubby Interior Live Oak	S	Fagaceae
<i>Quercus wislizenii</i> var. <i>wislizenii</i>	Interior Live Oak	T	Fagaceae
<i>Rafinesquia californica</i>	California Chicory	AH	Asteraceae
<i>Rhamnus crocea</i>	Spiny Redberry	S	Rhamnaceae
<i>Rhus trilobata</i> var. <i>quinata</i>	Slender-twig Skunkbrush	S	Anacardiaceae
<i>Ribes californicum</i> var. <i>hesperium</i>	Southern California Gooseberry	S	Grossulariaceae
<i>Ribes cereum</i> var. <i>cereum</i>	<b>Wax Currant</b>	S	Grossulariaceae
<i>Ribes malvaceum</i> var. <i>malvaceum</i>	Chaparral Currant	S	Grossulariaceae
<i>Ribes nevadense</i>	<b>Sierra Currant</b>	S	Grossulariaceae
<i>Ribes roezli</i> var. <i>roezli</i>	<b>Sierra Gooseberry</b>	S	Grossulariaceae
<i>Rigiopappus leptocladus</i>	<b>Rigiopappus</b>	AH	Asteraceae
<i>Romneya trichocalyx</i>	Matilija Poppy	PH	Papaveraceae
<i>Rosa californica</i>	California Wild Rose	S	Rosaceae
<i>Rosa woodsii</i> var. <i>ultramontana</i>	<b>Interior Wild Rose</b>	S	Rosaceae
<i>Rubus parviflorus</i>	<b>Thimbleberry</b>	PV	Rosaceae
<i>Rubus ursinus</i>	California Blackberry	PV	Rosaceae
<i>Rumex acetosella</i> *	Sheep Sorrel	PH	Polygonaceae
<i>Salix exigua</i> var. <i>exigua</i>	Narrowleaf Willow	S	Salicaceae
<i>Salix lasiolepis</i> var. <i>lasiolepis</i>	Arroyo Willow	S/T	Salicaceae
<i>Salsola paulsenii</i> *	Barbwire Thistle	AH	Chenopodiaceae
<i>Salsola tragus</i> *	Russian Thistle	AH	Chenopodiaceae
<i>Saltugilia splendens</i>	Splendid Gilia	AH	Polemoniaceae
<i>Salvia apiana</i>	White Sage	S	Lamiaceae

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

By David L. Magney

Botanical Name	Common Name	Habit	Family
<i>Salvia columbariae</i>	Chia	AH	Lamiaceae
<i>Salvia leucophylla</i>	Purple Sage	S	Lamiaceae
<i>Salvia mellifera</i>	Black Sage	S	Lamiaceae
<i>Sambucus mexicana</i>	Blue Elderberry	S	Caprifoliaceae
<i>Sanicula graveolens</i>	Northern Sanicle	PH	Apiaceae
<b><i>Sarcodes sanguinea</i></b>	<b>Snow Plant</b>	PH	Monotropaceae
<b><i>Schoenoplectus acutus</i> var. <i>occidentalis</i></b>	<b>Viscid Tule</b>	PG	Cyperaceae
<b><i>Schoenoplectus pungens</i> var. <i>longispicatus</i></b>	<b>Common Threesquare Bulrush</b>	PG	Cyperaceae
<b><i>Scutellaria siphocampyloides</i></b>	<b>Skullcap</b>	PH	Lamiaceae
<i>Selaginella bigelovii</i>	Bigelow Spike-moss	PF	Selaginellaceae
<i>Senecio flaccidus</i> ssp. <i>douglasii</i>	Douglas Butterweed	S	Asteraceae
<b><i>Shepherdia argentea</i></b>	<b>Buffalo Berry</b>	S	Elaeagnaceae
<i>Sidalcea malviflora</i> ssp. <i>sparsifolia</i>	Few-leaved Globemallow	PH	Malvaceae
<b><i>Sidothea caryophylloides</i></b>	<b>Chickweed Spineflower</b>	AH	Polygonaceae
<i>Silene verecunda</i> ssp. <i>platyota</i>	Indian Pink	AH	Caryophyllaceae
<i>Sisymbrium altissimum</i> *	Tumble Mustard	AH	Brassicaceae
<b><i>Solanum umbelliferum</i></b>	<b>Blue Witch</b>	PH	Solanaceae
<i>Solidago californica</i>	California Goldenrod	PH	Asteraceae
<i>Sonchus asper</i> *	Prickly Sow-thistle	AH	Asteraceae
<b><i>Sporobolus airoides</i></b>	<b>Alkali Sacaton</b>	PG	Poaceae
<i>Stachys albens</i>	White Hedgenettle	PH	Lamiaceae
<i>Stanleya pinnata</i> var. <i>pinnata</i>	Prince's Plume	S	Brassicaceae
<i>Stellaria media</i> *	Common Chickweed	AH	Caryophyllaceae
<b><i>Stellaria nitens</i></b>	<b>Shining Chickweed</b>	AH	Caryophyllaceae
<i>Stephanomeria pauciflora</i> ssp. <i>pauciflora</i>	Wire Lettuce	PH	Asteraceae
<i>Stephanomeria exigua</i> ssp. <i>carotifera</i>	Carot Wirelettuce	PH	Asteraceae
<b><i>Stephanomeria exigua</i> ssp. <i>exigua</i></b>	<b>Small Wirelettuce</b>	PH	Asteraceae
<i>Stephanomeria virgata</i> ssp. <i>virgata</i>	Twiggy Wreath Plant	AH	Asteraceae
<i>Stipa coronata</i>	Giant Needlegrass	PG	Poaceae
<i>Stipa hymenoides</i>	Indian Ricegrass	PG	Poaceae
<b><i>Stipa occidentalis</i> var. <i>occidentalis</i></b>	<b>Western Needlegrass</b>	PG	Poaceae
<b><i>Stipa occidentalis</i> var. <i>pubescens</i></b>	<b>Elmer Needlegrass</b>	PG	Poaceae
<i>Stipa speciosum</i>	Desert Needlegrass	PG	Poaceae
<b><i>Stylomecon heterophylla</i></b>	<b>Wind Poppy</b>	AH	Papaveraceae
<i>Symphoricarpos mollis</i>	Creeping Snowberry	S	Caprifoliaceae
<i>Symphoricarpos rotundifolius</i> var. <i>parishii</i>	Parish Snowberry	S	Caprifoliaceae
<i>Taeniatherum caput-medusa</i> *	Medusa Head	AG	Poaceae
<i>Tamarix ramosissima</i> *	Tamarisk	S	Tamaricaceae
<i>Tauschia parishii</i>	Parish Tauschia	PH	Apiaceae
<b><i>Thermopsis californica</i> var. <i>argentata</i></b>	<b>Silvery False Lupine</b>	PH	Fabaceae
<b><i>Thermopsis macrophylla</i> var. <i>venosa</i></b>	<b>Slender Santa Ynez False Lupine</b>	PH	Fabaceae
<i>Thysanocarpus curvipes</i> var. <i>curvipes</i>	Fringe Lace Pod	AH	Brassicaceae
<i>Thysanocarpus laciniatus</i> var. <i>laciniatus</i>	Lace Pod	AH	Brassicaceae
<i>Toxicodendron diversilobum</i>	Western Poison Oak	PV	Anacardiaceae

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

By David L. Magney

Botanical Name	Common Name	Habit	Family
<i>Trichostema lanceolatum</i>	Vinegar Weed	AH	Lamiaceae
<i>Trifolium albopurpureum</i> var. <i>albopurpureum</i>	Rancheria Clover	AH	Fabaceae
<i>Trifolium gracilentum</i> var. <i>gracilentum</i>	Pinpoint Clover	AH	Fabaceae
<i>Trifolium microcephalum</i>	Tiny-head Clover	AH	Fabaceae
<b><i>Trifolium wormskioldii</i></b>	<b>Cows Clover</b>	AH	Fabaceae
<i>Turritis glabra</i> [ <i>Arabis glabra</i> ]	Tower Mustard	AH	Brassicaceae
<i>Typha domingensis</i>	Southern Cattail	PG	Typhaceae
<i>Uropappus lindleyi</i>	Silver Puffs	AH	Asteraceae
<i>Verbena lasiostachys</i> var. <i>lasiostachys</i>	Western Verbena	PH	Verbenaceae
<b><i>Vicia americana</i> ssp. <i>americana</i></b>	<b>American Vetch</b>	AV	Fabaceae
<i>Vicia benghalensis</i> *	Mediterranean Vetch	AV	Fabaceae
<b><i>Viola aurea</i></b>	<b>Golden Violet</b>	PH	Violaceae
<b><i>Viola purpurea</i> ssp. <i>mohavensis</i></b>	<b>Mojave Yellow Violet</b>	PH	Violaceae
<b><i>Viola purpurea</i> ssp. <i>purpurea</i></b>	<b>Purple Violet</b>	PH	Violaceae
<b><i>Viola purpurea</i> ssp. <i>quercetorum</i></b>	<b>Oak Violet</b>	PH	Violaceae
<i>Vulpia microstachys</i> var. <i>ciliata</i>	Eastwood Fescue	AG	Poaceae
<i>Vulpia microstachys</i> var. <i>microstachys</i>	Desert Fescue	AG	Poaceae
<i>Vulpia microstachys</i> var. <i>pauciflora</i>	Side-oats	AG	Poaceae
<i>Vulpia myuros</i> forma <i>megalura</i> *	Foxtail Fescue	AG	Poaceae
<i>Woodwardia fimbriata</i>	Giant Chain Fern	PF	Blechnaceae

Names in **bold typeface** represent special-status species (CNPS listed or 10 or fewer populations in Ventura County) or on the Los Padres National Forest's Sensitive Species List.

An "\*" asterisk indicated nonnative naturalized taxa.

Includes all plants found from Potrero Seco east to Sespe Hot Springs, representing the west-east extent of the mountain.

Habit definitions:

AG = annual grass or graminoid

PG = perennial grass or graminoid

AH = annual herb

PH = perennial herb

AV = annual vine

PV = perennial vine

BH = biennial herb

S = shrub

PF = perennial fern or fern ally

T = tree