

Vascular Plants of San Guillmero Mountain, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland		Family	Abundance Status
			Indicator	Status		
<i>Acanthomintha obovata</i> var. <i>cordata</i> Jokerst	Heartleaf Thornmint	AH	.		Lamiaceae	S, 4.2
<i>Acanthomintha obovata</i> Jeps. var. <i>obovata</i>	Heartleaf Thornmint	AH	.		Lamiaceae	S, 4.2
<i>Acmispon americanus</i> (Nuttall) Rydb. var. <i>americanus</i>	American Birds-foot Trefoil	AH	UPL		Fabaceae	O
<i>Acmispon denticulatus</i> (Drew) D.D. Sokoloff	White Lotus	AH	.		Fabaceae	U
<i>Acmispon glaber</i> (Vogel) Brouillet var. <i>glaber</i>	Deerweed, California Broom	PH	.		Fabaceae	C
<i>Agrostis exarata</i> Trin.	Western or Spike Bentgrass	PG	FACW		Poaceae	S
<i>Allium cratericola</i> Eastw.	Cratered Onion	PG	.		Alliaceae	R
<i>Allium fimbriatum</i> S. Watson var. <i>fimbriatum</i>	Fringed Onion	PG	.		Alliaceae	O
<i>Allium howellii</i> var. <i>clokeyi</i> Traub	Mount Pinos Onion	PG	.		Alliaceae	O, 1B.3
<i>Allium lacunosum</i> var. <i>davisiae</i> (M.E. Jones) D. McNeal	Davis Onion	PG	.		Alliaceae	U
<i>Allium parryi</i> S. Watson	Parry Fringed Onion	PG	.		Alliaceae	R
<i>Allium sanbornii</i> Alph. Wood var. <i>sanbornii</i>	Sanborn Onion	PG	.		Alliaceae	R
<i>Allium tribracteatum</i> Torrey	Three-bracted Onion	PG	.		Alliaceae	R
<i>Allophyllum divaricatum</i> (Nuttall) A.D. Grant & V. Grant	Divaricate Allophyllum	AH	.		Polemoniaceae	U
<i>Allophyllum integrifolium</i> (Brand) A.D. Grant & V. Grant	Sticky Allophyllum	AH	.		Polemoniaceae	R
* <i>Alyssum desertorum</i> Stapf *	Desert Alyssum	PH?	.		Brassicaceae	R
<i>Aphyllon fasciculatum</i> (Nuttall) Torr. & A. Gray	Clustered Broom-rape	PH	.		Orobanchaceae	O
<i>Apocynum Xmedium</i> E. Greene	Bitter Dogbane	PH	FAC		Apocynaceae	R
<i>Arctostaphylos parryana</i> Lemmon ssp. <i>parryana</i>	Parry Manzanita	S	.		Ericaceae	C
<i>Artemisia dracuncululus</i> L.	Tarragon, Dragon Tarragon	PH	(FACW)		Asteraceae	C
<i>Artemisia ludoviciana</i> Nuttall ssp. <i>ludoviciana</i>	Silver or Western Mugwort	PH	FACU		Asteraceae	R
<i>Artemisia tridentata</i> Nuttall ssp. <i>tridentata</i>	Great Basin Sagebrush	S	.		Asteraceae	C
<i>Artemisia tridentata</i> ssp. <i>vaseyana</i> (Rydb.) Beetle	Vasey Great Basin Sagebrush	S	.		Asteraceae	O
<i>Asclepias californica</i> E. Greene ssp. <i>californica</i>	California Milkweed	AH	.		Apocynaceae	C
<i>Astragalus douglasii</i> (T. & G.) Gray var. <i>douglasii</i>	Douglas Milkvetch	PH	.		Fabaceae	S
<i>Astragalus lentiginosus</i> var. <i>nigricalycis</i> M.E. Jones	Black-sepaled Freckled Locoweed	PH	UPL		Fabaceae	U
<i>Astragalus lentiginosus</i> var. <i>sierrae</i> M.E. Jones	Bear Valley Milkvetch	PH	UPL		Fabaceae	R, 1B.2
<i>Astragalus pachypus</i> E. Greene var. <i>pachypus</i>	Thickpod Milkvetch	PH	.		Fabaceae	S
<i>Astragalus purshii</i> var. <i>tinctus</i> M.E. Jones	Pursh Woollypod	PH	.		Fabaceae	C
<i>Athysanus pusillus</i> (Hook.) Greene	Dwarf Athysanus	AH	.		Brassicaceae	O
<i>Barbarea orthoceras</i> Ledeb.	American Wintercress	BH	FACW		Brassicaceae	O
<i>Bloomeria crocea</i> var. <i>montana</i> (E. Greene) Ingram	Mountain Goldenstars	PG	.		Themidaceae	O
<i>Boechera pulchra</i> (M.E. Jones ex S. Watson) W.A. Weber	Desert Rock Cress	PH	.		Brassicaceae	C
<i>Boechera sparsiflora</i> (Nutt.) Dorn	Few-flowered Rock Cress	PH	.		Brassicaceae	C
<i>Boechera xylopoda</i> Windam & Al-Shehbaz	Desert Rock Cress	PH	.		Brassicaceae	R
* <i>Bromus catharticus</i> var. <i>elatus</i> (E. Desv.) Planchuelo *	Chilean Brome	PG	.		Poaceae	U
<i>Bromus sitchensis</i> var. <i>carinatus</i> (Hook. & Arn.) R.E. Brainerd & Otting	California Brome	PG	.		Poaceae	C

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Vascular Plants of San Guillmero Mountain, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland		Abundance
			Indicator	Status	
* <i>Bromus tectorum</i> L. *	Downy Brome, Cheat Grass	AG	.	Poaceae	C
<i>Calochortus kennedyi</i> Porter var. <i>kennedyi</i>	Red Mariposa Lily	PG	.	Liliaceae	S
<i>Calochortus splendens</i> Benth.	Splendid or Lilac Mariposa Lily	PG	.	Liliaceae	S
<i>Calochortus venustus</i> Benth.	Butterfly Mariposa Lily	PG	.	Liliaceae	C
<i>Calyptridium monandrum</i> Nuttall	Common Calyptridium, Sand Cress	AH	.	Montiaceae	C
<i>Calyptridium parryi</i> Gray var. <i>parryi</i>	Parry Calyptridium	AH	.	Montiaceae	S
<i>Calystegia collina</i> subsp. <i>venusta</i> Brummitt	South Coast Range Morning-glory	PV	.	Convolvulaceae	R
<i>Calystegia malacophylla</i> ssp. <i>pedicellata</i> (Jepson) Munz	Sierra Morning-glory	PV	.	Convolvulaceae	C
<i>Camissonia campestris</i> (E. Greene) Raven cf. ssp. <i>campestris</i>	Mojave Sun-cup	AH	.	Onagraceae	O
<i>Carex subfusca</i> W. Boott	Brown Sedge	PG	FAC	Cyperaceae	U
<i>Castilleja subinclusa</i> E. Greene ssp. <i>subinclusa</i>	Long-leaved or Jepson Indian Paintbrush	PH	.	Orobanchaceae	C
<i>Caulanthus amplexicaulis</i> S. Watson var. <i>amplexicaulis</i>	Clasping-leaved Jewelflower	AH	.	Brassicaceae	U
<i>Caulanthus anceps</i> Payson	Lemmon Mustard	AH	.	Brassicaceae	R
<i>Caulanthus lasiophyllus</i> (Hooker & Arnott) Payson	California Mustard	AH	.	Brassicaceae	C
<i>Ceanothus cuneatus</i> (Hooker) Nuttall ex Torr. & Gray var. <i>cuneatus</i>	Buck Brush, Wedgeleaf Ceanothus	S	.	Rhamnaceae	C
<i>Ceanothus pauciflorus</i> DC.	Few-flowered Ceanothus	S	.	Rhamnaceae	C
<i>Centrostegia thurberi</i> Gray ex Benth. var. <i>thurberi</i>	Thurber Spineflower	AH	.	Polygonaceae	S
<i>Centrostegia thurberi</i> var. <i>macrotheca</i> (J.T. Howell) Goodman	Thurber Spineflower	AH	.	Polygonaceae	R
<i>Ceratophyllum demersum</i> L.	Hornwort, Coontail	PH	OBL	Ceratophyllaceae	R
<i>Cercocarpus betuloides</i> Torrey & A. Gray var. <i>betuloides</i>	Birchleaf Mountain Mahogany	S	.	Rosaceae	C
<i>Chaenactis glabriuscula</i> DC. var. <i>glabriuscula</i>	Common Yellow Pincushion	AH	.	Asteraceae	C
<i>Chaenactis santolinoides</i> E. Greene	Perennial Pincushion	PH	.	Asteraceae	C
* <i>Chenopodium album</i> L. *	Lamb's Quarters, Pigweed	AH	FACU	Chenopodiaceae	C
<i>Chorizanthe watsonii</i> T. & G.	Watson Spineflower	AH	.	Polygonaceae	U
<i>Chorizanthe xanti</i> S. Watson var. <i>xanti</i>	Xantus Spineflower	AH	.	Polygonaceae	S
<i>Cirsium occidentale</i> var. <i>venustum</i> (E. Greene) Jepson	Red or Venus Thistle	BH	.	Asteraceae	O
<i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i> (Douglas) H. Lewis & M. Lewis	Four-spotted Purple Clarkia	AH	.	Onagraceae	C
<i>Claytonia exigua</i> T. & G. ssp. <i>exigua</i>	Small Miner's Lettuce	AH	.	Montiaceae	S
<i>Claytonia rubra</i> (J.T. Howell) Tidestrom ssp. <i>rubra</i>	Red Miner's Lettuce	AH	.	Montiaceae	U
<i>Cordylanthus rigidus</i> (Benth.) Jepson ssp. <i>rigidus</i>	Rigid Bird's Beak	AH	.	Orobanchaceae	C
<i>Corethrogyne filaginifolia</i> (Hook. & Arn.) Nutt. var. <i>filaginifolia</i>	California Cudweed-aster	PH	.	Asteraceae	C
<i>Crepis occidentalis</i> Nuttall ssp. <i>occidentalis</i>	Western Hawksbeard	PH	.	Asteraceae	S
<i>Crepis occidentalis</i> ssp. <i>pumila</i> (Rydb.) Babcock & Stebbins	Western Hawksbeard	PH	.	Asteraceae	U
<i>Cryptantha corollata</i> (I.M. Johnston) I.M. Johnston	Crowned Forget-Me-Not	AH	.	Boraginaceae	C
<i>Cryptantha juniperensis</i> R.B. Kelley & M.G. Simpson	Rigid Nevada Forget-Me-Not	AH	.	Boraginaceae	O
<i>Cryptantha simulans</i> E. Greene	Pine Forget-Me-Not	AH	.	Boraginaceae	S
<i>Cryptantha torreyana</i> var. <i>pumila</i> (A. Heller) I.M. Johnst.	Dwarf Forget-Me-Not	AH	.	Boraginaceae	R

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Vascular Plants of San Guillmero Mountain, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Cuscuta californica</i> Hooker & Arnott var. <i>californica</i>	California Dodder	AV	.		Convolvulaceae	C
<i>Danthonia unispicata</i> (Thurb.) Vasey	One-spike Oat Grass	PG	.		Poaceae	R
<i>Delphinium parishii</i> ssp. <i>pallidum</i> (Munz) M.J. Warnock	Pale-flowered Larkspur	PH	.		Ranunculaceae	C
<i>Delphinium parishii</i> A. Gray ssp. <i>parishii</i>	Parish's Larkspur	PH	.		Ranunculaceae	S
<i>Delphinium parryi</i> ssp. <i>purpureum</i> (F. Lewis & Epling) M.J. Warnock	Mount Pinos Larkspur	PH	.		Ranunculaceae	C, 4.3
<i>Deschampsia elongata</i> (Hooker) Bentham	Slender Hairgrass	PG	FACW		Poaceae	R
<i>Descurainia californica</i> (A. Gray) O.E. Schulz	California Tansy Mustard	AH	.		Brassicaceae	R
<i>Descurainia pinnata</i> ssp. <i>glabra</i> (Wooton & Standl.) Detling	Naked Western Tansy Mustard	AH	.		Brassicaceae	U
<i>Diplacus constrictus</i> (A.L. Grant) Nesom	Narrow-throated Monkeyflower	AH	.		Phrymaceae	O
<i>Diplacus fremontii</i> (Benth.) Nesom var. <i>fremontii</i>	Fremont Monkeyflower	AH	.		Phrymaceae	S
<i>Diplacus johnstonii</i> (A.L. Grant) Nesom	Johnston Monkeyflower	AH	.		Phrymaceae	S
<i>Dipterostemon capitatus</i> (Bentham) Rydb. ssp. <i>capitatus</i>	Blue Dicks	PG	FACU		Themidaceae	C
<i>Draba verna</i> L.	Vernal Whitlow-grass	AH	.		Brassicaceae	R
<i>Eleocharis palustris</i> (L.) Roem. & Schult.	Common Spikerush	PG	FACW		Cyperaceae	U/S
<i>Eleocharis parishii</i> Britt.	Parish Spikerush	PG	FACW		Cyperaceae	C
<i>Elymus cinereus</i> Scribn. & Merr.	Great Basin Wildrye	PG	.		Poaceae	R
<i>Elymus condensatus</i> J. Presl	Giant Wildrye	PG	FACU		Poaceae	C
<i>Elymus elymoides</i> (Raf.) Swezey ssp. <i>elymoides</i>	Bottlebrush Squirreltail	PG	FACU		Poaceae	C
<i>Elymus glaucus</i> Buckl. ssp. <i>glaucus</i>	Blue or Woodland Wildrye	PG	FACU		Poaceae	C
<i>Elymus multisetus</i> (J.G. Smith) Burt Davy	Bottlebrush Squirreltail	PG	.		Poaceae	S
<i>Elymus triticoides</i> Buckl. ssp. <i>triticoides</i>	Creeping Wildrye	PG	FAC		Poaceae	C
<i>Emmenanthe penduliflora</i> Bentham var. <i>penduliflora</i>	Whispering Bells	AH	.		Hydrophyllaceae	C
<i>Ephedra viridis</i> Coville	Green Ephedra or Mormon-tea	S	.		Ephedraceae	C
<i>Epilobium brachycarpum</i> C. Presl	Panicled Willow-herb	AH	.		Onagraceae	O
<i>Epilobium canum</i> (Greene) Raven ssp. <i>canum</i>	California Fuchsia	PH	.		Onagraceae	C
<i>Epilobium canum</i> ssp. <i>latifolium</i> (Hook.) Raven	Broad-leaved California Fuchsia	PH	.		Onagraceae	C
<i>Eremogone kingii</i> var. <i>glabrescens</i> (S. Watson) Dorn	King's Sandwort	PH	.		Caryophyllaceae	R
<i>Eremogone macradenia</i> var. <i>arcuifolia</i> (Maguire) R.L. Hartm. & Rabeler	Mojave Sandwort	PH	.		Caryophyllaceae	R
<i>Eremogone macradenia</i> (S. Watson) Ikonn. var. <i>macradenia</i>	Mojave Sandwort	PH	.		Caryophyllaceae	R
<i>Eriastrum signatum</i> D. Gowen	Moroon-spotted Woolly Star	AH	.		Polemoniaceae	C
<i>Ericameria linearifolia</i> (DC.) Urb. & Wussow	Interior Goldenbush, Stenotopsis	S	.		Asteraceae	C
<i>Ericameria nauseosa</i> var. <i>mohavensis</i> (Greene) G.L. Nesom & G.I. Baird	Mojave Rubber Rabbitbrush	S	.		Asteraceae	C
<i>Ericameria nauseosa</i> var. <i>oreophila</i> (A. Nelson) G.L. Nesom & G.I. Baird	Common Rubber Rabbitbrush	S	.		Asteraceae	S
<i>Erigeron foliosus</i> Nuttall var. <i>foliosus</i>	Leafy Fleabane or Daisy	PH	.		Asteraceae	C
<i>Eriodictyon crassifolium</i> Bentham var. <i>crassifolium</i>	Thickleaf Yerba Santa	S	.		Namaceae	C
<i>Eriodictyon crassifolium</i> var. <i>nigrescens</i> Brand	Thickleaf Yerba Santa	S	.		Namaceae	C
<i>Eriodictyon trichocalyx</i> A.A. Heller var. <i>trichocalyx</i>	Yerba Santa	S	.		Namaceae	U

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Vascular Plants of San Guillmero Mountain, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland		Family	Abundance Status
			Indicator	Status		
<i>Eriogonum angulosum</i> Benth.	Angle-stemmed Buckwheat	AH	.		Polygonaceae	S
<i>Eriogonum cithariforme</i> var. <i>agninum</i> (E. Greene) Reveal	Santa Ynez Wild Buckwheat	AH	.		Polygonaceae	S
<i>Eriogonum cithariforme</i> S. Watson var. <i>cithariforme</i>	Cithara Buckwheat	AH	.		Polygonaceae	C
<i>Eriogonum clavatum</i> Small	Hoover Little Trumpet	AH	.		Polygonaceae	S
<i>Eriogonum deflexum</i> var. <i>baratum</i> (Elmer) Reveal	Flat-crown Buckwheat	AH	.		Polygonaceae	U
<i>Eriogonum fasciculatum</i> var. <i>polifolium</i> (A. DC.) Torrey & A. Gray	Hoary California Buckwheat	S	.		Polygonaceae	C
<i>Eriogonum gracile</i> Bentham var. <i>gracile</i>	Slender Woolly Buckwheat	AH	.		Polygonaceae	O
<i>Eriogonum kennedyi</i> var. <i>alpigenum</i> (Munz & Johnston) Munz & Johnston	Alpine Kennedy Buckwheat	PH	.		Polygonaceae	R, 1B.3
<i>Eriogonum kennedyi</i> var. <i>austromontanum</i> Munz & I.M. Johnston	Southern Mountain Buckwheat	PH	.		Polygonaceae	U, T, 1B.2
<i>Eriogonum kennedyi</i> Porter ex S. Watson var. <i>kennedyi</i>	Kennedy Buckwheat	PH	.		Polygonaceae	O
<i>Eriogonum nudum</i> var. <i>pauciflorum</i> S. Watson	Tibinagua	PH	.		Polygonaceae	C
<i>Eriogonum roseum</i> Durand & Hilg.	Rose Buckwheat	AH	.		Polygonaceae	S
<i>Eriogonum umbellatum</i> var. <i>bahiiforme</i> (Torrey & A. Gray) Jepson	Sulphur Buckwheat	S	.		Polygonaceae	U, 4.2
<i>Eriogonum umbellatum</i> var. <i>munzii</i> Reveal	Munz Yellow Buckwheat	S	.		Polygonaceae	O
<i>Eriogonum wrightii</i> var. <i>subscaposum</i> S. Watson	Short-scape Wright Buckwheat	S	.		Polygonaceae	C
<i>Eriophyllum confertiflorum</i> (DC.) A. Gray var. <i>confertiflorum</i>	Golden Yarrow	PH	.		Asteraceae	C
<i>Eriophyllum pringlei</i> A. Gray	Pringle Golden Yarrow	AH	.		Asteraceae	O
* <i>Erodium cicutarium</i> (L.) L'Her. *	Redstem Filaree	AH	.		Geraniaceae	C
<i>Erysimum capitatum</i> (Dougl.) E. Greene var. <i>capitatum</i>	Western Wallflower	AH/BH	.		Brassicaceae	C
<i>Erythranthe [Mimulus] androsacea</i> (Greene) N.S. Fraga	Naked Sepal Monkeyflower	AH	.		Phrymaceae	S
<i>Erythranthe floribunda</i> (Lindley) G.L. Nesom	Floriferous Monkeyflower	AH	OBL		Phrymaceae	O
<i>Eschscholzia californica</i> Chamisso in C.G.D. ssp. <i>californica</i>	California Poppy	AH	.		Papaveraceae	C
<i>Frangula californica</i> (Eschsch.) A. Gray ssp. <i>californica</i>	California Coffeeberry	S	.		Rhamnaceae	O
<i>Frangula californica</i> ssp. <i>tomentella</i> (Benth.) Kartesz & Gandhi	Hoary Coffeeberry	S	.		Rhamnaceae	C
<i>Frasera neglecta</i> H.M. Hall	Pine Green Gentian	PH	.		Gentianaceae	S, 4.3
<i>Fremontodendron californicum</i> (Torrey) Coville ssp. <i>californicum</i>	California Flannel Bush	S	.		Malvaceae	C
<i>Fritillaria agrestis</i> E. Greene	Stink Bells	PH	FAC		Liliaceae	U, 4.2
<i>Galium andrewsii</i> ssp. <i>intermedium</i> Dempster & Stebb.	Intermediate Pine Mat	PH	.		Rubiaceae	C
<i>Garrya veatchii</i> Kellogg	Veatch's Silk-tassel Bush	S	.		Garryaceae	C
<i>Gayophytum diffusum</i> ssp. <i>parviflorum</i> H. Lewis & J. Szweykowski	Diffuse Gayophytum	AH	.		Onagraceae	O
<i>Gayophytum racemosum</i> Torrey & A. Gray	Black-foot Gayophytum	AH	.		Onagraceae	R
<i>Gilia brecciarum</i> M.E. Jones ssp. <i>brecciarum</i>	Breccia Gilia	AH	.		Polemoniaceae	O
<i>Gilia jacens</i> A. Grant & V. Grant	Purple-flowered Breccia Gilia	AH	.		Polemoniaceae	U
<i>Gilia ochroleuca</i> M.E. Jones ssp. <i>ochroleuca</i>	Volcanic Gilia	AH	.		Polemoniaceae	R
<i>Gilia tetrabreccia</i> A. & V. Grant	Mount Piños Gilia	AH	.		Polemoniaceae	S
<i>Greenocharis circumsissa</i> (Hook. & Arn.) Ryd. var. <i>circumsissa</i>	Greenocharis	AH	.		Boraginaceae	C
<i>Heliotropium curassavicum</i> var. <i>oculatum</i> (A. Heller) Tidestr.	Alkali Heliotrope, Chinese Pusley	PH	FACU		Heliotropiaceae	C

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Vascular Plants of San Guillmero Mountain, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland		Abundance Status
			Indicator	Status	
<i>Hemizonella minima</i> (A. Gray) A. Gray	Hemizonella	AH	.	Asteraceae	S
<i>Hesperochiron nanus</i> (Lindl.) Greene	California Hesperochiron	PH	FACU	Hydrophyllaceae	R
<i>Hesperoyucca whipplei</i> ssp. <i>cespitosa</i> (M.E. Jones) A.L. Haines	Clumping Our Lord's Candle	S	.	Agavaceae	C
<i>Heterotheca sessiliflora</i> ssp. <i>echioides</i> (Benth.) Semple	Sessileflower False Goldenaster	PH	.	Asteraceae	O
<i>Hieracium albiflorum</i> Hooker	White-flowered Hawkweed	PH	(FAC-)	Asteraceae	R
<i>Horkelia rydbergii</i> Elmer	Rydberg Horkelia	PH	(FACU)	Rosaceae	U
<i>Hosackia crassifolia</i> Benth. var. <i>crassifolia</i>	Broad-leaved Hosackia	PH	.	Fabaceae	S
<i>Juncus bufonius</i> var. <i>occidentalis</i> F.J. Herm.	Western Toad Rush	AG	FACW	Juncaceae	R
<i>Juncus covillei</i> Piper	Coville's Rush	PG	FACW	Juncaceae	R
<i>Juncus mexicanus</i> Willd. ex Schultes & Schultes.f.	Mexican Rush, Wire Grass	PG	FACW	Juncaceae	C
<i>Juniperus californica</i> Carrière	California Juniper	S	.	Cupressaceae	C
<i>Koeleria macrantha</i> (Ledeb.) J.A. Schultes	Junegrass	PG	.	Poaceae	O
* <i>Lactuca serriola</i> L. *	Prickly Wild Lettuce	AH	FACU	Asteraceae	C
<i>Lagophylla ramosissima</i> Nutt. ssp. <i>ramosissima</i>	Common Hareleaf	AH	.	Asteraceae	C
<i>Layia glandulosa</i> (Hook.) Hook. & Arn. ssp. <i>glandulosa</i>	White Layia	AH	.	Asteraceae	C
<i>Layia heterotricha</i> (DC.) Hooker & Arnott	Pale-yellow Layia	AH	FAC	Asteraceae	S, 1B.1
<i>Leptosiphon chrysanthus</i> J.M. Porter & R. Patt. ssp. <i>chrysanthus</i>	Desert Gold	AH	.	Polemoniaceae	C
<i>Leptosiphon liniflorus</i> (Benth.) J.M. Porter & L.A. Johnson	Linanthus	AH	.	Polemoniaceae	O
<i>Lessingia glandulifera</i> A. Gray var. <i>glandulifera</i>	Sticky Lessingia	AH	.	Asteraceae	O
<i>Lessingia leptoclada</i> A. Gray	Sierra Lessingia	AH	.	Asteraceae	R
<i>Lessingia tenuis</i> (Gray) Cov.	Tenuous Lessingia	AH	.	Asteraceae	O, 4.3
<i>Lewisia rediviva</i> ssp. <i>minor</i> (Rydb.) Munz	Small Bitterroot	PH	.	Montiaceae	S
<i>Limosella aquatica</i> L.	Mudwort	AH	OBL	Plantaginaceae	R
<i>Linanthus dichotomus</i> Benth. ssp. <i>dichotomus</i>	Evening Snow	AH	.	Polemoniaceae	S
<i>Lomatium macrocarpum</i> (T. & G.) J. Coulter & Rose	Large-fruited Lomatium	PH	.	Apiaceae	U
<i>Lomatium mohavense</i> (Coulter & Rose) Coulter & Rose ssp. <i>mohavense</i>	Desert-parsley	PH	.	Apiaceae	O
<i>Lomatium multifidum</i> (Nutt.) R.P. McNeill & Darrach	Carrotleaf Biscuitroot	PH	.	Apiaceae	U
<i>Lomatium nevadense</i> var. <i>parishii</i> (J.M. Coulter) Jeps.	Parish's Lomatium	PH	.	Apiaceae	R
<i>Lupinus breweri</i> Gray var. <i>breweri</i>	Brewer Mat Lupine	PH	.	Fabaceae	U
<i>Lupinus concinnus</i> J. Agardh ssp. <i>concinnus</i>	Bajada Lupine	AH	.	Fabaceae	C
<i>Lupinus luteolus</i> Kellogg	Butter Lupine	AH	.	Fabaceae	U
<i>Lupinus microcarpus</i> var. <i>densiflorus</i> (Benth) Jeps.	Densely Red-flowered Lupine	AH	.	Fabaceae	S
<i>Lupinus microcarpus</i> Sims var. <i>microcarpus</i>	Red-flowered Lupine	AH	.	Fabaceae	C
<i>Madia elegans</i> D. Don ssp. <i>elegans</i>	Common Tarplant or Madia	AH	.	Asteraceae	C
<i>Malacothamnus fremontii</i> (Torrey ex Gray) Torrey ex. Greene	Fremont Bushmallow	S	.	Malvaceae	S
<i>Malacothamnus orbiculatus</i> (E. Greene) E. Greene	Roundleaf Bushmallow	S	.	Malvaceae	U
<i>Marah fabacea</i> (Naudin) Greene	California Man-root	PV	.	Cucurbitaceae	C

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Vascular Plants of San Guillmero Mountain, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland		Abundance Status
			Indicator	Status	
<i>Melica imperfecta</i> Trin.	Coast Melic Grass	PG	.	Poaceae	C
<i>Mentzelia congesta</i> (Nuttall) T. & G. var. <i>congesta</i>	Congested Stickleaf	AH	.	Loasaceae	O
<i>Mentzelia dispersa</i> S. Watson	Scattered Stickleaf	AH	.	Loasaceae	O
<i>Mentzelia veatchiana</i> Kellogg	Veatch Stickleaf	AH	.	Loasaceae	C
<i>Mimethanthe pilosa</i> (Benth.) Greene	Pilose or Downy Monkeyflower	AH	.	Phrymaceae	S
<i>Monardella linoides</i> ssp. <i>oblonga</i> (Greene) Abrams	Flax-leaved Horsemint	PH	FACU	Lamiaceae	C, 1B.3, FS
<i>Mucronea perfoliata</i> (Gray) A.A. Heller var. <i>perfoliata</i>	Perfoliate Spineflower	AH	.	Polygonaceae	R
<i>Muhlenbergia richardsonis</i> Trin.	Mat Muhly	PG	FAC	Poaceae	U
<i>Muhlenbergia rigens</i> (Benth.) Hitchc.	Deer Grass	PG	FAC	Poaceae	O
<i>Muilla maritima</i> (Torrey) S. Watson	Common Muilla	PG	.	Themidaceae	O
<i>Myosurus minimus</i> L.	Common Mousetails	AH	OBL	Ranunculaceae	R
<i>Myriopteris</i> [<i>Cheilanthes</i>] <i>covillei</i> (Maxon) A. Löve & D. Löve	Coville Lip-fern	PF	.	Pteridaceae	C
<i>Nama californica</i> (Gray) J.D. Bacon	Lemmon California Waterleaf	AH	.	Namaceae	O
<i>Navarretia peninsularis</i> Greene	Southern California Navarretia	AH	FAC	Polemoniaceae	U
<i>Nemacladus secundiflorus</i> var. <i>robbinsii</i> Morin	Robbins' Nemacladus	AH	.	Lobeliaceae	U, 1B.2
<i>Nemacladus sigmoideus</i> G.T. Robbins	Thread Stem	AH	.	Lobeliaceae	R
<i>Nemophila pedunculata</i> Benth.	Little-foot or Meadow Baby Blue-eyes	AH	FAC	Hydrophyllaceae	C
<i>Nicotiana quadrivalis</i> Pursh var. <i>quadrivalis</i>	Indian Tobacco	AH	FACU	Solanaceae	S
<i>Pectocarya setosa</i> Gray	Setose Pectocarya	AH	.	Boraginaceae	C
<i>Pediomelum californicum</i> (S. Watson) Rydb.	California Indian Breadroot	PH	.	Fabaceae	O
<i>Pellaea mucronata</i> (D.C. Eaton) D.C. Eaton in Emory var. <i>mucronata</i>	Birdsfoot Cliffbrake or Fern	PF	.	Pteridaceae	C
<i>Penstemon centranthifolius</i> Bentham	Scarlet Bugler	PH	.	Plantaginaceae	C
<i>Penstemon heterophyllus</i> Lindley var. <i>heterophyllus</i>	Mountain Penstemon	PH	.	Plantaginaceae	C
<i>Penstemon labrosus</i> (A. Gray) Hooker f.	San Gabriel Penstemon	PH	.	Plantaginaceae	O
<i>Penstemon laetus</i> Gray var. <i>laetus</i>	Gay Penstemon	PH	.	Plantaginaceae	U
<i>Penstemon rostriflorus</i> Kellogg	Bridges Penstemon	PH	.	Plantaginaceae	S
<i>Perideridia pringlei</i> (J.M. Coulter & Rose) A. Nelson & J.F. Macbr.	Adobe or Pringle Yampah	PH	.	Apiaceae	O, 4.3
<i>Phacelia affinis</i> Gray var. <i>affinis</i>	Limestone Phacelia	AH	.	Hydrophyllaceae	S
<i>Phacelia austromontana</i> J.T. Howell	Low Phacelia	AH	.	Hydrophyllaceae	U
<i>Phacelia exilis</i> (Gray) G.J. Lee	Transverse Range Phacelia	AH	.	Hydrophyllaceae	S, 4.3
<i>Phacelia fremontii</i> Torrey	Fremont Phacelia	AH	.	Hydrophyllaceae	C
<i>Phacelia hastata</i> Douglas ex Lehm. var. <i>hastata</i>	Silverleaf Scorpionweed	PH	?	Hydrophyllaceae	R
<i>Phacelia humilis</i> var. <i>dudleyi</i> J. Howell	Dudley Phacelia	AH	.	Hydrophyllaceae	R
<i>Phacelia imbricata</i> ssp. <i>patula</i> (Brand) Heckard	Mountain Phacelia	PH	.	Hydrophyllaceae	U
<i>Phacelia mohavensis</i> A. Gray	Mojave Phacelia	AH	.	Hydrophyllaceae	U, 4.3
<i>Phacelia tanacetifolia</i> Benth.	Tansy Phacelia	AH	.	Hydrophyllaceae	C
<i>Phoradendron bolleanum</i> (Seem.) Eichler	Fir Mistletoe	PH	.	Viscaceae	O

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Vascular Plants of San Guillmero Mountain, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Phoradendron leucarpum</i> ssp. <i>tomentosum</i> (DC.) J.R. Abbott & R.L. Thomps.	Oak or Hairy Mistletoe	PH	.		Viscaceae	C
<i>Pilularia americana</i> A. Braun	American Pillwort	PF	OBL		Marsiliaceae	R
<i>Pinus jeffreyi</i> Greville & Balfour	Jeffrey Pine	T	.		Pinaceae	C
<i>Pinus monophylla</i> Torrey & Frémont	Singleleaf Pinyon Pine	T	.		Pinaceae	C
<i>Pinus ponderosa</i> var. <i>pacifica</i> J.R. Haller & N.J. Vivrette	Pacific Ponderosa Pine	T	FACU		Pinaceae	O
<i>Plagiobothrys arizonicus</i> (Gray) Gray	Arizona Popcornflower	AH	.		Boraginaceae	U
<i>Plagiobothrys bracteatus</i> (Howell) I.M. Johnst.	Bracted Popcornflower	AH	OBL		Boraginaceae	R
<i>Plagiobothrys humistratus</i> (E. Greene) I.M. Johnston	Low Popcornflower	AH	OBL		Boraginaceae	R
<i>Plagiobothrys leptocladus</i> (E. Greene) I.M. Johnston	Alkali Popcornflower	AH	OBL		Boraginaceae	R
<i>Plectritis ciliosa</i> ssp. <i>insignis</i> (Suksd.) D. Morey	Petite Long-spurred Plectritis	AH	FACU		Valerianaceae	U
<i>Poa secunda</i> J.S. Presl ssp. <i>secunda</i>	One-sided Bluegrass	PG	FACU		Poaceae	C
<i>Pseudognaphalium californicum</i> (DC.) Anderberg	Green Everlasting	A/BH	.		Asteraceae	C
<i>Pseudotsuga macrocarpa</i> (Vasey) Mayr	Bigcone Spruce or False Hemlock	T	.		Pinaceae	C
<i>Psilocarphus brevissimus</i> Nutt. var. <i>brevissimus</i>	Woolly Marbles	AH	FACW		Asteraceae	R
<i>Psilocarphus chilensis</i> A. Gray	Round Woolly Marbles	AH	FACW		Asteraceae	R
<i>Quercus chrysolepis</i> Liebm.	Canyon Live or Goldencup Oak	T	.		Fagaceae	C
<i>Quercus wislizenii</i> ssp. <i>frutescens</i> (Engelm.) E. Murray	Shrubby Interior Live Oak	S	.		Fagaceae	S
<i>Ranunculus aquatilis</i> var. <i>diffusus</i> Withering	White Water Crowfoot	AH	OBL		Ranunculaceae	R
<i>Ranunculus cymbalaria</i> Pursh	Desert Buttercup	PH	(OBL)		Ranunculaceae	S
* <i>Ranunculus testiculatus</i> Crantz *	Testicular Buttercup	AH	.		Ranunculaceae	R
<i>Rigiopappus leptocladus</i> Gray	Rigiopappus	AH	.		Asteraceae	S
<i>Rorippa curvisiliqua</i> (Hooker) Bessey ex Britton	Curved-pod Watercress	AH	OBL		Brassicaceae	R
<i>Rosa woodsii</i> ssp. <i>gratissima</i> (E. Greene) W.H. Lewis & Ertter var. <i>gratissima</i>	Mojave Wild Rose	S	FACU		Rosaceae	S
<i>Rumex salicifolius</i> J.A. Weinm. [var. <i>salicifolius</i>]	Willow Dock	PH	FACW		Polygonaceae	C
<i>Salix lasiolepis</i> Benth. var. <i>lasiolepis</i>	Arroyo Willow	T	FACW		Salicaceae	C
<i>Salvia columbariae</i> Benth.	Chia	AH	.		Lamiaceae	C
<i>Sidalcea sparsifolia</i> (C.L. Hitchc.) S.R. Hill	Few-leaved Globemallow	S	.		Malvaceae	O
<i>Silene verecunda</i> S. Watson	Cuyamaca or San Francisco Campion	PH	.		Caryophyllaceae	S
* <i>Sisymbrium altissimum</i> L. *	Tumble Mustard	AH	FACU		Brassicaceae	O
<i>Stachys rigida</i> var. <i>quercetorum</i> (A. Heller) G.A. Mulligan & D.B. Munro	Oakleaf Rigid Hedge Nettle	PH	FACW		Lamiaceae	U
<i>Stephanomeria pauciflora</i> (Nutt.) Nelson var. <i>pauciflora</i>	Wire-lettuce	PH	.		Asteraceae	S
<i>Stephanomeria virgata</i> ssp. <i>pleurocarpa</i> (Greene) Gottlieb	Two-fruited Wreath Plant	AH	.		Asteraceae	S
<i>Stipa thurberiana</i> Piper	Thurber Needlegrass	PG	.		Poaceae	R
* <i>Tragopogon dubius</i> Scop. *	Yellow Salsify	A/BH	?		Asteraceae	R
<i>Trichostema micranthum</i> Gray	Small-flowered Bluecurls	AH	FAC		Lamiaceae	R, 4.3
<i>Trifolium variegatum</i> Nutt. var. <i>variegatum</i>	Whitetip Clover	AH	FAC		Fabaceae	S
<i>Trifolium variegatum</i> var. <i>geminiflorum</i> (Greene) Vincent	Small-flowered Variegated Clover	AH	FAC		Fabaceae	U

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Vascular Plants of San Guillmero Mountain, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator Status	Family	Abundance Status
<i>Turricula parryi</i> (A. Gray) J.F. Macbr.	Poodle-dog Bush	S	.	Namaceae	C
<i>Viola purpurea</i> Kellogg ssp. <i>purpurea</i>	Purple or Mountain Violet	PH	.	Violaceae	S
<i>Viola purpurea</i> ssp. <i>quercetorum</i> (M. Baker & J. Clausen) R.J. Little	Oak Violet	PH	.	Violaceae	S
<i>Viola purpurea</i> ssp. <i>venosa</i> (S. Watson) M.S. Baker & J.C. Clausen	Mountain Violet	PH	.	Violaceae	R

Notes: Scientific nomenclature follows the Flora of North America Editorial Committee (1993-), *The Jepson Manual* (Baldwin et al. 2012), Baker et al. (2012 for Phrymaceae), Nesom (2012a & 2012b for *Erythranthe*, 2013 for *Diplacus*), Tulig & Nesom (2012 for *Diplacus*), Hasenstab-Lehman & Simpson (2012 for *Cryptantha*), Burge & Zhukovsky (2013 for *Ceanothus vestitus* complex), Schneider (2016 for *Aphyllon*), Colwell et al. (2017 for *Aphyllon*), and Broich (1987 for *Lathyrus vestitus*). Most current taxomomy is followed when changed have occurred since publication of the above listed references. Common names follow Abrams and Ferris (1960), Neihaus and Ripper (1976), and DeGarmo (1980). An "*" indicates non-native taxa that have become naturalized or persist without cultivation. A ? indicates taxa that are expected to occur in the County but have not been seen.

Habit definitions:

AF = annual fern or fern ally.	PG = perennial grass or graminoid.
AG = annual grass or graminoid.	PH = perennial herb.
AH = annual herb.	PV = perennial vine.
BH = biennial herb.	S = shrub.
PF = perennial fern or fern ally.	T = tree.

Wetland indicator status (Lichvar et al. 2016): OBL = obligate wetland species, occurs almost always in wetlands (>99% probability)
 FACW = facultative wetland species, usually found in wetlands (67-99% probability).
 FAC = facultative species, equally likely to occur in wetlands or nonwetlands (34-67% probability).
 FACU = facultative upland species, usually occur in nonwetlands (67-99% probability).
 A period "." indicates that no wetland indicator status has been given in Lichvar et al. (2016).
 Parentheses around an indicator status indicates the wetland status as suggested by David L. Magney.

Abundance status definitions:

R = Rare (1-5 extant populations known)	FE = Federally listed Endangered	1A = CNPS 1A
U = Uncommon (6-10 extant populations known)	FT = Federally listed Threatened	1B.x = CNPS 1B
S = Scattered (11-20 extant populations known)	SE = California listed Endangered	2.x = CNPS 2
O = Occasional (21-30 extant populations known)	ST = California listed Threatened	3.x = CNPS 3
C = Common (>30 extant populations known)	SR = California listed Rare	4.x = CNPS 4
	FS = Forest Service Sensitive Species	

Developed by David L. Magney 2023. Checklist may be used for educational and nonprofit purposes only.
 Based on voucher specimens at one or more California public herbaria and direct observations by author.